

---

# SHOWER ENCLOSURES

LIVE · LOVE · SHOWER



# IDEAL STANDARD, THE SHOWER SPECIALIST

When it comes to creating the shower you want, at Ideal Standard, we listen. That's why our ranges offer not just the very best design and quality, but respond to your every need.



# 8

## Getting started

A guide to help you make your choice with details on each product



# 104

## Bath screens

Find your perfect screen from an extensive range



# 16

## Enclosures

Five unique collections from basic to luxury



# 120

## Shower valves, kits and trays

High-quality, ultra-practical shower trays and kits to complement the enclosure of your choice

# 86

## Wetrooms

A range of wetroom options and combinations to create your dream space



# 137

## Practicalities

Further details including guarantees and maintenance



Nothing compares  
to a great shower

---



Tonic corner door—right hand version and left hand side panel with Simplicity Low Profile shower tray, Oposta TT built-in thermostatic shower and Idealrain L1 300mm rain shower with 400mm wall arm. Also featured SimplyU 65cm Dynamic washbasin with wall mounted basin unit, basin mixer, mirror and accessories.



Kubo alcove slider door with Simplicity Low Profile shower tray and ITV exposed thermostatic valve and Idealrain S3 shower kit. Also featured Concept 80cm vanity basin, wall mounted basin unit, mirror and Ceramix Blue basin mixer.

# Getting started

---

At Ideal Standard, we understand what it takes to make the perfect bathroom environment and strive hard to make sure we achieve that for our customers with every product in our portfolio.

When you want a stylish showering environment, you need look no further than our fantastic range of enclosures, wetrooms or bathscreens which can cater for your needs whatever the size of your bathroom, shower room or ensuite.

Our products are made from the highest quality materials, with added design features and installation benefits to make sure that once you have chosen your product, it is easy to install and reliable in its use. Look out for the added features at top of each page.

So how do you choose which product is right for you? The type of product you choose for your bathroom, ensuite or shower room should be tailored to your everyday needs. Here are a few thoughts and ideas as to which is right for you.

---

## Who will use the product?

This needs to be considered as the type of product you choose may be different depending on the size and makeup of your family. If you have children, you may prefer to have a more robust shower enclosure with a frame, or a semi framed design with Idealclean glass so that the product is easy to clean if it is in constant use.

If you are a design conscious individual where style and minimalism rules then a wetroom can give you an open, uncluttered showering area that gives you freedom and style. Whether you choose full or partial with a tray you'll love the extra space and light.

## Where will the product be installed?

Are you considering adding a showering product as part of your main bathroom, or ensuite bathroom? Have you got room for a separate shower?

If the answer is yes then our recommendation would be to choose a shower enclosure as these provide a practical and stylish solution to showering. Within our ranges we have a number of sizes and door types to suit your needs ranging from 700mm to 1700mm, so perfect for bath replacements too.

If you're lucky enough to have the space to convert your attic, put in an additional shower room downstairs or add an ensuite and are looking for something smaller, then look out for our space saving pentagons and quadrant enclosures which are perfect in corners or alcove doors where space is at a premium.

If you're looking for that something special then a wetroom could be the answer. We have many wetroom panels perfect for the job and even enclosures which fit on wetroom floors creating a spacious and open feel throughout the bathroom. Don't forget to ensure that the room is converted professionally and is adequately water proofed.

## What if you cannot accommodate a shower enclosure?


Not everyone wants to let go of the bath in their house and if this is you or you are unable to accommodate an additional enclosure then why not look at our range of bath screens instead. They are a more hygienic alternative to a shower curtain and are easy to clean as well as having a deflector seal which ensures that the screen meets your bath and helps the water from your shower to run back into the bath, making it as water tight as an enclosure.




# A shower to suit your every need

With a choice of shapes, sizes and door styles there's an Ideal Standard enclosure to fit your lifestyle. From sliding doors to pivots, quadrants to pentagons, alcoves, walk ins and wetrooms there's something for everyone. Use the guide below to firstly choose the installation type you need and then the shape and door opening style.


## Corner Installations - for the corner of the room



Sliding door opening



Hinged door opening



### Quadrant / Offset quadrant


With their gentle curved edges these enclosures suit almost any bathroom design, creating an open relaxing environment, even in restricted spaces. Sliding or hinged doors offer maximum access to the shower area.

### Sliding door with side panel

Sliding doors glide smoothly out of the way offering maximum access where there is limited space to open a door. Sliding doors are great for larger spaces to create luxurious showering areas.


### Corner entry

If you have limited space on either side of your shower cubicle, corner entry enclosures offer an effective solution. Sliding or hinged doors open in the centre allowing easy access to a roomy showering area.




### Pivot/Hinged door with side panel

These doors swing open to offer wide access, which combined with a side panel creates a light and airy showering area.



### Infold/Bifold door with side panel


When you don't have room to open your door outwards, an infold door is the model for you. An excellent space saving device it offers wide access even in awkward spaces. A bifold has the added bonus of not only folding inwards but also folding out.



### Pentagon


Pentagon enclosures offer great space saving. The pivoting door opens wide to allow maximum access from the centre of the showering area.

## Alcove Installations - for between two walls




### Pivot/Hinged door

These doors work well in alcoves allowing the maximum showering area combined with the maximum access.



### Sliding door

Sliding doors are a practical solution for alcoves, especially larger spaces, the smooth running wheels glide the door easily out of the way for easy access.




### Infold/Bifold door

The infold door is a great option for bathrooms with limited room for a shower. It folds inwards to save space and the bifold also opens outwards.

## Walk Ins

Walk ins add a touch of luxury to any bathroom, get the wetroom look but with a conventional installation. No door means access couldn't be easier!



### INSTALLATION

Unhanded doors mean easier buying, planning and installation so where possible all of our doors are unhanded.

On more minimal styled frameless enclosures it is often hard to unhand the door without compromising on the installation and functionality so check which hand you need before ordering.

A shower door is handed by the corner it fits into, therefore a right hand hinges from the right hand wall. (See right hand door image above).

# Available in a complete range of features you need

All our shower enclosure collections offer the comfort and style you'd expect from Ideal Standard. Every piece is expertly designed and built using the highest quality materials and what sets them apart is their sheer usability, ensuring easy cleaning, simple maintenance and maximum enjoyment.

## Choose from the highest standard of materials



### Choose the frame style you desire

We offer a wide choice of enclosures in a variety of styles. From frameless to semi-framed, fully framed to walk ins and wetrooms, we've enclosures for every style of bathroom.

The frame finish also differs across each range to complement the styling. Check the matrix for details.



Polished silver Bright silver Silver



### Choose your glass thickness

All Ideal Standard shower enclosures are manufactured from toughened safety glass.

As tastes and budgets differ, a range of thicknesses are offered from 4mm to 8mm.



### Designer handles

Designed to last with a sleek, ergonomic finish and solid construction, handles look as good as they feel whilst withstanding the test of time. Careful consideration has been given to each design to ensure that not only is it comfortable to use with that door, but that it also shows off the enclosure.

### Peace of mind

As you would expect from Ideal Standard, all shower enclosures and bath screens exceed all safety, functionality and performance tests within current European Standards. All enclosures are backed up by Ideal Standard's 10 year guarantee for added peace of mind.

## Features

Expert engineering means our collections are full of clever features which make them not just a pleasure to use every day but easy to install, clean and maintain. As each range is individual, check each door for applicable features.



**Glass thickness**  
Toughened safety glass thickness.



**Smooth running wheels**  
Quality wheels mean doors glide along effortlessly and silently.



**Rise and fall hinges**  
Ensure doors open and close with ease.



**Concealed Fixings**  
The cover profiles click easily into place during installation and combine with top caps to ensure that all fixings are concealed.



**Horizontal adjustment**  
Allows perfect fitting to out-of-true walls. Check each collection for adjustment values.



**Horizontal and vertical adjustment**  
The profile can be adjusted both vertically and horizontally to allow fixing into grout lines rather than into tile centres.



**Power shower proof**  
The enclosures have been tested to ensure that they are power shower proof, so even with the most invigorating of showers the seals remain water tight.



**Guarantee**  
All Ideal Standard Shower enclosures are backed by our comprehensive guarantee.



**Idealclean**  
For glass that's easier to clean and stays cleaner for longer, reducing cleaning time by up to 90%.



**Click and clean**  
The lower wheels and panels can be released to expose them for thorough cleaning. The panel then easily clicks back into position to create a water tight seal.



# Shower enclosures at a glance

	SERENIS	TONIC	SYNERGY	SYNERGY WETROOMS	KUBO	NEW CONNECT
<b>STYLE</b>						
Quadrant		●	●		●	●
Offset quadrant		●	●		●	
Sliding door			●		●	
Pivot door			●		●	●
Hinged door		●				
Infold door			●			
Bifold door					●	●
Corner entry		●	●		●	●
Side panel		●	●		●	●
Walk in	●			●		
Wetroom panels				●		
<b>GLASS &amp; FRAME</b>						
Glass thickness	6mm	8mm	8mm	8mm	6mm	4mm
Frameless	●	●		●	●	
Semi framed			●			
Fully framed						●
Frame finish	Polished silver	Bright silver	Bright silver	Bright silver	Bright silver	Silver
Height	2232mm	2017mm	1900mm	2000mm	1950mm	1850mm
<b>FEATURES</b>						
Idealclean	●	●	●	●	●	
Rise and fall hinges		●				
Click and Clean			●		●	●
Smooth running wheels			●		●	●
Power shower proof		●	●		●	●
Horizontal adjustment	15mm	Up to 40mm	Up to 50mm	Up to 23mm	Up to 50mm	Up to 50mm
Horizontal and vertical adjustment				●		
Concealed fixings	●	●	●	●	●	●
Suitable for installation on wetroom	●	●	●	●	●	
Built in shower valve and kit	●					





SHOWER ENCLOSURES



Serenis 360 corner wetroom with integral water delivery system. Also featured White 50cm wall mounted wash basin and Silver basin mixer.

## What's life without a little luxury?

If it's luxury you're after then Serenis is top of the range. Designed with space and natural light in mind, its elegant modern form and built-in water delivery system treats you to maximum indulgence every day.

### Superbly crafted

Its unique structure and shaped glass allow more light and more luxury, making a statement in any bathroom.

### More space to enjoy

Up to 360° of pure showering pleasure combined with a built-in thermostatic shower and drench shower head give the ultimate shower.

### Adaptable and versatile

Choose from 4 unique shapes in a range of sizes, suitable for a tray or a wetroom. Serenis is the ultimate showering statement for any bathroom.

MM  
CLEAR  
SAFETY  
GLASS

6mm




Serenis 360 corner shower enclosure and tray with integral water delivery system - left hand version.

# Serenis 360 corner



with built-in thermostatic valve, dual controls, shower kit and drench shower head



- Height 2232mm
- 6mm clear safety glass
- Idealclean treatment
- Concealed fixings & top caps
- Polished silver finish
- Horizontal adjustment up to 15mm
- Built-in water delivery system - thermostatic shower valve with dual on/off control, shower kit and drench shower head
- Designed by award winning designers PearsonLloyd
- Suitable for installation on Serenis trays or Serenis wetroom fixings

**Installation:** Ensure a tray or wetroom fixing kit is ordered alongside your chosen shower enclosure. Check the shower tray hand required for your installation.

Minimum ceiling height required of 2300mm.

Maximum tiled in depth for tray is 15mm.

Minimum 1 bar pressure for optimum performance of shower head.

## SPECIFICATIONS - WALK IN


SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)	LH ITEM CODE	RH ITEM CODE	ITEM CODE	RRP INC VAT
1700 Enclosure	1695	515	1070-1085			L8362AA	£3,764.21
Shower Tray				L523001	L523101		£556.08
Waste						L8828AA	£49.52

## PRICE

## SPECIFICATIONS - WETROOM

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)	ITEM CODE	RRP INC VAT
1700 Enclosure	1649	486	1043	L8362AA	£3764.21
Wetroom Fixings				L8384AA	£470.52

## PRICE



Serenis 360 corner walk in enclosure - left hand tray illustrated

Serenis 360 corner wetroom




Serenis 360 peninsular shower enclosure and tray with integral water delivery system - right hand version.

# Serenis 360 peninsular



with built-in thermostatic valve, dual controls, shower kit and drench shower head



- Height 2232mm
- 6mm clear safety glass
- Idealclean treatment
- Polished silver finish
- Concealed fixings & top caps
- Horizontal adjustment up to 15mm
- Built-in water delivery system - thermostatic shower valve with dual on/off control, shower kit and drench shower head
- Designed by award winning designers PearsonLloyd
- Suitable for installation on Serenis trays or Serenis wetroom fixings

**Installation:** Ensure a tray or wetroom fixing kit is ordered alongside your chosen shower enclosure. Check the shower tray hand required for your installation.

Minimum ceiling height required of 2300mm.

Maximum tiled in depth for tray is 15mm.

Minimum 1 bar pressure for optimum performance of shower head.

## SPECIFICATIONS - WALK IN

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)
1500 Enclosure	1108	500	1455-1470
Shower Tray			
Waste			

LH ITEM CODE	RH ITEM CODE	ITEM CODE
L523201	L524901	L8360AA
		L8828AA

## PRICE


RRP INC VAT
£3,764.21
£556.08
£49.52

## SPECIFICATIONS - WETROOM


SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)
1500 Enclosure	1013.5	485	1460
Wetroom Fixings			

ITEM CODE	RRP INC VAT
L8360AA	£3,764.21
L8384AA	£470.52

## PRICE



Serenis 360 peninsular walk in enclosure - right hand tray illustrated




Serenis 360 peninsular wetroom



# Serenis 180



for alcove



- Height 2232mm
- 6mm clear safety glass
- Idealclean treatment
- Polished silver finish
- Concealed fixings & top caps
- Horizontal adjustment up to 15mm
- Available in 1400mm or 1700mm
- Designed by award winning designers PearsonLloyd
- Optional built-in water delivery system - thermostatic shower valve with dual on/off control, shower kit and drench shower head
- Suitable for installation on Serenis trays or Serenis wetroom fixings

**Installation:** Ensure a tray or wetroom fixing kit is ordered alongside your chosen shower enclosure. Check the shower tray hand required for your installation.

Minimum ceiling height of 2300mm required.

Maximum tray tiled in depth 15mm.

Minimum 1 bar for optimum performance of shower head.

## SPECIFICATIONS - WALK IN


SIZE /MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. E - WIDTH (MM)	LH ITEM CODE	RH ITEM CODE	ITEM CODE	RRP INC VAT
1400 With Water Delivery	1395	550	830-845			L8371AA	£2,395.39
1400 W/Out Water Delivery	1395	550	830-845			L8375AA	£1,539.91
1700 With Water Delivery	1695	550	1130-1145			L8365AA	£2,566.49
1700 W/Out Water Delivery	1695	550	1130-1145			L8369AA	£1,711.01
1400 Shower Tray				L524301	L524401		£470.52
1700 Shower Tray				L524101	L524201		£513.31
Waste						L8828AA	£49.52

## PRICE


## SPECIFICATIONS - WETROOM

SIZE /MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)	DIM. E - WIDTH (MM)	ITEM CODE	RRP INC VAT
1400 With Water Delivery	1360	532	675	830	L8371AA	£2,395.39
1400 W/Out Water Delivery	1360	532	675	830	L8375AA	£1,539.91
1700 With Water Delivery	1660	532	660	1128	L8365AA	£2,566.49
1700 W/Out Water Delivery	1660	532	660	1128	L8369AA	£1,711.01
Wetroom fixings					L8386AA	£470.52

## PRICE



Serenis 180 alcove walk in enclosure - left hand tray illustrated



Serenis 180 alcove wetroom


Serenis 180 alcove shower enclosure and tray – left hand version with Ascari TT built-in thermostatic valve and Idealrain XL3 shower kit.



# Serenis 180



for corner



- Height 2232mm
- 6mm clear safety glass
- Idealclean treatment
- Polished silver finish
- Concealed fixings & top caps
- Available in 1400mm or 1700mm
- Horizontal adjustment up to 15mm
- Designed by award winning designers PearsonLloyd
- Optional built-in water delivery system - thermostatic shower valve with dual on/off control, shower kit and drench shower head
- Suitable for installation on Serenis trays or Serenis wetroom fixings

**Installation:** Ensure a tray or wetroom fixing kit is ordered alongside your chosen shower enclosure. Check the shower tray hand required for your installation.  
 Minimum ceiling height of 2300mm required.  
 Maximum tray tiled in depth 15mm.  
 Minimum 1 bar for optimum performance of shower head.

## SPECIFICATIONS - WALK IN


SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)	DIM. E - WIDTH (MM)	LH ITEM CODE	RH ITEM CODE	ITEM CODE	RRP INC VAT
1400 With Water Delivery	1395	495	635-650	830-845			L8370AA	£2,737.60
1400 W./Out Water Delivery	1395	495	635-650	830-845			L8374AA	£1,882.09
1700 With Water Delivery	1695	495	635-650	1130-1145			L8364AA	£2,908.69
1700 W./Out Water Delivery	1695	495	635-650	1130-1145			L8368AA	£2,053.19
1400 Shower Tray					L523501	L523601		£470.52
1700 Shower Tray					L523301	L523401		£513.31
Waste							L8828AA	£49.52

## PRICE


## SPECIFICATIONS - WETROOM

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)	DIM. E - WIDTH (MM)	DIM. F - WIDTH (MM)	ITEM CODE	RRP INC VAT
1400 With Water Delivery	1347	498	633	830	675	L8370AA	£2,737.60
1400 W./Out Water Delivery	1347	498	633	830	675	L8374AA	£1,882.09
1700 With Water Delivery	1645	498	633	1128	660	L8364AA	£2,908.69
1700 W./Out Water Delivery	1645	498	633	1128	660	L8368AA	£2,053.19
Wetroom fixings						L8385AA	£470.52

## PRICE



Serenis 180 corner walk in enclosure - left hand tray illustrated



Serenis 180 corner wetroom


Serenis 180 corner shower enclosure and tray with integral water delivery system - right hand version.



# Serenis 90



for alcove



- Height 2232mm
- 6mm clear safety glass
- Idealclean treatment
- Polished silver finish
- Concealed fixings & top caps
- Horizontal adjustment up to 15mm
- Built-in towel rail
- Designed by award winning designers PearsonLloyd
- Available in 1200mm or 1400mm
- Suitable for installation on Serenis trays or Serenis wetroom fixings

**Installation:** Ensure a tray or wetroom fixing kit is ordered alongside your chosen shower enclosure. Check the shower tray hand required for your installation.

Minimum ceiling height of 2300mm required.

Maximum tray tiled in depth 15mm.

## SPECIFICATIONS - WALK IN


SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. E - WIDTH (MM)	LH ITEM CODE	RH ITEM CODE	ITEM CODE	RRP INC VAT
1200 Enclosure	1195	485	643-658			L8377AA	£1,368.80
1400 Enclosure	1395	485	843-858			L8379AA	£1,240.49
1200 Shower Tray				L524701	L524801		£427.76
1400 Shower Tray				L524501	L524601		£470.52
Waste						L8828AA	£49.52

## PRICE


## SPECIFICATIONS - WETROOM

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)	DIM. E - WIDTH (MM)	ITEM CODE	RRP INC VAT
1200 Enclosure	1150	498	517	633	L8377AA	£1,368.80
1400 Enclosure	1350	498	517	833	L8379AA	£1,240.49
Wetroom fixings					L8386AA	£470.52

## PRICE



Serenis 90 alcove walk in enclosure - left hand tray illustrated



Serenis 90 alcove wetroom

Serenis 90 alcove shower enclosure and tray – right hand version with Oposta TT built-in thermostatic valve and Idealrain XL3 shower kit.






# Serenis 90



for corner



- Height 2232mm
- 6mm clear safety glass
- Idealclean treatment
- Polished silver finish
- Concealed fixings & top caps
- Horizontal adjustment up to 15mm
- Built-in towel rail
- Designed by award winning designers PearsonLloyd
- Available in 1200mm or 1400mm
- Suitable for installation on Serenis trays or Serenis wetroom fixings

**Installation:** Ensure a tray or wetroom fixing kit is ordered alongside your chosen shower enclosure. Check the shower tray hand required for your installation.

Minimum ceiling height of 2300mm required.

Maximum tray tiled in depth 15mm.

## SPECIFICATIONS - WALK IN

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)
1200 Enclosure	1195	485
1400 Enclosure	1395	485
1200 Shower Tray		
1400 Shower Tray		
Waste		

DIM. C - WIDTH (MM)	DIM. E - WIDTH (MM)	LH ITEM CODE	RH ITEM CODE	ITEM CODE	RRP INC VAT
818-833	643-658			L8378AA	£1,582.69
818-833	843-858			L8376AA	£1,711.01
		L523901	L524001		£427.76
		L523701	L523801		£470.52
				L8828AA	£49.52


## PRICE

## SPECIFICATIONS - WETROOM


SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)
1200 Enclosure	1135	481
1400 Enclosure	1334	481
Wetroom fixings		

DIM. C - WIDTH (MM)	DIM. E - WIDTH (MM)	ITEM CODE	RRP INC VAT
808	633	L8378AA	£1,582.69
808	833	L8376AA	£1,711.01
		L8385AA	£470.52

## PRICE



Serenis 90 corner walk in enclosure - left hand tray illustrated



Serenis 90 corner wetroom

Serenis 90 corner shower enclosure and tray – right hand version with Oposta TT built-in thermostatic valve and Idealrain XL3 shower kit.



Tonic Quadrant shower enclosure with Simplicity Low Profile shower tray, Attitude TT built-in thermostatic valve and Idealrain LJ 300mm rain shower with vertical arm. Also featured Tonic 60cm pedestal wash basin with Attitude single lever basin mixer and Moments accessories.

## Elegance unlimited

Tonic makes sophistication look effortless. Frameless edges and dynamic shapes meet with high-quality finishes to create the ultimate in long-lasting contemporary design.

### Timeless contemporary design

Clean lines, frameless glass and minimalist forms make for a style that never dates.

### Size matters

With sizes including space efficient 800mm alcoves, the design's openness offers a more comfortable shower experience.

### Dynamic design


Considered details such as the consistent styling of the hinge bracket and handle make for a more original and elegant design.





Tonic Quadrant shower enclosure with Simplicity Low Profile shower tray, Attitude TT built-in thermostatic valve and Idealrain L1 300mm rain shower with vertical arm.

# Quadrant



- Height 2017mm
- 8mm clear safety glass
- Idealclean treatment
- Bright silver finish
- Chrome contemporary handle
- Rise and fall hinges for easy opening
- Integrated bracing brackets for minimal styling
- Concealed fixings with easy click covers and top caps
- Designed by award winning designers Artefakt
- Horizontal adjustment up to 20mm per profile
- Separate flat top and upstand tray variants
- Suitable for installation on shower trays or wetroom flooring
- 10 year guarantee
- 550mm radius
- Unhanded


**Installation:** A flat top enclosure must be installed on a flat top tray and an upstand enclosure on an upstand tray, ensure the correct enclosure is ordered to suit your chosen shower tray and installation circumstances.

## SPECIFICATIONS - FLAT TOP

SIZE /MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)	DIM. D - REACH (MM)	DIM. E - WIDTH (MM)	ITEM CODE	RRP INC VAT
800	773-793	860	773-793	477	147-167	L6516EO	£1,104.00
900	873-893	860	873-893	477	247-267	L6522EO	£1,164.00
1000	973-993	860	973-993	477	347-367	L6528EO	£1,224.00

## SPECIFICATIONS - UPSTAND

SIZE /MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)	DIM. D - REACH (MM)	DIM. E - WIDTH (MM)	ITEM CODE	RRP INC VAT
800	758-778	845	758-778	462	147-167	L6519EO	£1,104.00
900	858-878	845	858-878	462	247-267	L6525EO	£1,164.00




**RECOMMENDED TRAY**  
Simplicity Low Profile quadrant tray in flat top or upstand see pages 130-130



Tonic Offset Quadrant shower enclosure - right hand version and Simplicity Low Profile shower tray - right hand version with Oposta 3 control 2 outlet built-in thermostatic valve with Idealrain M3 shower kit and L1 rain shower with 400mm wall arm.

# Offset quadrant




- Height 2017mm
- 8mm clear safety glass
- Idealclean treatment
- Bright silver finish
- Chrome contemporary handle
- Rise and fall hinges for easy opening
- Integrated bracing brackets for minimal styling
- Concealed fixings with easy click covers and top caps
- Designed by award winning designers Artefakt
- Horizontal adjustment up to 20mm per profile
- Suitable for installation on flat top shower trays or wetroom flooring
- 10 year guarantee
- 550mm radius

**Installation:** Ensure correct hand is ordered.

## SPECIFICATIONS - FLAT TOP

SIZE /MM - LEFT	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)	DIM. D - REACH (MM)	DIM. E - WIDTH (MM)	DIM. F - WIDTH (MM)	ITEM CODE	RRP INC VAT
1000 x 800 LH	973-993	860	773-793	477	347-367	147-167	L6534EO	£1,194.00
1200 x 900 LH	1173-1193	860	873-893	477	547-567	247-267	L6540EO	£1,314.00

SIZE /MM - RIGHT	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)	DIM. D - REACH (MM)	DIM. E - WIDTH (MM)	DIM. F - WIDTH (MM)	ITEM CODE	RRP INC VAT
1000 x 800 RH	773-793	860	973-993	477	347-367	147-167	L6531EO	£1,194.00
1200 x 900 RH	873-893	860	1173-1193	477	547-567	247-267	L6537EO	£1,314.00



Left hand version illustrated


**RECOMMENDED TRAY**  
Simplicity Low Profile offset quadrant flat top tray see page 130-131



**RECOMMENDED TRAY**  
Simplicity Low Profile square or rectangular tray in flat top or upstand see pages 130-133

Tonic alcove door – left hand version and Simplicity Low Profile shower tray. ITV exposed thermostatic valve with Idealrain S1 shower kit and Idealrain fixed riser with MI rain shower, also ITV additional outlet.

## Alcove door



- Height 2017mm
- 8mm clear safety glass
- Idealclean treatment
- Bright silver finish
- Chrome contemporary handle
- Rise and fall hinges for easy opening
- Integrated bracing brackets for minimal styling
- Concealed fixings with easy click covers and top caps
- Designed by award winning designers Artefakt
- Horizontal adjustment up to 20mm
- Separate flat top and upstand tray variants
- Suitable for installation on shower trays or wetroom flooring
- 10 year guarantee

**Installation:** Ensure correct hand is ordered. A flat top enclosure must be installed on a flat top tray and an upstand enclosure on an upstand tray, ensure the correct enclosure is ordered to suit your chosen shower tray and installation circumstances.

### SPECIFICATIONS - FLAT TOP


SIZE /MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. D - REACH (MM)	DIM. E - WIDTH (MM)	LH ITEM CODE	RH ITEM CODE	RRP INC VAT
800	770-810	500	510	147-167	L6544EO	L6543EO	£690.00
900	870-910	600	610	147-167	L6548EO	L6547EO	£720.00
1000	970-1010	700	710	147-167	L6552EO	L6551EO	£750.00
1200	1170-1210	700	710	247-267	L6583EO	L6581EO	£816.00
1400	1370-1410	700	710	347-367	L6591EO	L6589EO	£876.00
1600	1570-1610	700	710	447-467	L6599EO	L6597EO	£948.00

### PRICE

### SPECIFICATIONS - UPSTAND

SIZE /MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. D - REACH (MM)	DIM. E - WIDTH (MM)	LH ITEM CODE	RH ITEM CODE	RRP INC VAT
800	750-790	480	490	147-167	L6546EO	L6545EO	£690.00
900	850-890	550	590	147-167	L6550EO	L6549EO	£720.00
1200	1150-1190	680	690	247-267	L6587EO	L6585EO	£816.00
1400	1350-1390	680	690	347-367	L6595EO	L6593EO	£876.00

### PRICE




Tonic alcove 800mm - 1000mm left hand version illustrated

Tonic alcove 1200mm - 1600mm left hand version illustrated



Tonic corner door – left hand version and right hand side panel with Simplicity Low Profile shower tray, TT Oposta built-in thermostatic valve and Idealrain LI 300mm rain shower with 400mm wall arm.


**RECOMMENDED TRAY**  
Simplicity Low Profile square or rectangular tray in flat top or upstand see pages 130-133



Left hand door and right hand side panel illustrated

# Corner door

## with side panel



- Height 2017mm
- 8mm clear safety glass
- Idealclean treatment
- Bright silver finish
- Chrome contemporary handle
- Rise and fall hinges for easy opening
- Integrated bracing brackets for minimal styling
- Concealed fixings with easy click covers and top caps
- Designed by award winning designers Artefakt
- Horizontal adjustment up to 20mm
- Separate flat top and upstand tray variants
- Suitable for installation on shower trays or wetroom flooring
- 10 year guarantee

**Installation:** Ensure correct hand is ordered, use a left hand door with a right hand side panel, and vice versa. A flat top enclosure must be installed on a flat top tray and an upstand enclosure on an upstand tray, ensure the correct enclosure is ordered to suit your chosen shower tray and installation circumstances.

### SPECIFICATIONS - FLAT TOP DOOR

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. D - REACH (MM)
800	773-793	567	577
900	873-893	667	677
1000	973-993	717	727
1200	1173-1193	717	727
1400	1373-1393	717	727

DIM. E - WIDTH (MM)	LH ITEM CODE	RH ITEM CODE	RRP INC VAT
197-217	L6564EO	L6563EO	£690.00
197-217	L6568EO	L6567EO	£720.00
297-317	L6572EO	L6571EO	£750.00
397-417	L6603EO	L6601EO	£816.00
597-617	L6611EO	L6609EO	£876.00

### SPECIFICATIONS - FLAT TOP SIDE PANEL

SIZE/MM	DIM. C - WIDTH (MM)	LH ITEM CODE	RH ITEM CODE	RRP INC VAT
760	733-753	L6503EO	L6502EO	£264.00
800	773-793	L6507EO	L6506EO	£282.00
900	873-893	L6511EO	L6510EO	£300.00
1000	973-993	L6515EO	L6514EO	£318.00

### PRICE

### SPECIFICATIONS - UPSTAND DOOR

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. D - REACH (MM)	DIM. E - WIDTH (MM)	LH ITEM CODE	RH ITEM CODE	RRP INC VAT
800	758-778	552	562	197-217	L6566EO	L6565EO	£690.00
900	858-878	652	662	197-217	L6570EO	L6569EO	£720.00
1200	1158-1178	702	712	397-417	L6607EO	L6605EO	£816.00
1400	1358-1378	702	712	597-617	L6415EO	L6613EO	£876.00

### PRICE

### SPECIFICATIONS - UPSTAND SIDE PANEL


SIZE/MM	DIM. C - WIDTH (MM)	LH ITEM CODE	RH ITEM CODE	RRP INC VAT
760	718-738	L6505EO	L6504EO	£264.00
800	758-778	L6509EO	L6508EO	£282.00
900	858-878	L6513EO	L6512EO	£300.00

### PRICE



Tonic corner entry shower enclosure with Simplicity Low Profile shower tray, Ceratherm 200 shower exposed thermostatic valve and Idealrain L3 shower kit.

# Corner entry



- Height 2017mm
- 8mm clear safety glass
- Idealclean treatment
- Bright silver finish
- Chrome contemporary handle
- Rise and fall hinges for easy opening
- Integrated bracing brackets for minimal styling
- Concealed fixings and top caps
- Designed by award winning designers Artefakt
- Horizontal adjustment up to 20mm per profile
- Separate flat top and upstand tray variants
- Suitable for installation on shower trays or wetroom flooring
- 10 year guarantee
- Unhanded


**Installation:** A flat top enclosure must be installed on a flat top tray and an upstand enclosure on an upstand tray, ensure the correct enclosure is ordered to suit your chosen shower tray and installation circumstances.

## SPECIFICATIONS - FLAT TOP

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)	DIM. D - REACH (MM)	DIM. E - WIDTH (MM)	ITEM CODE	PRICE
800	773-793	807	773-793	577	197-217	L6487EO	RRP INC VAT £1,110.00
900	873-893	949	873-893	677	247-267	L6493EO	RRP INC VAT £1,164.00
1000	973-993	1019	973-993	727	197-217	L6499EO	RRP INC VAT £1,218.00

## SPECIFICATIONS - UPSTAND

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)	DIM. D - REACH (MM)	DIM. E - WIDTH (MM)	ITEM CODE	PRICE
800	758-778	790	758-778	562	197-217	L6490EO	RRP INC VAT £1,110.00
900	873-893	930	858-878	662	197-217	L6496EO	RRP INC VAT £1,164.00



**RECOMMENDED TRAY**  
Simplicity Low Profile square tray in flat top or upstand see pages 130-133



Synergy corner 1700 slider door and 760 side panel with 1700 x 750mm Idealite shower tray, Attitude 3 control 2 outlet built-in thermostatic valve mixer with Idealrain XL3 shower kit and LI rain shower with 400mm wall arm. Also featured Softmood 60cm washbasin with 800mm wall mounted basin unit, mirror and accessories.

## Step into a new world of showering

With its semi-framed design and exposed glass edge doors, Synergy has been created to open out your shower space for seamlessness and harmony throughout your bathroom.

### Contemporary look

Semi-framed edges bring a fresh contemporary look and feel to your bathroom.

### Flexible installation

Horizontal adjustment allows the perfect fit for your space.

### Wide range

From space saving quadrants and pentagons to 1700mm sliding bath replacements, Synergy has all that you need.


MM  
CLEAR  
SAFETY  
GLASS

8mm



Synergy quadrant shower enclosure and Simplicity Low Profile shower tray, Jasper Morrison TT built-in thermostatic valve and shower kit.

# Quadrant




- Height 1900mm
- 8mm clear safety glass
- Idealclean treatment
- Bright silver finish
- Solid chrome plated handle
- Click and clean wheels
- Smooth running wheels
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 25mm per profile
- Suitable for installation on a tray or wetroom floor
- 550mm radius
- Unhanded

## SPECIFICATIONS

SIZE /MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)	ITEM CODE
800	755-780	415	755-780	L6283EO
900	855-880	535	855-880	L6284EO
1000	955-980	535	955-980	L6285EO

## PRICE

RRP INC VAT
£762.90
£795.50
£828.11




**RECOMMENDED TRAY**  
**Simplicity Low Profile**  
 quadrant tray in flat top or upstand see pages 130-133

# Offset quadrant



Synergy offset quadrant shower enclosure and Simplicity Low Profile shower tray, Attitude TT built-in thermostatic valve and Idealrain XL3 shower kit.




- Height 1900mm
- 8mm clear safety glass
- Idealclean treatment
- Bright silver finish
- Solid chrome plated handle
- Click and clean wheels
- Smooth running wheels
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 25mm per profile
- Suitable for installation on a tray or wetroom floor
- 550mm radius
- Unhanded

## SPECIFICATIONS

SIZE /MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)
900 x 800	855-880	448	755-780
1200 x 900	1155-1180	535	855-880

## PRICE

ITEM CODE	RRP INC VAT
L6286EO	£805.39
L6287EO	£925.91



**RECOMMENDED TRAY**  
**Simplicity Low Profile**  
 offset quadrant flat top tray see page 130






Synergy alcove pivot door and Simplicity Low Profile shower tray, Attitude TT built-in thermostatic valve and Idealrain XL3 shower kit.

# Pivot door




## for alcove



- Height 1900mm
- 8mm clear safety glass
- Idealclean treatment
- Bright silver finish
- Solid chrome plated handle
- Exposed glass edge on door for a touch of luxury
- Concealed seals
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 50mm
- Suitable for installation on a tray or wetroom floor
- Unhanded

### SPECIFICATIONS

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. D - REACH	ITEM CODE	PRICE
760	710-760	490	455	L6201EO	RRP INC VAT £404.92
800	750-800	520	485	L6202EO	£425.17
900	850-900	600	565	L6203EO	£458.92
1000	950-1000	680	645	L6204EO	£482.52




**RECOMMENDED TRAY**  
**Simplicity Low Profile**  
 square or rectangular tray  
 in flat top or upstand  
 see pages 130-133



Synergy corner pivot door and side panel with Simplicity Low Profile shower tray, Jasper Morrison TT built-in thermostatic valve and shower kit.

# Pivot door

for corner, with side panel



- Height 1900mm
- 8mm clear safety glass
- Idealclean treatment
- Bright silver finish
- Solid chrome plated handle
- Exposed glass edge on door for a touch of luxury
- Concealed seals
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 25mm per profile
- Suitable for installation on a tray or wetroom floor
- Unhanded

## SPECIFICATIONS - DOOR


SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. D - REACH (MM)	ITEM CODE	RRP INC VAT
760	711-761	490	455	L6201EO	£404.92
800	751-801	520	485	L6202EO	£425.17
900	851-901	600	565	L6203EO	£458.92
1000	951-1001	680	645	L6204EO	£482.52

## PRICE

## SPECIFICATIONS - SIDE PANEL

SIZE/MM	DIM. C - WIDTH (MM)	ITEM CODE	RRP INC VAT
760	724-749	L6216EO	£269.95
800	764-789	L6217EO	£282.80
900	864-889	L6218EO	£302.09
1000	964-989	L6219EO	£321.37

## PRICE




**RECOMMENDED TRAY**  
**Simplicity Low Profile**  
 square or rectangular tray in flat top or upstand see pages 130-133



Synergy 1200 alcove pivot door and Simplicity Low Profile shower tray, Attitude TT built-in thermostatic valve and Idealrain L3 shower kit.

# 1200 pivot

for alcove




- Height 1900mm
- 8mm clear safety glass
- Idealclean treatment
- Bright silver finish
- Solid chrome plated handle
- Exposed glass edge on door for a touch of luxury
- Concealed seals
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 50mm
- Suitable for installation on a tray or wetroom floor
- Unhanded

## SPECIFICATIONS

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. D - REACH	ITEM CODE
1200	1150-1200	600	565	L6205EO

## PRICE

RRP INC VAT
£593.90




**RECOMMENDED TRAY**  
**Simplicity Low Profile**  
 rectangular tray in flat top or upstand see pages 130-133



Synergy 1200 corner pivot door and side panel with Simplicity Low Profile shower tray, Attitude built-in thermostatic valve and Idealrain L3 shower kit.

# 1200 pivot

for corner, with side panel



- Height 1900mm
- 8mm clear safety glass
- Idealclean treatment
- Bright silver finish
- Solid chrome plated handle
- Exposed glass edge on door for a touch of luxury
- Concealed seals
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 25mm per profile
- Suitable for installation on a tray or wetroom floor
- Unhanded

## SPECIFICATIONS - DOOR

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. D - REACH	ITEM CODE
1200	1151-1201	600	565	L6205EO


## PRICE

RRP INC VAT
£593.90

## SPECIFICATIONS - SIDE PANEL

SIZE/MM	DIM. C - WIDTH	ITEM CODE	RRP INC VAT
760	724-749	L6216EO	£269.95
800	764-789	L6217EO	£282.80
900	864-889	L6218EO	£302.09

## PRICE



**RECOMMENDED TRAY**  
**Simplicity Low Profile**  
 rectangular tray in flat top or upstand see pages 130-133





Synergy alcove slider door and Simplicity Low Profile shower tray, Attitude TT built-in thermostatic valve and Idealrain L3 shower kit.

# Slider door



## for alcove




- Height 1900mm
- 8mm clear safety glass
- Idealclean treatment
- Bright silver finish
- Solid chrome plated handle
- Click and clean wheels
- Smooth running wheels
- Exposed glass edge on door for a touch of luxury
- Concealed seals
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 50mm
- Suitable for installation on a tray or wetroom floor
- 10 year guarantee
- Unhanded

### SPECIFICATIONS

SIZE /MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	ITEM CODE	RRP INC VAT
1000	950-1000	382	L6288EO	£554.24
1200	1150-1200	435	L6289EO	£573.80
1400	1350-1400	535	L6290EO	£620.89
1700	1650-1700	685	L6617EO	£684.00

### PRICE



**RECOMMENDED TRAY**  
**Simplicity Low Profile**  
 square or rectangular tray  
 in flat top or upstand  
 see pages 130-133




Synergy corner slider door and side panel with Simplicity Low Profile shower tray, Attitude TT built-in thermostatic valve and Idealrain L3 shower kit.

# Slider door



for corner, with side panel



- Height 1900mm
- 8mm clear safety glass
- Idealclean treatment
- Bright silver finish
- Solid chrome plated handle
- Click and clean wheels
- Smooth running wheels
- Exposed glass edge on door for a touch of luxury
- Concealed seals
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 25mm per profile
- Suitable for installation on a tray or wetroom floor
- 10 year guarantee
- Unhanded

## SPECIFICATIONS - DOOR

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	ITEM CODE
1000	952-1002	382	L6288EO
1200	1152-1202	435	L6289EO
1400	1352-1402	535	L6290EO
1700	1650-1700	685	L6617EO

## PRICE


RRP INC VAT
£554.24
£573.80
£620.89
£684.00

## SPECIFICATIONS - SIDE PANEL

SIZE/MM	DIM. C - WIDTH (MM)	ITEM CODE	RRP INC VAT
700	664-689	L6199EO	£257.00
760	724-749	L6216EO	£269.95
800	764-789	L6217EO	£282.80
900	864-889	L6218EO	£302.09
1000	964-989	L6219EO	£321.37

## PRICE

RRP INC VAT
£257.00
£269.95
£282.80
£302.09
£321.37



**RECOMMENDED TRAY**  
**Simplicity Low Profile**  
 square or rectangular trays in flat top or upstand see pages 130-133






Synergy alcove infold door and Simplicity Low Profile shower tray, Attitude TT built-in thermostatic valve and Idealrain L3 shower kit.

# Infold door

for alcove




- Height 1900mm
- 8mm clear safety glass
- Idealclean treatment
- Bright silver finish
- Solid chrome plated handle
- Triple smooth running wheels
- Exposed glass edge on door for a touch of luxury
- Concealed seals
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 50mm
- Suitable for installation on a tray or wetroom floor
- 10 year guarantee
- Unhanded

### PRICE

ITEM CODE	RRP INC VAT
L6206EO	£489.04
L6207EO	£502.08
L6208EO	£541.20
L6209EO	£580.32

### SPECIFICATIONS

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	ITEM CODE	RRP INC VAT
760	710-760	414	L6206EO	£489.04
800	750-800	455	L6207EO	£502.08
900	850-900	556	L6208EO	£541.20
1000	950-1000	609	L6209EO	£580.32




**RECOMMENDED TRAY**  
Simplicity Low Profile square or rectangular tray in flat top or upstand see pages 130-133



Synergy corner infold door and side panel with Simplicity Low Profile shower tray, Jasper Morrison TT built-in thermostatic valve and shower kit.

# Infold door

for corner, with side panel



- Height 1900mm
- 8mm clear safety glass
- Idealclean treatment
- Bright silver finish
- Solid chrome plated handle
- Triple smooth running wheels
- Exposed glass edge on door for a touch of luxury
- Concealed seals
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 25mm per profile
- Suitable for installation on a tray or wetroom floor
- 10 year guarantee
- Unhanded

### PRICE


ITEM CODE	RRP INC VAT
L6206EO	£489.04
L6207EO	£502.08
L6208EO	£541.20
L6209EO	£580.32

### SPECIFICATIONS - DOOR

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	ITEM CODE
760	711-761	414	L6206EO
800	751-801	455	L6207EO
900	851-901	556	L6208EO
1000	951-1001	609	L6209EO

### SPECIFICATIONS - SIDE PANEL

SIZE/MM	DIM. C - WIDTH (MM)	ITEM CODE	RRP INC VAT
760	724-749	L6216EO	£269.95
800	764-789	L6217EO	£282.80
900	864-889	L6218EO	£302.09
1000	964-989	L6219EO	£321.37




**RECOMMENDED TRAY**  
Simplicity Low Profile square or rectangular tray in flat top or upstand see pages 130-133



Synergy corner entry shower enclosure and Simplicity Low Profile shower tray, Jasper Morrison TT built-in thermostatic valve and shower kit.


# Corner entry



- Height 1900mm
- 8mm clear safety glass
- Idealclean treatment
- Bright silver finish
- Solid chrome plated handle
- Click and clean wheels
- Smooth running wheels
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 25mm per profile
- Suitable for installation on a tray or wetroom floor
- 10 year guarantee
- Unhanded

## SPECIFICATIONS

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)	ITEM CODE	PRICE
800	753-778	385	753-778	L6280EO	RRP INC VAT £645.53
900	853-878	455	853-878	L6281EO	RRP INC VAT £697.69
1000	953-978	455	953-978	L6282EO	RRP INC VAT £749.86




**RECOMMENDED TRAY**  
Simplicity Low Profile square tray in flat top or upstand see page 130-131



Synergy pentagon shower enclosure and Space shower tray, Jasper Morrison TT built-in thermostatic valve and shower kit.

# Pentagon



- Height 1900mm
- 8mm clear safety glass
- Idealclean treatment
- Bright silver finish
- Solid chrome plated handle
- Exposed glass edge on door for a touch of luxury
- Concealed seals
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 25mm per profile
- Suitable for installation on a tray or wetroom floor
- Unhanded


**Installation:** 800 Pentagon enclosure requires Space pentagon tray, 900 Pentagon enclosure used with Simplicity Low Profile pentagon tray.

## SPECIFICATIONS - ENCLOSURE

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)	DIM. D - REACH	ITEM CODE	PRICE
800	763-788	450	763-788	420	L6214EO	RRP INC VAT £708.13
900	873-898	520	873-898	485	L6215EO	RRP INC VAT £762.90

## SPECIFICATIONS - SHOWER TRAY

SIZE/MM	DIM. A - WIDTH (MM)	DIM. C - WIDTH (MM)	ITEM CODE	PRICE
Space 800	795	795	E708401	RRP INC VAT £238.03
Simplicity LP 900	910	910	L511101	RRP INC VAT £180.00





Kubo quadrant shower enclosure and Simplicity Low Profile shower tray, Ceratherm 100 exposed thermostatic valve and Idealrain L3 shower kit. Also featured Concept 60cm wash basin and 800mm basin unit and mirror.

## Designed for everyday living

Sleek, modern and minimalist, Kubo is luxury without the price tag. Designed to look and feel sensational, it combines high quality materials with easy manageability for everyday showering pleasure.

### Affordable luxury

High quality design that's accessible to everyone.

### Ultra flexible

Kubo's sleek good looks and wide door choices make it the perfect fit for any modern bathroom.

### Technical cleverness

With a unique bifold that opens inwards and out, smooth running click and clean wheels and Idealclean, the range features the most up to date technology.

MM  
CLEAR  
SAFETY  
GLASS


6mm





Kubo quadrant shower enclosure and Simplicity Low Profile shower tray, Ceratherm 100 exposed thermostatic valve and Idealrain L3 shower kit.

# Quadrant




- Height 1950mm
- 6mm clear safety glass
- Slim line bright silver frame
- Long and sleek chrome plated handle
- Idealclean treatment
- Click and clean
- Smooth running wheels
- Concealed fixings with easy click covers and top caps
- Magnetic seals encased in aluminum
- Horizontal adjustment up to 25mm per profile
- Suitable for installation on a tray or wetroom floor
- 550mm radius
- Unhanded

## SPECIFICATIONS

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)	ITEM CODE
800	755-780	405	755-780	T7350EO
900	855-880	560	855-880	T7351EO

## PRICE

RRP INC VAT
£510.00
£528.00




**RECOMMENDED TRAY**  
Simplicity Low Profile quadrant tray in flat top or upstand see pages 130-133



Kubo offset quadrant shower enclosure and Simplicity Low Profile shower tray – left hand version, Ceratherm 100 exposed thermostatic valve and Idealrain L3 shower kit.

# Offset quadrant




- Height 1950mm
- 6mm clear safety glass
- Slim line bright silver frame
- Long and sleek chrome plated handle
- Idealclean treatment
- Click and clean
- Smooth running wheels
- Concealed fixings with easy click covers and top caps
- Magnetic seals encased in aluminum
- Horizontal adjustment up to 25mm per profile
- Suitable for installation on a tray or wetroom floor
- 550mm radius
- Unhanded

## SPECIFICATIONS

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)	ITEM CODE
1000 x 800	955-980	493	755-780	T7352EO
1200 x 900	1155-1180	493	755-780	T7355EO

## PRICE

RRP INC VAT
£594.00
£630.00



**RECOMMENDED TRAY**  
Simplicity Low Profile offset quadrant flat top tray see page 130-133




**RECOMMENDED TRAY**  
**Simplicity Low Profile**  
 square or rectangular tray  
 in flat top or upstand  
 see pages 130-133

Kubo alcove pivot door and Simplicity Low Profile shower tray with ITV exposed thermostatic valve and Idealrain M3 shower kit.

# Pivot door

for alcove




- Height 1950mm
- 6mm clear safety glass
- Slim line bright silver frame
- Long and sleek chrome plated handle
- Idealclean treatment
- Concealed fixings with easy click covers and top caps
- Magnetic seals encased in aluminum
- Horizontal adjustment up to 50mm
- Suitable for installation on a tray or wetroom floor
- Unhanded

## SPECIFICATIONS

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. D - REACH (MM)
700	650-700	450	450
760	710-760	475	475
800	750-800	500	500
900	850-900	550	550

## PRICE

ITEM CODE	RRP INC VAT
T7371EO	£276.00
T7372EO	£288.00
T7373EO	£300.00
T7374EO	£354.00






Kubo corner pivot door and side panel with Simplicity Low Profile shower tray, Ceratherm 100 exposed thermostatic valve and Idealrain L3 shower kit.

# Pivot door



for corner, with side panel



- Height 1950mm
- 6mm clear safety glass
- Slim line bright silver frame
- Long and sleek chrome plated handle
- Idealclean treatment
- Concealed fixings with easy click covers and top caps
- Magnetic seals encased in aluminum
- Horizontal adjustment up to 50mm
- Suitable for installation on a tray or wetroom floor
- Unhanded


## SPECIFICATIONS - DOOR

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. D - REACH (MM)	ITEM CODE	RRP INC VAT
700	651-701	450	450	T7371EO	£276.00
760	711-761	475	475	T7372EO	£288.00
800	751-801	500	500	T7373EO	£300.00
900	851-901	550	550	T7374EO	£354.00

## SPECIFICATIONS - SIDE PANEL

SIZE/MM	DIM. C - WIDTH (MM)	ITEM CODE	RRP INC VAT
700	655-705	T7367EO	£204.00
760	715-765	T7368EO	£216.00
800	755-805	T7369EO	£228.00
900	855-905	T7370EO	£240.00

## PRICE



**RECOMMENDED TRAY**  
**Simplicity Low Profile**  
 square or rectangular tray  
 in flat top or upstand  
 see pages 130-133





Kubo alcove slider door and Simplicity Low Profile shower tray with ITV exposed thermostatic valve and Idealrain S3 shower kit. Also featured Concept 85cm vanity wash basin and wall hung basin unit.

# Slider door




## for alcove



- Height 1950mm
- 6mm clear safety glass
- Slim line bright silver frame
- Long and sleek chrome plated handle
- Idealclean treatment
- Click and clean
- Smooth running wheels
- Concealed fixings with easy click covers and top caps
- Magnetic seals encased in aluminum
- Horizontal adjustment up to 50mm
- Suitable for installation on a tray or wetroom floor
- Unhanded

### SPECIFICATIONS

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	ITEM CODE	PRICE
1000	950-1000	390	T7378EO	RRP INC VAT £396.00
1100	1050-1100	440	T7379EO	£420.00
1200	1150-1200	490	T7380EO	£444.00



**RECOMMENDED TRAY**  
Simplicity Low Profile square or rectangular tray in flat top or upstand see pages 130-133






Kubo corner slider door and side panel with Simplicity Low Profile shower tray with ITV exposed thermostatic valve and Idealrain S3 shower kit.

# Slider door



for corner, with side panel



- Height 1950mm
- 6mm clear safety glass
- Slim line bright silver frame
- Long and sleek chrome plated handle
- Idealclean treatment
- Click and clean
- Smooth running wheels
- Concealed fixings with easy click covers and top caps
- Magnetic seals encased in aluminum
- Horizontal adjustment up to 25mm per profile
- Suitable for installation on a tray or wetroom floor
- Unhanded

## SPECIFICATIONS - DOOR

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	ITEM CODE
1000	952-1002	390	T7378EO
1100	1052-1102	440	T7379EO
1200	1152-1202	490	T7380EO

## PRICE


RRP INC VAT
£396.00
£420.00
£444.00

## SPECIFICATIONS - SIDE PANEL

SIZE/MM	DIM. C - SIDE PANEL	ITEM CODE	RRP INC VAT
760	715-765	T7368EO	£216.00
800	755-805	T7369EO	£228.00
900	855-905	T7370EO	£240.00

## PRICE

RRP INC VAT
£216.00
£228.00
£240.00




**RECOMMENDED TRAY**  
**Simplicity Low Profile**  
 square or rectangular tray in flat top or upstand see pages 130-133



Kubo alcove bifold door and Simplicity Low Profile shower tray with ITV exposed thermostatic valve and Idealrain S3 shower kit.

# Bifold door

for alcove




- Height 1950mm
- 6mm clear safety glass
- Slim line bright silver frame
- Long and sleek chrome plated handle
- Idealclean treatment
- Opens inwards and out
- Smooth running wheels
- Concealed fixings with easy click covers and top caps
- Magnetic seals encased in aluminum
- Horizontal adjustment up to 50mm
- Suitable for installation on a tray or wetroom floor
- Unhanded

## SPECIFICATIONS

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	ITEM CODE
760	710-760	520	T7375EO
800	750-800	560	T7376EO
900	850-900	660	T7377EO

## PRICE

RRP INC VAT
£360.00
£372.00
£396.00




**RECOMMENDED TRAY**  
Simplicity Low Profile square or rectangular tray in flat top or upstand see pages 130-133



Kubo corner bifold door and side panel with Simplicity Low Profile shower tray with ITV exposed thermostatic valve and Idealrain S3 shower kit.

# Bifold door

with side panel



- Height 1950mm
- 6mm clear safety glass
- Slim line bright silver frame
- Long and sleek chrome plated handle
- Idealclean treatment
- Opens inwards and out
- Smooth running wheels
- Concealed fixings with easy click covers and top caps
- Magnetic seals encased in aluminum
- Horizontal adjustment up to 25mm
- Suitable for installation on a tray or wetroom floor
- Unhanded

## SPECIFICATIONS - DOOR

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	ITEM CODE
760	711-761	520	T7375EO
800	751-801	560	T7376EO
900	851-901	660	T7377EO

## PRICE


RRP INC VAT
£360.00
£372.00
£396.00

## SPECIFICATIONS - SIDE PANEL

SIZE/MM	DIM. C - WIDTH (MM)	ITEM CODE
760	715-765	T7368EO
800	755-805	T7369EO
900	855-905	T7370EO

## PRICE

RRP INC VAT
£216.00
£228.00
£240.00




**RECOMMENDED TRAY**  
Simplicity Low Profile square or rectangular tray in flat top or upstand see pages 130-133



Kubo corner entry shower enclosure and Simplicity Low Profile shower tray with Ceratherm 100 exposed thermostatic valve and Idealrain M3 shower kit.


## Corner entry



- Height 1950mm
- 6mm clear safety glass
- Slim line bright silver frame
- Long and sleek chrome plated handle
- Idealclean treatment
- Click and clean
- Smooth running wheels
- Concealed fixings with easy click covers and top caps
- Magnetic seals encased in aluminum
- Horizontal adjustment up to 25mm per profile
- Suitable for installation on a tray or wetroom floor
- Unhanded

### SPECIFICATIONS

SIZE /MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. C - WIDTH (MM)	ITEM CODE	PRICE
760	715-740	395	715-740	T7358EO	RRP INC VAT £504.00
800	755-780	425	755-780	T7361EO	£528.00
900	855-880	495	855-880	T7364EO	£552.00



**RECOMMENDED TRAY**  
**Simplicity Low Profile**  
 square tray in flat top or upstand see pages 130-133



New Connect corner slider door and side panel with Simplicity Low Profile shower tray with ITV exposed thermostatic valve and Idealrain M3 shower kit.

## Effortless enjoyment

New Connect is attractive, modern, practical and so low maintenance you never have to worry about complex installation. Plus, it's utterly affordable.

### Simple

The generous frame, 50mm of adjustment and concise range of doors makes choosing and fitting New Connect simple.

### Practical

With space saving quadrants, easy access bifold and integrated handles, New Connect is stylish and practical.

### Easy

Smooth surfaces, click and clean wheels with concealed fixings and top caps makes maintaining your shower easy.

MM  
CLEAR  
SAFETY  
GLASS

4mm




# NEW CONNECT



New Connect quadrant shower enclosure and Simplicity Low Profile shower tray with ITV exposed thermostatic valve and Idealrain M3 shower kit.

## Quadrant




- Height 1850mm
- 4mm clear safety glass
- Integrated ergonomic handle
- Click and clean
- Smooth running wheels
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 25mm per profile
- Suitable for installation on a tray or wetroom floor
- Unhanded
- 550 degree radius

### SPECIFICATIONS

SIZE /MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)
800	755 - 780	380
900	855 - 880	530

ITEM CODE	RRP INC VAT
L6640VA	£288.00
L6641VA	£300.00

### PRICE




**RECOMMENDED TRAY**  
Simplicity Low Profile quadrant trays in flat top or upstand see pages 130-133

## Corner entry



New Connect corner entry shower enclosure and Simplicity Low Profile shower tray with ITV exposed thermostatic valve and Idealrain M3 shower kit.




- Height 1850mm
- 4mm clear safety glass
- Integrated ergonomic handle
- Click and clean
- Smooth running wheels
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 25mm per profile
- Suitable for installation on a tray or wetroom floor
- Unhanded

### SPECIFICATIONS

SIZE /MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)
800	755 - 780	425
900	855 - 880	495

ITEM CODE	RRP INC VAT
L6638VA	£348.00
L6639VA	£360.00

### PRICE



**RECOMMENDED TRAY**  
Simplicity Low Profile square trays in flat top or upstand see pages 130-133


# NEW CONNECT



New Connect alcove pivot door and Simplicity Low Profile shower tray with Ceratherm 100 exposed thermostatic valve and Idealrain M3 shower kit.

## Pivot door

for alcove




- Height 1850mm
- 4mm clear safety glass
- Integrated ergonomic handle
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 50mm
- Suitable for installation on a tray or wetroom floor
- Unhanded

### SPECIFICATIONS

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. D - REACH (MM)
760	710 - 760	500	500
800	750 - 800	520	520
900	850 - 900	550	550

### PRICE

ITEM CODE	RRP INC VAT
L6642VA	£216.00
L6643VA	£222.00
L6644VA	£234.00




**RECOMMENDED TRAY**  
Simplicity Low Profile square or rectangular trays in flat top or upstand see pages 130-133



New Connect corner pivot door and side panel with Simplicity Low Profile shower tray with Ceratherm 100 exposed thermostatic valve and Idealrain M3 shower kit.

## Pivot door

for corner, with side panel



- Height 1850mm
- 4mm clear safety glass
- Integrated ergonomic handle
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 25mm per profile
- Suitable for installation on a tray or wetroom floor
- Unhanded

### SPECIFICATIONS - DOOR

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	DIM. D - REACH (MM)
760	710 - 760	500	500
800	750 - 800	520	520
900	850 - 900	550	550


### PRICE

ITEM CODE	RRP INC VAT
L6642VA	£216.00
L6643VA	£222.00
L6644VA	£234.00

### SPECIFICATIONS - SIDE PANEL

SIZE/MM	DIM. C - WIDTH (MM)	ITEM CODE	RRP INC VAT
760	715 - 765	L6649VA	£156.00
800	755 - 805	L6650VA	£162.00
900	855 - 905	L6651VA	£168.00

### PRICE




**RECOMMENDED TRAY**  
Simplicity Low Profile square or rectangular trays in flat top or upstand see pages 130-133



New Connect alcove slider door and Simplicity Low Profile shower tray with ITV exposed thermostatic valve and Idealrain M3 shower kit.

# Slider door


for alcove



- Height 1850mm
- 4mm clear safety glass
- Integrated ergonomic handle
- Click and clean
- Smooth running wheels
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 50mm
- Suitable for installation on a tray or wetroom floor
- Unhanded

## SPECIFICATIONS

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	ITEM CODE	PRICE
1200	1150 - 1200	495	L6648VA	RRP INC VAT £318.00




**RECOMMENDED TRAY**  
Simplicity Low Profile rectangular trays in flat top or upstand see pages 130-133



New Connect corner slider door and side panel with Simplicity Low Profile shower tray with ITV exposed thermostatic valve and Idealrain M3 shower kit.

# Slider door

for corner, with side panel




- Height 1850mm
- 4mm clear safety glass
- Integrated ergonomic handle
- Click and clean
- Smooth running wheels
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 25mm per profile
- Suitable for installation on a tray or wetroom floor
- Unhanded

## SPECIFICATIONS - DOOR

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	ITEM CODE	PRICE
1200	1150-1200	495	L6648VA	RRP INC VAT £318.00

## SPECIFICATIONS - SIDE PANEL

SIZE/MM	DIM. C - WIDTH (MM)	ITEM CODE	PRICE
760	715 - 765	L6649VA	RRP INC VAT £156.00
800	755 - 805	L6650VA	RRP INC VAT £162.00
900	855 - 905	L6651VA	RRP INC VAT £168.00




**RECOMMENDED TRAY**  
Simplicity Low Profile rectangular trays in flat top or upstand see pages 130-133



New Connect alcove bifold door and Simplicity Low Profile shower tray with ITV exposed thermostatic valve and Idealrain M3 shower kit.

## Bifold door

for alcove



- Height 1850mm
- 4mm clear safety glass
- Integrated ergonomic handle
- Opens inwards and out
- Smooth running wheels
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 50mm per profile
- Suitable for installation on a tray or wetroom floor
- Unhanded

### SPECIFICATIONS

SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	ITEM CODE	RRP INC VAT
760	710 - 760	530	L6645VA	£276.00
800	750 - 800	580	L6646VA	£288.00
900	850 - 900	680	L6647VA	£300.00


### PRICE



New Connect corner bifold door and side panel with Simplicity Low Profile shower tray with ITV exposed thermostatic valve and Idealrain M3 shower kit.

## Bifold door

for corner, with side panel



- Height 1850mm
- 4mm clear safety glass
- Integrated ergonomic handle
- Opens inwards and out
- Smooth running wheels
- Concealed fixings with easy click covers and top caps
- Horizontal adjustment up to 25mm per profile
- Suitable for installation on a tray or wetroom floor
- Unhanded

### SPECIFICATIONS - DOOR


SIZE/MM	DIM. A - WIDTH (MM)	DIM. B - OPENING (MM)	ITEM CODE	RRP INC VAT
760	710 - 760	530	L6645VA	£276.00
800	750 - 800	580	L6646VA	£288.00
900	850 - 900	680	L6647VA	£300.00

### PRICE


### SPECIFICATIONS - SIDE PANEL

SIZE/MM	DIM. C - WIDTH (MM)	ITEM CODE	RRP INC VAT
760	715 - 765	L6649VA	£156.00
800	755 - 805	L6650VA	£162.00
900	855 - 905	L6651VA	£168.00

### PRICE



**RECOMMENDED TRAY**  
Simplicity Low Profile square or rectangular trays in flat top or upstand see pages 130-133



**RECOMMENDED TRAY**  
Simplicity Low Profile square or rectangular trays in flat top or upstand see pages 130-133



# WETROOMS

# Tailor made showering

The wetroom range is the epitome of minimalist showering chic. Whether you choose a full or partial wetroom with a tray, Ideal Standard gives you the opportunity to tailor your showering space to fit your vision.

## How to create your dream shower

### Choose your elements


Wetroom panel: the panel forms the basis of your configuration. Choose from the six configurations below, keeping in mind whether the shower and entry point is corner, alcove or dual access: whichever configuration you've chosen, we've got the right sized panel to suit. In a variety of sizes from 700mm to 1600mm, our wetrooms work in bijou bathrooms to palatial spaces.

### Plan your installation


- All wetroom panels are suitable for installation on wetroom floors or shower trays
- Angled or straight brackets are available to take into account your chosen configuration and shower head positioning
- All bracing brackets are supplied at 1m length and can be cut to your required size
- Return panels are available for fixing onto the wetroom panels to deflect splashing
- All wetroom panels come supplied with a wall profile with up to 23mm adjustment
- Always ensure that any wetroom installation is undertaken by a qualified and experienced fitter

## 6 Installation options


1 Front panel - for corner or alcove




2 Front panel with return - for corner or alcove




3 Front and end panel - for corners




4 Front panel with return and end panel - for corners



5 Dual access



6 Dual access with return panel



### COMPLETE FLEXIBILITY

- Wetroom panels are sold separately to bracing brackets to ensure maximum flexibility
- All wetroom panels come supplied with a wall profile, if installing as a dual access panel simply discard
- Return panels come supplied with corner connectors and seals to make installation easy
- All panels come supplied with an aluminium sealing strip for a water tight finish to the tray or floor



Synergy 1600 dual access wetroom panel with straight bracing brackets, Moments TT built-in thermostatic valves and Idealrain L1 rain showers with vertical arms.

## Wetroom

Create a wetroom with real 'Wow' with our sensational Synergy panels. Sleek and minimal, confidently contemporary, with a wetroom, showering seems altogether more indulgent.

### So flexible

Synergy works wonderfully in any bathroom thanks to a range of 9 panel sizes and multi-configurable bracket options.

### So innovative

Forget drilling into expensive tiles, the innovative wall profile can be adjusted to allow easier fixing into grout lines.

### So neat

Synergy's sleek aluminium wall sealing panel not only looks fabulous, it also covers beads of silicone for a cleaner, neater finish.

MM  
CLEAR  
SAFETY  
GLASS

8mm




Synergy corner wetroom panel with straight bracing bracket, Oposta TT built-in thermostatic shower valve and Trevi Outline 3 function shower kit.

# Wetroom panel



with straight bracing bracket for alcove or corner




- Height: 2000mm
- 8mm clear safety glass
- Idealclean treatment
- 23mm horizontal adjustment
- Concealed fixings, easy click covers and top caps
- Sealing channels for a silicone free look
- Vertical adjustment for drilling into grout lines
- Unhanded
- Suitable for installation on a tray or wetroom floor

**Installation:** To create this configuration, order wetroom panel of choice and a straight bracing bracket.

## SPECIFICATIONS

SIZE /MM	DIM. A - WIDTH (MM)	DIM. C - WIDTH (MM)	ITEM CODE	RRP INC VAT
700	654 - 677	650 - 994	L6220EO	£302.09
760	714 - 737	650 - 994	L6221EO	£314.95
800	754 - 777	650 - 994	L6222EO	£327.80
900	854 - 877	650 - 994	L6223EO	£346.52
1000	954 - 977	650 - 994	L6224EO	£371.36
1200	1154 - 1177	650 - 994	L6225EO	£401.17
1400	1354 - 1377	650 - 994	L6226EO	£553.94
1600	1554 - 1577	650 - 994	L6227EO	£666.92
Straight bracing bracket			L6229EO	£51.42

## PRICE



**RECOMMENDED TRAY**  
**Simplicity Low Profile**  
 square or rectangular trays in flat top or upstand see pages 130-133








Synergy corner wetroom panel with straight bracing bracket, and return panel, Oposta TT built-in thermostatic shower valve and Trevi Outline 3 function shower kit.

# Wetroom panel with return



with straight bracing bracket for alcove or corner



- Height: 2000mm
- 8mm clear safety glass
- Idealclean treatment
- 23mm horizontal adjustment
- Concealed fixings, easy click covers and top caps
- Sealing channels for a silicone free look
- Vertical adjustment for drilling into grout lines
- Unhanded
- Suitable for installation on a tray or wetroom floor


**Installation:** To create this configuration, order wetroom panel of choice, a 300mm return panel and a straight bracing bracket.

## SPECIFICATIONS

SIZE /MM	DIM. A - WIDTH (MM)	DIM. C - WIDTH (MM)
700	654 - 677	650 - 994
760	714 - 737	650 - 994
800	754 - 777	650 - 994
900	854 - 877	650 - 994
1000	954 - 977	650 - 994
1200	1154 - 1177	650 - 994
1400	1354 - 1377	650 - 994
1600	1554 - 1577	650 - 994
300 return panel		
Straight bracing bracket		

## PRICE

ITEM CODE	RRP INC VAT
L6220EO	£302.09
L6221EO	£314.95
L6222EO	£327.80
L6223EO	£346.52
L6224EO	£371.36
L6225EO	£401.17
L6226EO	£553.94
L6227EO	£666.92
L6228EO	£179.79
L6229EO	£51.42



**RECOMMENDED TRAY**  
**Simplicity Low Profile**  
 square or rectangular trays in flat top or upstand see pages 130-133






Synergy corner wetroom panel with straight bracing bracket, end panel and angle bracing bracket, Moments shower column.

# Wetroom panel with end panel



with straight bracing bracket and angle bracing bracket for corner



- Height: 2000mm
- 8mm clear safety glass
- Idealclean treatment
- 23mm horizontal adjustment
- Concealed fixings, easy click covers and top caps
- Sealing channels for a silicone free look
- Vertical adjustment for drilling into grout lines
- Ideal for bath replacements
- Unhanded
- Suitable for installation on a tray or wetroom floor


**Installation:** To create this configuration, order wetroom panel of choice for front, wetroom panel of choice for end, a straight bracing bracket and an angle bracing bracket.

## SPECIFICATIONS

SIZE/MM	DIM. A - WIDTH (MM)	DIM. C - WIDTH (MM)
700	654 - 677	650 - 994
760	714 - 737	650 - 994
800	754 - 777	650 - 994
900	854 - 877	650 - 994
1000	954 - 977	650 - 994
1200	1154 - 1177	650 - 994
1400	1354 - 1377	650 - 994
1600	1554 - 1577	650 - 994
Straight bracing bracket		
Angle bracing bracket		

## PRICE

ITEM CODE	RRP INC VAT
L6220EO	£302.09
L6221EO	£314.95
L6222EO	£327.80
L6223EO	£346.52
L6224EO	£371.36
L6225EO	£401.17
L6226EO	£553.94
L6227EO	£666.92
L6229EO	£51.42
L6230EO	£74.56



**RECOMMENDED TRAY**  
Simplicity Low Profile rectangular trays in flat top or upstand see pages 130-133




Synergy corner wetroom panel with straight bracing bracket, return panel and end panel with angle bracing bracket, Moments shower column.

# Wetroom panel with return and end panel



with straight bracing bracket and angle bracing bracket for corner




- Height: 2000mm
- 8mm clear safety glass
- Idealclean treatment
- 23mm horizontal adjustment
- Concealed fixings, easy click covers and top caps
- Sealing channels for a silicone free look
- Vertical adjustment for drilling into grout lines
- Ideal for bath replacements
- Unhanded

**Installation:** To create this configuration, order wetroom panel of choice for front, 300mm return panel, wetroom panel of choice for end, a straight bracing bracket and an angle bracing bracket.

## SPECIFICATIONS

SIZE /MM	DIM. A - WIDTH (MM)	DIM. C - WIDTH (MM)	ITEM CODE	RRP INC VAT
700	654 - 677	650 - 994	L6220EO	£302.09
760	714 - 737	650 - 994	L6221EO	£314.95
800	754 - 777	650 - 994	L6222EO	£327.80
900	854 - 877	650 - 994	L6223EO	£346.52
1000	954 - 977	650 - 994	L6224EO	£371.36
1200	1154 - 1177	650 - 994	L6225EO	£401.17
1400	1354 - 1377	650 - 994	L6226EO	£553.94
1600	1554 - 1577	650 - 994	L6227EO	£666.92
300 return panel			L6228EO	£179.97
Straight bracing bracket			L6229EO	£51.42
Angle bracing bracket			L6230EO	£74.56

## PRICE






Synergy dual access wetroom panel with straight bracing brackets and Moments shower column.

# Dual access wetroom panel

with straight bracing brackets




- Height: 2000mm
- 8mm clear safety glass
- Idealclean treatment
- Concealed fixings, easy click covers and top caps
- Sealing channels for a silicone free look
- Unhanded
- Suitable for installation on a tray or wetroom floor

**Installation:** To create this configuration, order wetroom panel of choice and 2 straight bracing brackets.

## SPECIFICATIONS

SIZE /MM	DIM. A - WIDTH (MM)	DIM. C - WIDTH (MM)	ITEM CODE	PRICE
700	638	650 - 994	L6220EO	£302.09
760	698	650 - 994	L6221EO	£314.95
800	738	650 - 994	L6222EO	£327.80
900	838	650 - 994	L6223EO	£346.52
1000	938	650 - 994	L6224EO	£371.36
1200	1138	650 - 994	L6225EO	£401.17
1400	1338	650 - 994	L6226EO	£553.94
1600	1538	650 - 994	L6227EO	£666.92
Straight Bracing bracket			L6229EO	£51.42




**RECOMMENDED TRAY**  
**Simplicity Low Profile**  
 square or rectangular trays in flat top or upstand see pages 130-133



Synergy dual access wetroom panel with return panels and straight bracing brackets, Moments shower column.

# Dual access wetroom panel with return

with straight bracing brackets




- Height: 2000mm
- 8mm clear safety glass
- Idealclean treatment
- Concealed fixings, easy click covers and top caps
- Sealing channels for a silicone free look
- Unhanded
- Suitable for installation on a tray or wetroom floor

**Installation:** To create this configuration, order wetroom panel of choice, 2 return panels and 2 straight bracing brackets.

## SPECIFICATIONS

SIZE/MM	DIM. A - WIDTH (MM)	DIM. C - WIDTH (MM)	ITEM CODE	RRP INC VAT
700	638	650 - 994	L6220EO	£302.09
760	698	650 - 994	L6221EO	£314.95
800	738	650 - 994	L6222EO	£327.80
900	838	650 - 994	L6223EO	£346.52
1000	938	650 - 994	L6224EO	£371.36
1200	1138	650 - 994	L6225EO	£401.17
1400	1338	650 - 994	L6226EO	£553.94
1600	1538	650 - 994	L6227EO	£666.92
300 return panel			L6228EO	£179.97
Straight bracing bracket			L6229EO	£51.42

## PRICE



**RECOMMENDED TRAY**  
**Simplicity Low Profile**  
 square or rectangular trays in flat top or upstand see pages 130-133




BATH SCREENS





Tonic hinged bath screen - left hand version with Ceratherm 200 exposed thermostatic bath shower mixer and Idealrain XL3 shower kit.

# Hinged bath screen




- Height: 1500mm
- 8mm clear safety glass
- Idealclean treatment
- Bright silver finish
- Vertical hinges
- Integrated bracing bracket
- Outwards opening
- Rise and fall
- Concealed fixings, easy click covers and top caps
- 2 panels - fixed and hinged
- Up to 20mm horizontal adjustment

Installation: Order right or left handed screen.

## SPECIFICATIONS

MODEL	DIM. A - WIDTH (MM)	DIM. B - WIDTH (MM)	DIM. D - REACH (MM)	LH ITEM CODE	RH ITEM CODE	PRICE
Hinged	880-900	233-253	640	L6484EO	L6483EO	RRP INC VAT £420.00








Synergy Bow bath screen with towel rail, Attitude bath filler, TT built-in thermostatic valve and Idealrain L3 shower kit.

# Bath screen



- Height: 1500mm
- 6mm clear safety glass
- Polished silver finish
- 180 degree opening - inwards and out
- Rise and fall for easy opening
- Concealed fixings and top caps
- Up to 25mm horizontal adjustment

**Installation:** Bow available with and without towel rail.

## SPECIFICATIONS

MODEL	DIM. A - WIDTH (MM)	DIM. B - WIDTH (MM)	DIM. D - REACH (MM)
Bow	875-895	795-815	782
Bow - with towel rail	875-895	795-815	782
Sail	875-895		785
Angle	795-815		702

## PRICE

ITEM CODE	RRP INC VAT
L6211AA	£273.71
L6212AA	£318.26
L6213AA	£273.71
L6210AA	£267.34





Bow screen




Sail screen




Angle screen




Bow bath screen



Sail bath screen



Angle bath screen




Bow bath screen with towel rail



New Connect Radius bath screen with Ceratherm 200 bath shower mixer and Idealrain S3 shower kit.

## Bath screen



- Height: 1400mm
- 5mm clear safety glass
- Bright silver finish
- 180 degree opening - inwards and out
- Rise and fall for easy opening
- Concealed fixings, easy click covers and top caps
- Up to 20mm horizontal adjustment
- 800mm length

### SPECIFICATIONS


MODEL	DIM. A - WIDTH (MM)
Angle	800-820
Radius	800-820

DIM. D - REACH (MM)
731
731

ITEM CODE
T9923EO
T9924EO

### PRICE

RRP INC VAT
£162.00
£162.00



Connect radius


Connect angle



Connect Rialto bath screen and hinges with Ceraplan bath filler, Ascari TT built-in thermostatic valve and Idealrain L3 shower kit.

## Hinged bath screen

8mm 10mm 10-year Guarantee



- Height: 1340mm
- 8mm clear safety glass
- Chrome plated hinges
- Outwards opening

- Up to 10mm horizontal adjustment
- 765mm length

**Installation:** Screen and hinges ordered separately, both must be ordered to create bathscreen.

### SPECIFICATIONS


MODEL	DIM. A - WIDTH (MM)
Screen	765
Rialto hinges	

DIM. D - REACH (MM)
718

ITEM CODE
E1016AC
E1300AA

### PRICE



RRP INC VAT
£257.99
£159.64





Connect five panel folding bath screen with Ceraplan bath filler, Rivage TT built-in thermostatic valve and Idealrain L3 shower kit.

## Framed folding bath screen




- Height: 1340mm
- 3mm clear safety glass
- Fully framed
- Available in silver or white
- Concealed fixings
- Up to 10mm horizontal adjustment
- 890mm or 1100mm length
- Handle on 5 panel screen only

### SPECIFICATIONS

MODEL	DIM. A - WIDTH (MM)	DIM. B - WIDTH (MM)	DIM. D - REACH (MM)	FINISH	ITEM CODE	RRP INC VAT
4 panel	890	200	92	Polished silver	L8230AA	£440.69
4 panel	890	200	92	White	L8230AC	£413.70
5 panel	1100	200	105	Polished silver	L8240AA	£484.69
5 panel	1100	200	105	White	L8240AC	£455.33





### PRICE





Connect alcove shower guard with curtain pole. Far right: Connect corner shower guard with curtain pole.

# Shower guard



- Height: 1570mm
- 6mm clear safety glass
- Fixed panel
- Stainless steel curtain pole
- Concealed fixings and top caps
- Up to 20mm horizontal adjustment
- 255mm length


Installation: Curtain not supplied.

## SPECIFICATIONS

MODEL	DIM. A - WIDTH (MM)	DIM. B - POLE (MM)	DIM. C - WIDTH (MM)
Alcove shower guard	255	1800	670
Corner shower guard	255	1100	
Shower guard no rail	255		

## PRICE

ITEM CODE	RRP INC VAT
L8404AA	£343.84
L8406AA	£343.84
L8403AA	£204.67



Corner

Alcove

Shower guard no rail





SHOWER VALVES,  
KITS  
AND TRAYS

# YOUR SHOWER, YOUR WAY

Create a shower that's as individual as you are by adding the type of features that really make it your own. It can be as elegant or impressive as you like, bringing together the best of our collection so you can enjoy your best shower ever.

## CERATHERM 100



Ceratherm 100 exposed thermostatic shower valve with Idealrain S3 shower kit.

## Thermostatic exposed shower valve

### with Idealrain 3 function kit

- Thermostatic for constant temperature irrespective of flow rate
- Safety stop set at 40°C with manual override for user safety
- Set and leave temperature control
- Ceramic disc flow control for smooth action and no drips
- Cool touch body ensures it is safe to touch
- Removable 8 litre per minute flow regulator and Eco button to reduce water use
- Suitable for all water systems, low and high pressure
- Fast-fix bracket ensures mixer is rigidly fixed to wall
- 1.35m hose, and 600mm slide rail
- 100mm diameter 3 function handspray
- Limescale resistant rub clean nozzles
- Integrated soap dish and hose retaining ring
- Chrome finish
- Available without kit, also available as bath shower mixer
- 5 year guarantee


### SPECIFICATIONS

MODEL	ITEM CODE	RRP INC VAT
Ceratherm 100 valve and M3 shower kit	A4814AA	£264.58
Ceratherm 100 bath/shower valve and M3 shower set	A4816AA	£369.34
Ceratherm 100 shower valve only	A4813AA	£192.00
Ceratherm 100 bath/shower valve only	A4815AA	£300.00

### PRICE

RRP INC VAT
£264.58
£369.34
£192.00
£300.00

**Installation:** 150mm pipe centres. Suitable for pressure applications between 0.1 and 5.0 bar. Bath shower mixer supplied with mounting legs, shower set consists of a handspray holder and 3-function hand spray.



# ALTO ECOTHERM



Alto Ecotherm exposed shower valve, fast fix wall bracket and Idealrain S3 shower kit.

## Thermostatic exposed shower valve

### with Idealrain 3 function kit

- Thermostatic for constant temperature irrespective of flow rate
- 40°C safety stop with manual override
- Ceramic disc flow control for smooth action and no drips
- Cool touch body ensures it is safe to touch
- Set and leave controls
- Removable 8 litre per minute flow regulator and Eco button to reduce water use
- High or low pressure available
- Fast-fix bracket ensures mixer is rigidly fixed to wall
- 600mm slide rail and 1.35m hose
- 80mm diameter 3 function handspray
- Limescale resistant rub clean nozzles
- Integrated soap dish and hose retaining ring
- Chrome finish
- Available without shower kit, also available as bath/shower mixer
- 5 year guarantee


**Installation:** 150mm pipe centres. Low pressure suitable for 0.1 bar and above, high pressure suitable for applications between 1.0 and 5.0 bar. Bath shower mixer supplied with mounting legs, shower set consists of a handspray holder and 3-function hand spray.

### SPECIFICATIONS

MODEL
Thermostatic valve and S3 3 function shower kit - HP
Thermostatic valve and S1 single function shower kit - LP
Thermostatic valve only - HP
Thermostatic bath/ shower mixer and S3 3 function shower set - HP
Thermostatic bath/ shower mixer only - HP

### PRICE

ITEM CODE	RRP INC VAT
A4741AA	£178.36
A4999AA	£170.34
A4740AA	£118.90
A5636AA	£339.07
A5635AA	£273.86



# TT



Rivage TT built-in thermostatic shower valve and Idealrain L3 shower kit.

## Thermostatic built-in shower valve and 3 function kit

### with Idealrain 3 function kit

- Thermostatic for constant temperature irrespective of flow rate
- 40°C safety stop with manual override
- Adjustable maximum temperature limiter to protect vulnerable users
- Removable 8 litre per minute flow regulator reduce water use
- Twin sealing system for excellent water resistance
- Suitable for all water systems, low and high pressure
- 900mm slide rail and 1.8m hose
- 120mm diameter 3 function handspray
- Limescale resistant rub clean nozzles
- Integrated soap dish and hose retaining ring
- Chrome finish
- Available in 3 different face plate and handle combinations, also available for installation with L1 fixed heads
- 5 year guarantee




**Installation:** 44mm pipe centres. Supplied with reversible non-return valves for reversed pipe work. Suitable for pressure applications between 0.1 and 5.0 bar. To use with a fixed head, order the TT valve, face plate and handles of choice and L1 fixed head.

### SPECIFICATIONS

MODEL
Rivage TT thermostatic valve and L3 3 function shower kit
Oposta TT thermostatic valve and L3 3 function shower kit
Ascari TT thermostatic valve and L3 3 function shower kit
TT thermostatic valve only (no faceplate or handles)
Rivage faceplate and handles
Oposta faceplate and handles
Ascari faceplate and handles
Idealrain L1 rainshower with horizontal arm
Idealrain L1 rainshower with vertical arm

### PRICE

ITEM CODE	RRP INC VAT
A5787AA	£535.01
A5788AA	£572.27
A5786AA	£535.01
A3969NU	£211.75
A3972AA	£180.42
A3974AA	£180.42
A3971AA	£180.42
B9440AA	£384.00
B9441AA	£336.00







ITV exposed thermostatic shower valve with Idealrain S3 shower kit.

## Thermostatic exposed shower valve

### with Idealrain 3 function kit

- Thermostatic for constant temperature irrespective of flow rate
- 40°C safety stop with manual override
- Ceramic disc flow control for smooth action and no drips
- Set and leave temperature control
- Removable 8 litre per minute flow regulator and Eco button to reduce water use
- Suitable for all water systems, low and high pressure
- 600mm slide rail and 1.35m hose
- 80mm diameter 3 function handspray
- Limescale resistant rub clean nozzles
- Integrated soap dish and hose retaining ring
- Chrome finish
- Available without kit, also available to use with single function kit, fixed riser, or fixed riser and shower set
- 5 year guarantee



**Installation:** 150mm pipe centres. Suitable for pressure applications between 0.1 and 5.0 bar. Valve available in a pack with S3 3 function or S1 single function kit. To create valve and fixed riser combination, order ITV valve and M1 fixed riser. To create valve, fixed riser and shower set combination, order ITV valve, M1 fixed riser, S1 single function set and an additional outlet.

### SPECIFICATIONS

MODEL	ITEM CODE	RRP INC VAT
ITV valve and S3 3 function shower kit	A5323AA	£281.28
ITV valve and S1 single function shower kit	A5348AA	£276.56
ITV valve only	A5322AA	£222.60
M1 Fixed Riser	A5687AA	£225.84
S1 Shower set	B9449AA	£38.52
Additional outlet	A5525AA	£31.44

### PRICE

ITEM CODE	RRP INC VAT
A5323AA	£281.28
A5348AA	£276.56
A5322AA	£222.60
A5687AA	£225.84
B9449AA	£38.52
A5525AA	£31.44



Moments polished stainless steel shower column for high pressure installations.

## Thermostatic shower column

- Thermostatic control
- 5 individually selectable shower zones
- Deluge head
- Body jets
- Handspray
- Suitable for high pressure


**Installation:** Suitable for high pressure applications of 1.0bar and above only.

### SPECIFICATIONS

MODEL	ITEM CODE
Thermostatic shower column	K6190AA

### PRICE

RRP INC VAT
£1545.80



# TALKING TRAYS

Our beautiful selection of trays work wonderfully in any bathroom space. Square, rectangular or quadrant designs, pair your perfect tray with your chosen enclosure and watch your unique bathroom plans really take shape.



Simplicity Low Profile 1200 x 900 flat top shower tray and waste.


# Contemporary allure

The streamlined contemporary look of low profile trays adds a sense of space to your bathroom. This sleek design is available in a range of materials, shapes and sizes.





Simplicity Low Profile 1200 x 900 flat top shower tray and waste.



# Flat Top shower trays

- Height: 40mm
- Acrylic Capped ABS
- Light weight stone resin
- Suitable for floor standing or riser installations
- 90mm fast flow waste included
- 10 years guarantee

**Installation:** Waste included with tray, riser kits purchased separately.

## SPECIFICATIONS

## PRICE

SIZE/MM SQUARE	DIM. A	DIM. B	DIM. C	DIM. D	DIM. E	DIM. F	DIM. G	ITEM CODE	RRP INC VAT
700 x 700	700	700	355	190	65			L508501	£108.00
760 x 760	770	770	385	190	67			L508601	£109.20
800 x 800	810	810	405	190	67			L508701	£126.00
900 x 900	910	910	455	190	67			L508801	£170.40
1000 x 1000	1010	1010	505	190	67			L508901	£204.00

SIZE/MM RECTANGULAR	DIM. A	DIM. B	DIM. C	DIM. D	DIM. E	DIM. F	DIM. G	ITEM CODE	RRP INC VAT
900 x 760	910	770	455	190	67			L509001	£170.40
900 x 800	910	810	455	190	67			L509101	£176.40
1000 x 800	1010	810	505	190	67			L509201	£192.00
1200 x 760	1210	770	605	190	67			L509301	£195.60
1200 x 800	1210	810	605	190	67			L509401	£207.60
1200 x 900	1210	910	605	190	67			L509501	£220.80
1400 x 900	1410	910	705	190	67			L509601	£270.00
1600 x 800	1610	810	805	190	67			L509701	£354.00
1700 x 750	1710	760	855	190	67			L509901	£384.00

SIZE/MM RECTANGULAR - END WASTE	DIM. A	DIM. B	DIM. C	DIM. D	DIM. E	DIM. F	DIM. G	ITEM CODE	RRP INC VAT
1700 x 700	1700	700	190	350	65			L509801	£366.00

SIZE/MM QUADRANT	DIM. A	DIM. B	DIM. C	DIM. D	DIM. E	DIM. F	DIM. G	ITEM CODE	RRP INC VAT
800 x 800	810	810	510	510	67	260	260	L510001	£150.00
900 x 900	910	910	610	610	67	360	360	L510101	£174.00
1000 x 1000	1010	1010	710	710	67	460	460	L510201	£204.00

SIZE/MM OFFSET QUADRANT	DIM. A	DIM. B	DIM. C	DIM. D	DIM. E	DIM. F	DIM. G	ITEM CODE	RRP INC VAT
900 x 800 RH	810	910	510	610	67	260	360	L510301	£182.40
900 x 800 LH	910	810	610	510	67	360	260	L510401	£182.40
1000 x 800 RH	810	1010	510	710	67	260	460	L510501	£198.00
1000 x 800 LH	1010	810	710	510	67	460	260	L510601	£198.00
1200 x 800 RH	810	1210	510	910	67	260	660	L510701	£210.00
1200 x 800 LH	1010	810	910	510	67	660	260	L510801	£210.00
1200 x 900 RH	910	1210	610	910	67	360	660	L510901	£216.00
1200 x 900 LH	1210	910	910	610	67	660	360	L511001	£216.00

SIZE/MM PENTAGON	DIM. A	DIM. B	DIM. C	DIM. D	DIM. E	DIM. F	DIM. G	ITEM CODE	RRP INC VAT
900 x 900	910	910	515	515	67	398	398	L511101	£180.00

ACCESSORIES	ITEM CODE	RRP INC VAT
Flexible Waste Pipe	L630801	£9.12
1200 Riser Kit (for use with trays up to 1200mm)	L630901	£66.44
Quadrant Riser Kit	L631001	£77.00
Extension Kit (for use with riser kit on trays over 1200mm)	L631201	£29.18



Simplicity Low Profile 900 x 900 upstand shower tray and waste.

## Upstand shower trays

- Height: 50mm (including tiling upstand)
- Acrylic capped ABS
- Light weight stone resin
- Integral tiling upstand
- Suitable for floor standing or riser installations
- 90mm fast flow waste included
- 10 years guarantee

**Installation:** Waste included with tray, riser kits purchased separately.


### SPECIFICATIONS

SIZE/MM SQUARE	DIM. A	DIM. B	DIM. C	DIM. D	DIM. E	DIM. F	DIM. G	ITEM CODE	RRP INC VAT
760 x 760	770	770	385	190	67			L511301	£132.00
800 x 800	810	810	405	190	67			L511401	£152.40
900 x 900	910	910	455	190	67			L511501	£217.20

SIZE/MM RECTANGULAR	DIM. A	DIM. B	DIM. C	DIM. D	DIM. E	DIM. F	DIM. G	ITEM CODE	RRP INC VAT
900 x 760	910	770	455	190	67			L511601	£172.20
1000 x 800	1010	810	505	190	67			L511701	£234.00
1200 x 760	1210	770	605	190	67			L511801	£240.00
1200 x 800	1210	810	605	190	67			L511901	£252.00
1200 x 900	1210	910	605	190	67			L512001	£276.00
1400 x 900	1410	910	705	190	67			L512101	£294.00

SIZE/MM QUADRANT	DIM. A	DIM. B	DIM. C	DIM. D	DIM. E	DIM. F	DIM. G	ITEM CODE	RRP INC VAT
800 x 800	810	810	512	512	67	260	260	L512301	£156.00
900 x 900	910	910	612	612	67	360	360	L512501	£168.00

ACCESSORIES	ITEM CODE	RRP INC VAT
Flex Waste Pipe	L630801	£9.12
1200 Riser Kit (for use with trays up to 1200mm)	L630901	£66.44
Qua Riser Kit	L631001	£77.00
Extension Kit (for use with riser kit on trays over 1200mm)	L631201	£29.18






# Low profile shower trays

- Height: 45mm (excluding upstand)
- Acrylic capped ABS
- Light weight polymer resin
- Suitable for floor standing installation
- 90mm fast flow waste included
- 10 years guarantee
- Available in flat tops or upstand with integral tiling upstand

**Installation:** Waste included with tray, not suitable for riser installations.



## SPECIFICATIONS - FLAT TOP

SIZE/MM - SQUARE	DIM. A	DIM. B	DIM. C	DIM. D	DIM. E	DIM. F	DIM. G	ITEM CODE	RRP INC VAT
760 x 760	770	770	385	190	67			L631301	£108.06
800 x 800	810	810	405	190	67			L631401	£125.45
900 x 900	910	910	455	190	67			L631501	£170.16
1000 x 1000	1010	1010	505	190	67			L631601	£207.42

SIZE/MM - RECTANGULAR	DIM. A	DIM. B	DIM. C	DIM. D	DIM. E	DIM. F	DIM. G	ITEM CODE	RRP INC VAT
900 x 760	910	770	455	190	67			L631701	£170.16
900 x 800	910	810	455	190	67			L631801	£176.36
1000 x 800	1010	810	505	190	67			L631901	£188.78
1200 x 760	1210	770	605	190	67			L632001	£195.00
1200 x 800	1210	810	605	190	67			L632101	£207.42
1200 x 900	1210	910	605	190	67			L632201	£219.84
1400 x 900	1410	910	705	190	67			L632301	£275.72
1600 x 800	1610	810	805	190	67			L632401	£393.72
1700 x 750	1710	760	855	190	67			L632501	£418.56

SIZE/MM - QUADRANT	DIM. A	DIM. B	DIM. C	DIM. D	DIM. E	DIM. F	DIM. G	ITEM CODE	RRP INC VAT
800 x 800	810	810	510	510	67	260	260	L632601	£149.04
900 x 900	910	910	610	610	67	360	360	L632701	£173.88
1000 x 1000	1010	1010	710	710	67	460	460	L632801	£204.94

SIZE/MM - OFFSET QUADRANT	DIM. A	DIM. B	DIM. C	DIM. D	DIM. E	DIM. F	DIM. G	ITEM CODE	RRP INC VAT
900 x 800 RH	910	910	510	610	67	260	360	L632901	£182.58
900 x 800 LH	910	810	610	510	67	360	260	L633001	£182.58
1000 x 800 RH	810	1010	510	710	67	260	460	L663001	£190.80
1000 x 800 LH	1010	810	710	510	67	460	260	L663101	£190.80
1200 x 800 RH	810	1210	510	910	67	460	260	L663201	£210.00
1200 x 800 LH	1010	810	910	510	67	260	660	L663301	£210.00
1200 x 900 RH	910	1210	610	910	67	660	660	L633101	£213.62
1200 x 900 LH	1210	910	910	610	67	260	360	L633201	£213.62

SIZE/MM - PENTAGON	DIM. A	DIM. B	DIM. C	DIM. D	DIM. E	DIM. F	DIM. G	ITEM CODE	RRP INC VAT
900	910	910	515	515	67	398	398	L634301	£180.10

## PRICE

## SPECIFICATIONS - UPSTAND

SIZE/MM - SQUARE	DIM. A	DIM. B	DIM. C	DIM. D	DIM. E	DIM. F	DIM. G	ITEM CODE	RRP INC VAT
760 x 760	770	770	385	190	67			L633301	£132.90
800 x 800	810	810	405	190	67			L633401	£152.77
900 x 900	910	910	455	190	67			L633501	£217.36

SIZE/MM - RECTANGULAR	DIM. A	DIM. B	DIM. C	DIM. D	DIM. E	DIM. F	DIM. G	ITEM CODE	RRP INC VAT
900 x 760	910	770	455	190	67			L633601	£217.36
1000 x 800	1010	810	505	190	67			L633701	£235.98
1200 x 760	1210	770	605	190	67			L633801	£242.20
1200 x 800	1210	810	605	190	67			L633901	£254.62
1400 x 900	1410	910	705	190	67			L634001	£321.68

SIZE/MM - QUADRANT	DIM. A	DIM. B	DIM. C	DIM. D	DIM. E	DIM. F	DIM. G	ITEM CODE	RRP INC VAT
800 x 800	810	810	512	512	67	260	260	L634101	£196.24
900 x 900	910	910	612	612	67	360	360	L634201	£223.56

ACCESSORIES	ITEM CODE	RRP INC VAT
Flexible Waste Pipe	L630801	£9.12

## PRICE



[www.idealstandard.co.uk](http://www.idealstandard.co.uk)

### Important installation and maintenance information

A key element in the performance of a bathroom is the quality of the installation. We recommend you use a plumber from a registered association (see below) and consult him (or her) right from the start. Your local Ideal Standard stockist may offer a plumbing service or, if not, will be able to recommend a qualified plumber.

#### Recognised plumbing associations

Association of Plumbing & Heating Contractors (APHC)

[www.aphc.co.uk](http://www.aphc.co.uk) Tel: 0121 711 5030

The Chartered Institute of Plumbing and Heating Engineering

[www.ciphe.org.uk](http://www.ciphe.org.uk) Tel: 01708 472791

Scottish and Northern Ireland Plumbing Employers Federation

[www.snipef.org.uk](http://www.snipef.org.uk) Tel: 0131 556 0600

### Important dimensional information

Shower trays, doors and enclosures are sold in nominal sizes. Most trays are tiled down onto the rim, therefore the actual finished installation space will be less than the nominal size. It is critical that the shower door or enclosure dimensions are compatible with the actual installation space; check your chosen products for compatibility before purchasing and commencement of installation.

It is important that the available installation space is measured correctly, and more than once. Take measurements from the top, middle and bottom of the finished area, taking into account tile thicknesses and uneven walls and floors. It is always more accurate to take measurements on the finished tiled surface.

All trays must be installed level and fully sealed before commencing the shower door or enclosure installation to ensure correct fit and leak free showering.

The minimum and maximum dimensions shown are the full extent of the available adjustment on each unit and are designed to cover the installation space and untrue walls.

Dimensions shown within the brochure are approximate and are subject to change without notice.

### Important Cleaning Information

It is important to clean your shower door after every use, wiping down all the glass and metal parts with a soft cloth and removing any residual water.

Clean regularly with warm soapy water to avoid lime scale build up, especially in hard water areas. Lime scale that is allowed to build up will be difficult to remove.

Do not clean with gritty or abrasive products; they will destroy any surface coating or protection.

Never use powder detergents. Liquid detergents may be used if they are free of alcoholic substances.

Never use products such as ammonia, acetone, alcohol and the like because they may permanently damage the shower enclosure.

Care should be taken to avoid contact with strong chemicals such as organic solvents and strippers.

### Guarantee

Our confidence in the quality and reliability of Ideal Standard products enables us to offer long guarantees for complete peace of mind. Shower enclosures, wetroom panels and bath screens for ten years and shower trays for twenty five years. The guarantee covers all defects in materials and manufacture but excludes general wear and tear. Our guarantee is offered on all products that have been used in the manner they were intended and does not apply to any products that have been misused or abused in any way.

Please see website for full details.

[www.ideal-standard.co.uk/guarantee.aspx](http://www.ideal-standard.co.uk/guarantee.aspx)

Ideal Standard pursues a policy of continuing improvement in design and performance of its products. The right is therefore reserved to vary specifications without notice. Dimensions shown within the brochure are approximate and are subject to change without notice. Colour reproduction is as accurate as possible within the limitations of the printing process.



This brochure has been printed on paper from well managed forests, approved by the Forestry Stewardship Council, using vegetable inks. Our printer holds ISO 14001 and FSC environmental accreditations. Should you wish to dispose of your brochure, we kindly request that you recycle it.

Selected tiles courtesy of:  
British Ceramic Tiles  
[www.britishceramictile.com](http://www.britishceramictile.com)  
Johnson Tiles  
[www.johnson-tiles.com](http://www.johnson-tiles.com)

Additional tiles also sourced from:  
[www.pentagon-tiles.co.uk](http://www.pentagon-tiles.co.uk)  
[www.worldsendtiles.co.uk](http://www.worldsendtiles.co.uk)  
[www.tilesuperstore.co.uk](http://www.tilesuperstore.co.uk)

Selected radiators courtesy of:  
Vogue [www.vogueuk.co.uk](http://www.vogueuk.co.uk)  
Bisque [www.bisque.co.uk](http://www.bisque.co.uk)



Ideal Standard  
The Bathroom Works  
National Avenue  
Kingston Upon Hull  
HU5 4HS  
Tel: 01482 346461  
Fax: 01482 445886

[www.idealstandard.co.uk](http://www.idealstandard.co.uk)

