



By Appointment to  
Her Majesty Queen Elizabeth II  
Manufacturer of Kitchen & Bathroom Taps & Mixers  
Barber Wilsons & Co. Ltd.

# BARBER WILSONS & CO LTD

## TRADITIONAL & CONTEMPORARY TAPS



CATALOGUE  
JULY 2013

## Traditional taps in six styles



*Regent (R)*



*Regent with  
ceramic disc  
(RCD)*



*Mastercraft (MC)*

Most of the traditional fittings shown in this brochure are from the 1890's (GA) range which have the original exposed top works, with traditional rubber tap washers.

An alternative to this style is the Regent (R) range with "easy-clean" shrouded head parts. The code numbers for the Regent range are the same as the 1890's

range but are prefixed with the letter 'R' instead of 'GA'. For most Regent and GA styles we can now supply ceramic disc headworks. Regent ceramic disc (RCD) and GA ceramic disc (GCD). These give traditional styling with state of the art ceramic disc internals.

The Mastercraft (MC) range is based on our original 1930's design and incorporates a stylish Art Deco theme of hexagonal capstans, shrouds and spouts. Again, the code numbers are the same as the 1890's range but are prefixed with the letters 'MC' instead of 'GA'. Mastercraft is not available with ceramic disc headworks.

Throughout this catalogue taps which are available with ceramic discs are labelled with the suffix CD.



*1890's (GA)*



*1890's with  
ceramic disc  
(GCD)*



*Regent with  
china lever  
handles  
(RFC)*

## Contents

	Page No.
Basin Fittings	1-3
Bath Fittings	4-10
Shower Fittings	11-19
Waste & Cistern Levers	20
Kitchen	21-23
Mastercraft	24-28
General Information	29-31

Basin Fittings

Specification

Polished  
Brass

Chrome  
/Nickel

Inca/  
Weathered  
Bronze

Satin Chrome/  
Satin Nickel



2123 (GA shown. Also available as R, GCD & RCD)  
1/2" basin taps with 3" nose.

As above but RFC style.




2124 (GA shown. Also available as R, GCD & RCD)  
1/2" basin taps with 4" nose.

As above but RFC style.




2125 (GA shown. Also available as R, GCD & RCD)  
1/2" basin taps with 5" nose for use with inset basins.

As above but RFC style.




TT1250WS (Also available TCD)  
1/2" Wall stops.



6470 GA shown. Also available as R, GCD & RCD  
Monobloc basin mixer with pop-up waste.

6471 With plug and chain waste and chain boss on body.

6472 With plug and chain waste and chain stay.



**6450 (GA shown. Also available as R, RCD & GCD)**  
3-hole basin mixer with pop-up  
waste, 115mm nozzle.


**6455** As above but 140mm nozzle.

**6451, 6456**

With plug and chain waste and  
chain boss on nose.


**6452, 6457** With plug and chain waste and chain stay.

As above but RFC style




**6453 (GA shown. Also available as R, GCD & RCD)**  
3-hole basin mixer with swivel swanneck filler.

As above but RFC style.



**6454 (GA shown. Also available as R, GCD & RCD)**  
Wall mounted nozzle with valves. Waste not included.


As above but RFC style.



**6459 (Regent shown. Also available as GA, GCD & RCD).**

3-hole basin mixer with pop-up waste and swan-neck filler.


As above but RFC style.



**6008 (Regent shown. Also available as GA, GCD & RCD).**


Retractable hairdressers' basin mixer with flexible hose and shampoo spray. Rests in a flush fitting independent holder. Incorporating single check valve to comply with Water Byelaws.

As above but RFC style.



**1870 (GA shown. Also available as R)**

Monobloc bidet mixer for single hole rim. With pop-up waste and adjustable nozzle.



**4300 (GA shown. Also available as R, GCD & RCD)**


Bath/spray mixer for bath rim mounting. Incorporates single check valve to comply with Water Byelaws.

**4308**

As above but with unions for wall fixing.




Note: Due to the traditional shape of this mixer a short interval must be allowed for draining down purposes after turning the taps to the off position.




**2134 (GA shown. Also available as R, GCD & RCD)**

3/4" bath pillar tap with 4" nose.




**900 (GA shown. Also available as R)**

3/4" globe tap for bath fixing.



**3308 (GA shown. Also available as R,  
GCD & RCD)**  
Bath filler with wall unions.



**3300**  
As above but for rim mounting.




**3480SET (Regent shown. Also available as GA, GCD & RCD)**  
3/4" deck bath valves and nozzle to form bath filler.

**3480DV**  
3/4" Deck valves. Pairs.

**TT3480DN**  
1" deck bath nozzle - 8 3/4" projection.



**3484SET (Regent shown.**  
**Also available as GA, GCD & RCD)**  
 A 4 hole deck set comprising hot and cold valves, diverter/ nozzle, and pull up hand spray Incorporates single check valve to comply with Water Byelaws.



**4309RT (Available as GA, R, GCD & RCD)**  
 Bath/spray mixer with 1" (25mm) floor standards and bracing kit and 3400T waste.

**4310RT (Available as GA, R, GCD & RCD)**  
 Bath/spray mixer with 2" (50mm) floor standards and bracing kit and 3400T waste.

**4311RT (Available as GA, R, GCD & RCD)**  
 Bath/spray mixer with 2" (50mm) floor standards and bracing kit and 3400EXP waste.



**4312RT (Available as GA, R, GCD & RCD)**  
 Bath/spray mixer with 1" (25mm) floor standards and bracing kit and 3400EXP waste.

**TT3400T**  
 Bath waste, overflow to trap and 42mm tube.

**TT3400EXP**  
 Bath waste, overflow to flow, trap and 42mm tube.

**TT3400DP**  
 Bath waste, overflow to floor.

Note: The above assemblies are available with bath fillers to replace the bath/spray mixers and are then designated 3309-3312.



**TT3425/42**  
Floor standards for under roll.

**PS55**  
42mm trap complete with waste  
plug and chain.

**PS56**  
42mm elbow (to take trap outlet  
through floor).

**PS57**  
42mm x 300mm length of tube.


**PS57A**  
Flange plate for 42mm diameter tube.

**TT2"3425 pair**  
50mm floor standards.


**TT2"679**  
Bracing kit to suit 50mm floor  
standards only.

**TT1"3425/679**  
Pair 25mm. Floor Standards with Bracing Kit.


4309RT (25mm Standards)




4310 (50mm Standards)




4311 (50mm Standards)



4312 (25mm Standards)





**TT3450 SET**  
3/4" Concealed 3 hole bath filler  
(incorporates wall stops, nozzle, compression  
tee and connections).




**TT3450WS**  
3/4" Wall stops.

**TT3450WN**  
1" Wall nozzle.




**TT3452SET**  
3/4" Concealed 5 hole bath/shower mixer (incorporates  
wall stops, nozzle, diverter, compression fittings, back  
inlet, 17 1/2" (450mm) shower arm and 5" rose).

Note: For alternative size shower arms and roses,  
please refer to page 18



NOTE: Assembly includes all compression fittings but not tubes

**TT3450WD**  
3/4" Wall diverter.




**This diverter must be removed from the pipework for maintenance.**

**4306 (GA shown. Also available as R, GCD & RCD)**

Bath/spray mixer with slider bar.  
Wall mounting. Incorporates single check valve to comply with water byelaws.


**4305**

As above but for deck mounting.  
Incorporates single check valve to comply with water byelaws.




A	50 (2")	110* (4 3/8")
B	70 (2 3/4")	15 (5/8")
C	160 (6 1/4")	220 (8 3/4")

\* to special order



**Slider bar available separately. See page 17.**



**4302 (GA shown. Also available as R,  
GCD & RCD)**

Bath/shower mixer. Wall mounting.

**4301**


As above but for deck mounting.

Above items are supplied with 17 1/2" (450mm)  
shower arm and 5" rose.


Note: For alternative size shower arms and roses,  
please refer to page 18.



**'B' RISER KIT FOR 4302**



**'C' RISER KIT FOR 4301**



Shower Fittings

Specification

Polished  
Brass

Chrome  
/Nickel

Inca/  
Weathered  
Bronze

Satin Chrome/  
Satin Nickel




**6000 (GA shown. Also available as R, GCD & RCD)**  
Manual shower mixer with handspray and supporting cradle. Incorporates single check valve.

**5300 (GA shown. Also available as R, GCD & RCD)**  
Manual shower mixer with fixed riser.

Manual shower mixer with fixed riser, 17 1/2" (450mm) shower arm and 5" rose.

Note: For alternative size shower arms and roses, please refer to page 18.



Thermostatic Shower Fittings

Specification


Polished  
Brass

Chrome  
/Nickel

Inca/  
Weathered  
Bronze


Satin Chrome/  
Satin Nickel

**PS53**  
Exposed Thermostatic mixer valve only and inlet bends.



**PS53 CU**

Exposed Thermostatic mixer valve only  
and inlet bends with compression elbows  
suitable for 15mm dia. copper tube.




**PERFORMANCE OF THERMOSTATIC VALVE**

Flow Rates at Equal Pressure Drops. (Open outlet only. Does not allow for losses through pipes & fittings).

Pressure drop (bar)	0.1	0.5	1.0	1.5	2.0	3.0	4.0	5.0
Flow rate (litres/min)	14	30	48	55	61	76	90	102



**53BA (Regent shown, also available as GA)**  
Thermostatic bath filler.



**EXPOSED THERMOSTATIC SHOWER COMPONENTS**

**TT5600**

1 x PS53-Exposed Thermo Valve  
1 x PS49-Riser, Wall Elbow, Shower Arm & 125mm Rose

**TT5700**

1 x PS53-Exposed Thermo Valve  
1 x TT57SH-Control Valve "Shower"  
1 x PS49-Riser, Wall Elbow, Shower Arm & 125mm Rose

**TT5702**

1 x PS53-Exposed Thermo Valve  
1 x TT57SH-Control Valve "Shower"  
1 x TT57SP-Control Valve "Spray"  
c/w PS86A x 3/4 F x 1/2 M Adaptor  
1 x PS89A-Thermo.valve Outlet  
1 x PS49-Riser, Wall Elbow, Shower Arm & 125mm Rose  
1 x PS03-Handspray & Flex  
1 x PS50-Wall Mounted Cradle

**TT5704**

1 x PS53-Exposed Thermo Valve  
TT57SH-Control Valve "Shower"  
c/w 3/4 Compression Nut  
1 x TT57SP-Control Valve "Spray"  
c/w PS86A-3/4 F x 1/2 M Adaptor  
1 x PS89A-Thermo Valve Outlet  
1 x PS49-Riser, Wall Elbow, Shower Arm & 125mm Rose  
1 x PS03-Handspray & Flex  
1 x TT28820BW-Slider Assembly To Accept Handspray

**TT6002**

1 x PS53-Exposed Thermo Valve  
1 x PS04-Handspray, Flex & Cradle

**TT6003**

1 x PS53-Exposed Thermo Valve  
1 x PS89-Outlet Adaptor 3/4F x 1/2M c/w Check Valve  
1 x PS03-Handspray & Flex  
1 x TT28821BW-Slider Bar

**PS49**

1 x PS30S-Riser Pipe  
1 x PS40A-Wall Elbow  
1 x PS29S-Shower Arm 450mm  
1 x PS10-125mm Rose

**5700BA**

1 x PS53-Exposed Thermo Valve  
1 x TT57BA-1" Stopcock & Nozzle  
1 x TT57SH-Control Valve "Shower"  
c/w 3/4 Compression Nut  
1 x PS49-Riser, Wall Elbow, Shower Arm & 125mm Rose

**5702BA**

1 x PS53-Exposed Thermo Valve  
1 x TT57SH-Control Valve "Shower"  
1 x TT57TEE/SP-Tee Control Valve c/w PS86A-3/4 F x 1/2 M Adaptor  
1 x PS03-Handspray & Flex  
1 x PS50-Wall Mounted Cradle  
1 x TT57BA-1" Stopcock & Nozzle  
1 x PS49-Riser, Wall Elbow, Shower Arm & 125mm Rose

**5704BA**


1 x PS53-Exposed Thermo Valve  
1 x PS57SH-Control Valve "Shower"  
1 x PS57TEE/SP-Tee Control Valve c/w PS86A-3/4 F x 1/2 M Adaptor  
1 x TT57BA-1" Stopcock & Nozzle  
1 x PS49-Riser, Wall Elbow, Shower Arm & 125mm Rose  
1 x PS03-Handspray, & Flex  
1 x TT28820BW-Slider Assembly To Accept Handspray

**5700BA (Regent shown, also available as GA, GCD & RCD)**  
Thermostatic dual control shower/bath filler.  
Supplied with 17 1/2" (450mm) shower arm and 5" rose.


**5702BA (Regent shown, also available as GA, GCD & RCD)**  
Thermostatic triple control shower/bath filler with handspray on wall mounted cradle.  
Supplied with 17 1/2" (450mm) shower arm and 5" rose.

**5704BA (Regent shown, also available as GA, GCD & RCD)**  
Thermostatic triple control shower/bath filler with handspray mounted on slider/riser tube.  
Supplied with 17 1/2" (450mm) shower arm and 5" rose.


Note: For alternative size shower arms and roses, please refer to page 18.



5700 BA



5702BA



5704BA

NB. All riser pipes can be shortened on site.

**PERFORMANCE OF BATH FILLING THERMOSTATIC VALVE**

Flow Rates at Equal Pressure Drops. Through 1" valve).

Bar	0.1	0.3	0.5	0.8	1.0	2.0	3.0	4.0	5.0
litre/min	9.9	17	24	29	38	50	60	70	78

Above items are all shown with a 5" rose alternative roses are available - please see page 18 for further details.



**TT5600**



Thermostatic mixer with fixed overhead shower.  
Supplied with 17 1/2" (450mm) shower arm and 5" rose.

**MC5600**

Mastercraft version of thermostatic mixer  
with fixed overhead shower.  
Supplied with 17 1/2" (450mm) shower arm and 5" rose.

Note: For alternative size shower arms and roses,  
please refer to page 18.

**'A' RISER KIT FOR 5600**



**5700 (Regent shown, also available as GA, GCD & RCD)**

Thermostatic mixer with fixed overhead shower and separate valve.  
Supplied with 17 1/2" (450mm) shower arm and 5" rose.

**5704 (Regent shown, also available as GA, GCD & RCD)**


Thermostatic mixer with separate valves to control overhead and hand shower on slider.  
Supplied with 17 1/2" (450mm) shower arm and 5" rose.

**5702 (Regent shown, also available as GA, GCD & RCD)**

Thermostatic mixer with separate valves to control overhead and hand shower on cradle.  
Supplied with 17 1/2" (450mm) shower arm and 5" rose.

Note: For alternative size shower arms and roses,  
please refer to page 18.

NB. All riser pipes can be shortened on site.



Above items are all shown with a 5" rose  
alternative roses are available - please see  
page 18 for further details.




**TT6002**  
Thermostatic mixer with handspray  
and cradle. Please refer to page 11 & 12 for dimensions.




**TT6003**  
Thermostatic mixer with handspray and  
wall mounted slider bar. Please refer to pages  
11 and 12 for dimensions.




**PS53C**  
Recessed thermostatic shower mixer  
229mm (9") round wall plate.




**PS53CSQ**  
Recessed thermostatic shower mixer  
200mm (8") square wall plate.




**PS53C1 & PS53C1-CD (Ceramic Disc)**  
Recessed thermostatic shower mixer  
on rectangular plate with separate flow valve.



**PS53C2 & PS53C2-CD (Ceramic Disc)**  
Recessed thermostatic shower mixer on  
square plate with separate flow valves for  
shower & spray.



**PS53C3 & PS53C3-CD**  
Recessed thermostatic shower mixer on  
square plate with separate flow valves for  
shower, spray & bath.







**6001 (GA shown. Also available as R, GCD & RCD)**  
Manual shower mixer with handspray and wall mounted slider bar. Incorporating single check valve to comply with Water Byelaws.



**TT28821BW**  
Slider Bar Complete (handspray and flex please order separately as PS03 refer to page 19).




**PS16**  
Comprises standard 17 1/2" shower arm, back inlet and 5" rose.  
For any variations please order individual components as set out on page 18.





**PS73**

Comprises standard 800mm straight shower arm, back inlet and 5" (125mm) rose.  
For any variations please order individual components as set out below.



Back inlets available:

- PS41** back inlet
- MCPS41** Mastercraft style back inlet.

Shower arms available:

- PS29S** 17 1/2" (450mm) shower arm.
- PS29L** 24" (600mm) shower arm.
- PS80** 32" (800mm) straight shower arm (3/4" BSP out).
- PS80A** 32" (800mm) straight shower arm (1/2" BSP out).

Roses available:

- PS10** 5" diameter rose.
- PS44** 8" diameter rose.
- PS45** 10" diameter rose.
- PS46** 12" diameter rose.

**PS50**

Wall Mounted Cradle for Handspray.





**TT67 S/Kit for GA or R fittings**  
**MC67 S/Kit for Mastercraft fittings**

Designed to provide a handspray with a flexible hose as an optional attachment to a manual or thermostatic fixed overhead shower. Kit comprises handspray, cradle and two-way diverter.



**PS60**  
Ball joint swivel rose available on all showers at additional cost.


**PS61**  
4" skirted rose.



**TT3430**  
Shower Tray Waste. 85 (33/8") dia. flange x 85 (33/8") tail (1 1/2" BSP).



**PS62**  
Wall outlet (1/2" BSP outlet).



**PS05**  
Flexible hose.

**PS03**  
Flexible hose complete with handspray.

**PS02**  
Handspray.



**TT61600**  
Wall bracket and swivel connector. (PS03 handspray and flex order separately).

Wastes & Cistern Levers

Specification

Polished  
Brass

Chrome  
/Nickel

Inca/  
Weathered  
Bronze

Satin Chrome/  
Satin Nickel



**TT3408W**  
Bath pop-up waste and overflow set  
550mm flexible tube and cable.

**TT3408W-EXT**  
As above with 900mm flexible tube  
and cable

**TT3408W-XXL**  
As above with 1300mm flexible tube  
and cable



**TT3410**  
Basin waste with brass plug and chain.  
60mm (2 3/8") dia. flange x 85mm  
(3 3/8") tail (1 1/4" BSP)



**TT3435**  
Slotted sink waste.  
85mm (3 3/8") dia. flange x 85mm (3 3/8")  
tail (1 1/2" BSP)



**TT3400**  
Bath waste, plug, chain and overflow set.  
72mm (2 7/8") dia. flange x 72mm  
(2 7/8") tail (1 1/2" BSP)




**TT3420/15**  
Cistern lever handle with 150mm shank.


**TT3420/25**  
As above with a 250mm shank.

**TT3420/35**  
As above but with 350mm shank for  
concealed cisterns.

**TT3420-15/25**



**TT3420/35**



**1010 (Regent shown. Also available as GA, GCD & RCD)**  
1/2" pillar sink mixer with swivel nozzle.


**2010 (GA, R, GCD & RCD)**  
As above but wall mounted, concealed supplies.

**1010 & 2010 as above RFC style**

**2015 (GA, R, GCD & RCD)**  
As above but wall mounted, exposed supplies.

**2015** As above but RFC style. For swanneck sizes please refer to dimension page 23.


NB. Mixers have single flow nozzles fitted with an aerator. Single check valves are incorporated in the hot and cold inlets to comply with water byelaw 25.IRN 101.




**1040 (GA shown. Also available as R, GCD & RCD)**

Sink mixer with flexible hose spray for rinsing items before dishwashing. The hand held spray is retractable and rests in a flush fitting independent holder.


As above but RFC style.





**1030 (Only available RFC)**  
 Mixer and handspray for fitting into work surface at a fixed centres of 203mm.  
 Handspray can be located in a suitable position close by.

**Note: 1030 and 1040**  
 Handspray operation interrupts the flow through the nozzle at the same temperature.



**260 (RFC shown)**  
 1/2" bib tap with quarter turn china lever handle.




**260 (GA shown. Also available as R, GCD & RCD)**  
 1/2" sink bib tap.

**TT282**  
 Backplate elbow.




**TT280**  
 6" standard.

**TT284 - 1" extension.**  
**TT284 - 2" extension.**  
**TT284 - 3" extension.**  
**TT284 - 4" extension.**




**106 (GA shown. Also available as R, GCD & RCD)**  
 1/2" pillar sink tap, with raised nozzle.

As above but RFC style.




2020 (GA shown. Also available as R,  
GCD & RCD)  
Wall mounted sink mixer.




1070 (RFC shown)  
Monobloc single hole sink mixer. Quarter  
turn china lever handles and swivel nozzle.  
For swanneck sizes please refer to  
dimension page 23

As above but R, GA, GCD or RCD style.




MC2134 Mastercraft 3/4" bath pillar taps.

MC2123 Mastercraft 1/2" basin pillar taps.




MC6450 Mastercraft 3-hole basin mixer with pop-up waste 112mm nozzle.


MC6455 As above but with 140mm nozzle.



MC6470 Mastercraft Monobloc basin mixer with pop-up waste.



MC1870 Mastercraft Monobloc bidet mixer with pop-up waste.




**MC4300**

Mastercraft Bath/spray mixer, pillar mounting.

**MC4308**

Mastercraft Bath/spray mixer, wall mounting. (Not illustrated). Incorporates single check valve.




**MC3300**

Bath filler, pillar mounting.

**MC3308**

Bath filler, wall mounting. (Not illustrated).



**MC3490 SET**


Mastercraft 3/4" Bath deck valves and nozzle to form bath filler

**MC3490 DV PR**


Mastercraft 3/4" Deck Valves

**MC3490 DN**

Mastercraft 1" Bath Nozzle (8 3/4" proj)



**MC3490DN**





**MC3470 SET**  
Mastercraft Concealed Wall Stops,  
Nozzle and Tee

**MC3470 WS**  
Mastercraft 3/4" Concealed Wall Stops,  
Pair


**MC3470 WN**  
Mastercraft 7" Wall Nozzle and B/Nut




**MC3470WN**




**MC3470WS**



**MC3470 SET**





**MC3494 SET**  
Mastercraft 4 hole deck set comprising  
hot & cold valves, diverter, nozzle and  
pull-up handspray incorporating single  
check valve to comply with Water Byelaws




**MC3460**

Mastercraft Concealed bath mixer, mounted on panel. This fitting is supplied assembled (as shown) and must not be removed from the plate




**MCPS53C**

Mastercraft recessed thermostatic shower mixer. Octagonal wall plate and lever.




**MCPS53**

Mastercraft Exposed Thermostatic mixer valve only and inlet bends. Please refer to pages 11 & 12 for dimensions.




**MCPS16**

Comprises standard 17 1/2" shower arm, Mastercraft back inlet and 5" rose. For any variations please order individual components as set out on page 18.



**MC3400**

Bath waste, plug, chain and overflow set.





**MC3420/15**

Cistern lever handle with 150mm shank. For dimensions see page 20.

**MC3420/25** As above with a 250mm shank.

**MC3420/35**

As above but with 350mm shank for concealed cisterns.



# Current listings

Model Number	Certificate Number	IRN Number	Water Byelaws
GA or R 2123, 2124, 106	0307050	001, 005	N/A
GA or R 2134	0307051	001, 005	N/A
GCD/RCD/GA/MC 4300 or R 4300, 4308	0607049 + 0607050	109, 112	16, 18
GA or R 3300, 3308	9812050	101, 109	25, 16, 18
GA or R 1870	0603022	001, 140	19, 20, 21
GA or R 6450, 6455	0603023	101	25
GA or R 6475	0603020	101	25
MC 6470	9105006	101	25
MC 1870	9105016	140	19, 20, 21
GA or R 1070AE Single Flow Swanneck	0603017	101	N/A
GA or R 1070 Duoflow Swanneck	9402004	000	N/A
MC 3460	9002008	101, 109, 111	25, 16, 18, 29, 58, 73
MC 3300, 3308	9002009	101,109	25, 16, 18
MC 4300, 4308	0607049	109, 112	16, 18
MC 2123	9002014	000	N/A
MC 2134	9002015	000	N/A
5600, 5651 Valves	0210040	001, 103,111	17, 29, 58, 73
GA or R 1010AE, 2010AE, 2015AE Single Flow Swanneck	0202028	001, 006	N/A
RFC 1010AE Single Flow Swanneck	0202028	001, 006	N/A
RFC 1070	0603018	101	N/A
GCD RCD 1070	0603019	101	N/A
MC 4308 GCD/RCD/GA/R 4308	0607050	109, 112	16, 18
GCD/RCD 6475	0603021	101	25
GA or R1070	0603017		

## Prices and specifications

Prices and specifications are subject to change without notice. All prices quoted are correct at the time of going to press.

## Quality

All Barber Wilson bathroom products are produced to the highest quality standards and electroplated to British Standards: Chrome to BS1224. In addition, most fittings are tested by the WRc Evaluation & Testing Centre to ensure full compliance with current water bylaws. All products incorporating hand-held showers are fitted with backflow prevention devices to comply with these laws.

## Guarantee

We will make good, free of charge, by repair or at our option by replacement, any goods with defects becoming evident within a period of 12 months of purchase and arising from defects which are attributable to us as manufacturers. We cannot be held responsible for any costs incurred in correcting installation related faults, nor problems with electroplated and polished finishes when our cleaning instructions are not adhered to.



# Care of decorative finishes

**GENERAL** - to preserve the high quality finish, rinse after use with clean water using a soft cloth and dry with a soft chamois leather or a towel.

**NEVER** - use any form of abrasive. This type of cleaner/material is not necessary if the product is cleaned regularly in accordance with the above instructions, as they will definitely cause surface damage to all finishes. Most surfaces are relatively immune to attack from casual contact with the chemicals found in household cleaners (but avoid prolonged contact). Such cleaners should be rinsed off if necessary, avoid rubbing.

**N.B.** The use of proprietary chrome, nickel and gold cleaners/polishes should not be necessary, but in any event should only be used in strict accordance with the manufacturers instructions.

The only marks that can be difficult to remove with a damp cloth are water stains, which can appear in hard water areas. These marks are limescale, which must be dissolved not rubbed away. Watch out particularly around the base of taps and back of mixers for any build up of limescale. A word of caution: limescale is chemically the same as marble and the cleaner designed for its removal may also dissolve marble surfaces. Alkaline soap residues, if left to dry on, will attack all plated surfaces and again must be rinsed away (not rubbed).

Proprietary limescale removers may be used but only strictly in accordance with manufacturers instructions.

## **CHROME & NICKEL**

The hardest of the decorative finishes, but we still recommend that you avoid scouring powders and abrasives. Chrome resists most chemicals but watch out for any form of hydrochloric acid such as proprietary liquid cleaner for dentures - it will dissolve the chrome in half an hour. Wipe products dry with a soft cloth after cleaning.

## **GOLD PLATED (INCA) FINISHES**

Although the softest of the decorative finishes, it is perfectly durable with care and is resistant to chemical attack. Dissolve any water stains at the first sign using proprietary limescale removers (following the manufacturers instructions). Pay particular attention to the softness of the cloth you use to towel the gold products dry after cleaning.

## **SATIN (VELOS) FINISHES**

These finishes are available in chrome, inca and nickel. Care as for bright finishes.

## **COLOURS**

Harder than gold, but less hard than chrome. Resistant to chemicals, but beware of nail varnish remover which will soften most finishes of this nature. Generally care for colours like gold.

## **WEATHERED BRONZE**

This finish is produced by first electroplating with copper. Items are then chemically aged. Copper highlights will develop in use, due to handling and cleaning as recommended. Cleaning must follow the recommendations for all other decorative finishes as above.

## **POLISHED BRASS FINISH**


We also supply fittings in natural polished brass. This is not lacquered or electroplated and will tarnish quickly and naturally. To maintain the polished finish metal polish should be used.

## **OTHER BARBER WILSONS PRODUCTS**

We hope you enjoyed browsing through this catalogue but please be aware that the items shown are standard production lines. We do, however, manufacture many items to bespoke designs tailored to meet a client's specific needs and preferences. If you don't see what you want then please do contact our sales office on 020 8888 3461 to discuss your requirements.


## Conversion tables

Imperial		Metric			
Foot Head	P.S.I.	Metre Head	Bar	Litres	Gallons
10	4.33	3.05	0.30	1	0.22
15	6.51	4.57	0.45	2	0.44
20	8.70	6.10	0.60	3	0.66
25	10.85	7.62	0.75	4	0.88
30	13.00	9.15	0.90	4.55	1.00
35	15.17	10.67	1.05	5	1.10
40	17.34	12.20	1.20	6	1.32
45	19.50	13.72	1.35	7	1.54
50	21.67	15.25	1.50	8	1.76
55	23.84	16.77	1.65	9	1.98
60	26.01	18.30	1.80	10	2.20
65	29.17	19.82	1.95	15	3.30
70	30.34	21.53	2.10	20	4.40
75	32.51	22.87	2.25	25	5.50
80	34.68	24.40	2.40	30	6.60
90	39.01	27.45	2.70	35	7.70
100	43.35	30.50	3.00	40	8.80
110	47.65	33.55	3.30	45	9.90
120	52.02	36.60	3.60	50	11.00
130	56.35	39.65	3.90	55	12.10
140	60.68	42.70	4.20	60	13.20
150	65.02	45.75	4.50	65	14.30
160	69.35	48.80	4.80	70	15.40
170	73.79	52.03	5.10	75	16.50
180	78.03	54.90	5.40	80	17.60




### Conventional screwdown tap in section

- 1 Capstan Head (handle)
- 2 Body
- 3 Shield
- 4 Cover (head)
- 5 Jumper
- 5a Jumper Washer
- 6 Spindle
- 7 Packing (gland) Nut
- 8 Backnut (flynut)
- 9 Gland Packing
- 10 'O' Ring Seal



### Ceramic disc headwork in section

- A Set Screw
- B Shield
- C1 Sleeve
- C2 Spring
- D Joint face to tap body
- E Bronze Clip
- F Nitrile 'O' Ring Seal
- G Mobile Upper Ceramic Disc
- H Fixed Lower Ceramic Disc
- J Stainless Steel Ring
- K Silicone Compression Washer
- L Lever Handle





Barber Wilsons & Co Ltd  
Crawley Road, Wood Green,  
London N22 6AH

Tel +44 (0)208 888 3461  
Fax +44 (0)208 888 2041  
Email [sales@barwil.co.uk](mailto:sales@barwil.co.uk)

[www.barwil.co.uk](http://www.barwil.co.uk)

