TOWEL WARMERS & RADIATORS









lifestyle luxury



Towel Rails and Radiators Vogue UK Est 1990

ibe ired l

V®GUE



Welcome to Vogue UK – the country's leading manufacturer of heated towel rails, designer radiators and accessories. Established in 1990 within the heart of the West Midlands, and still privately owned by its original founders, Vogue UK continues to design and create more products than any other company in this field, constantly leading the trend by combining fashion with functionality.

Everyone has their own sense of style and that's why Vogue UK has created a range of products that meet the needs of every interior design style. If you require something unique then our craftsmen can create a design to your exact brief. As Vogue UK have been creating towel rails and designer radiators since 1990 the company has built an extensive portfolio of designs and can offer a bespoke service, ideal if you're looking to create an authentic period look or simply match an existing design.

Our six categories of products in this brochure and on our website are sure to encompass the perfect design for you..... no matter what shape, style or size you're looking for.

CONTEMPORARY LADDER RAILS TRADITIONAL DESIGN RADIATORS ELECTRIC ADDITIONS













Bespoke Design & Manufacture Service

'Liberty to Customise'

If your exact requirements are not illustrated within our literature, we offer a bespoke service. This service allows you to customise your towel rail or radiator dimensions, materials and finishes.

'Freedom to Realise Your Ideas'

We can work from any design specification and handcraft special products from high quality brass or stainless steel. Our team will offer technical advice to ensure your design is viable before a quote is issued for approval and the product is manufactured.

'Commissioned Project Expertise'

We are dedicated to combining innovative design with a high level of client services. This collaborative design process involves the active participation of you, our client.

We help clarify visions, execute 3D designs and manufacture the bespoke end product.

Every effort is made to ensure the design process is swift. Vogue UK has extensive experience working with architects, contractors and individuals alike.

Symbols and Product Information

Brass Manufacture



DZR Brass

The highest quality brass available in a finish of your choice. Corrosion resistant and provides a superior plated finish.



A 30 year quality assurance guarantee

On our brass products showing this symbol.



Heating and Hot Water

Suitable for all heating and hot water systems.

Stainless Steel Manufacture



Stainless Steel

Giving an easy to clean finish that is resistant to corrosion and has a high heat output.



A 30 year quality assurance guarantee

On stainless steel products showing this symbol.



Heating and Hot Water

Suitable for all heating and hot water systems.

Mild Steel Manufacture



Mild Steel

Quality mild steel available in chrome and painted finishes suitable for indirect /closed heating systems.



A 15 year quality assurance quarantee

On mild steel products showing this silver symbol.



Heating Only

Suitable for closed indirect heating systems.

Additional Requirements



Electric only

Can be specified where this symbol is displayed. Please see page 135 for full range and price supplements.



Heating and Electric

Can be specified where this symbol is displayed. Please see page 135 for full range and price supplements.



Electric Dryline

Can be specified where this symbol is displayed. Dryline technology, heated via a heater cable. POA



Available in RAL colour chart options, where this symbol is displayed. Please see page 141 for colour options and price supplement.

Stock Information



The 'Tick' symbol in the product specification tables denotes a stocked item.



The 'Handprint' symbol in the product specification tables denotes a made to order product.



belish I

V©GUEContemporary Towel Rails

For the past 28 years we have been proud to be at the forefront of new designs. Every year we work with interior designers to produce products of style with substance.



CONCERTINA Wall Mounted DR010





For electric element & valve options see pages 135 & 139

Concertina is a beautiful iconic rail. Towels slide easily in from the side and can be left or right hand mounted. Manufactured from high quality mild steel. Prices shown are for chrome finished for central heating models.

Concertina	Dimer	isions (mm)	Bar config	Pipe Centres	Electric element	Output Δ T50°C	Output Δ T60°C	Price £ (ex VAT)	Price £	Stock or made	
MS 15 C	Н	W	D	Cornig	Centres	wattage	Watts/BTU's	BTU's	Chrome	Chrome	to order	
DR010	1000	500	111	12	75	150	226 / 771	978	265.00	318.00	√	
DR010	1000	600	111	12	75	200	311 / 1061	1345	314.00	376.80	\checkmark	
DR010	1200	500	111	14	75	200	383 / 1308	1659	336.00	403.20	/	
DR010	1200	600	111	14	75	300	423 / 1443	1830	401.00	481.20	√	




The Marine's innovative design is a focal point for any bathroom. The looped horizontal rails maximise both heat output and hanging space. Manufactured from high quality mild steel. Prices shown are for chrome finished for central heating models.





Marine MS 15 C	Dii	mensic (mm)	ons	Bar config	Pipe centres	Electric element	Output ΔT50°C	Output ∆T60°C	Price £ (ex VAT)	Price £ (inc VAT)	Stock or made
MS 15 C	Н	W	D			wattage	Watts/BTU's	BTU's	Chrome	Chrome	to order
DR009	1400	600	177	25	110	400	767 / 2617	3318	543.00	651.60	

CYGNUS Wall Mounted DR012



Cygnus is handsome and highly practical. The looped horizontal rails maximise both heat output and hanging space. Finished in chrome. Manufactured from high quality mild steel. Prices shown are chrome finish for central heating models.



Cygnus	Dime	ensions	(mm)	Bar	Pipe	Electric	Output Δ T50°C	Output	Price £	Price £	Stock	
MS 15 C	Н	W	D	config	centres	element wattage	Watts/BTU's	ΔT60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order	
DR012	900	500	183	4-4-10	300	150	417 / 1423	1804	330.00	396.00	√	
DR012	1200	500	183	4-4-4-11	300	200	556 / 1897	2405	386.00	463.20	✓	




Draco's equally spaced hooped tubes form an architectural shape. Perfect symmetry with centralised valves. Finished in chrome, a must for any modern setting. Manufactured from high quality mild steel. Prices shown are chrome finish for central heating models.



Draco	Dimer	nsions	(mm)	Bar	Pipe	Electric	Output	Output	Price £	Price £	Stock
MS 15 C	Н	W	D	config	centres	element wattage	ΔT50°C Watts/BTU's	ΔT60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order
DR015	1000	500	172	9	86	125	236 / 808	1025	367.00	440.40	√
DR015	1300	500	172	13	86	150	272 / 928	1177	388.00	465.60	\checkmark

INTTRA Wall Mounted CN013



When space is limited... You still want good design and high heat output, the Inttra ticks all the boxes. The towel rail fits neatly into a corner to maximise wall space and is available in two sizes. Manufactured from large diameter brass or mild steel tube and chromed to a mirror finish. Bespoke finishes are available at an additional cost. Please see pages 141 & 142 for finishes and colour options. Prices shown are chrome finished for central heating systems. Colour options for brass models only.



Inttra	Dime	nsions	(mm)	Bar	Pipe	Electric	Output	Output	Price £	Price £	Stock	
MS 15 C	Н	W	D	config	Centres	element wattage	ΔT50°C Watts/BTU's	Δ T60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order	
CN013-MS	1240	556	306	5-5-5	281 + 531	200	525 / 1792	2272	299.00	358.80	√	
CN013-MS	1680	556	306	5-5-5-5	281 + 531	300	703 / 2399	3042	359.00	430.80	\checkmark	
Inttra	Dime	nsions	(mm)	Bar	Pipe	Electric	Output	Output	Price £	Price £	Stock	
BR 30 H	Н	W	D	config	Centres	element wattage	Δ T50°C Watts/BTU's	ΔT60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order	
CN013	H 1240	W 500	D 350	5-5-5	325 + 475							

Flexx is sensual and curvaceous. This handcrafted towel rail is an original design, with all the functionality a fabulous towel rail must have. Manufactured by craftsmen in high quality brass tube, chromed to a mirror finish. Please see pages 141 & 142 for finishes and colour options. Prices shown are chrome finished for all heating and hot water systems.

Please note: Electric and dual energy versions come with a straight bottom bar.







CN015







1240



250

540

Dimensions (mm)

15

Bar config Connections

540

300

wattage

Watts/BTU's

642 / 2190

Δ T60°C BTU's

2777

(ex VAT) Chrome


1636.00

(inc VAT) Chrome

1963.20

or made to order

PURE Wall Mounted MD037



Pure high quality elegance. This handcrafted towel rail is manufactured in brass and chromed to a mirror finish. Bespoke finishes are available at an additional cost. A perfect size for smaller areas where space is at a premium and quality a must. Please see pages 141 & 142 for finishes and colour options. Prices shown are chrome finished for heating and hot water systems.



Pure	Dime	ensions	(mm)	Bar	Pipe	Electric	Output ΔT50°C	Output Δ T60°C	Price £	Price £	Stock
BR 30 H	Н	W	D	config	Centres	element wattage	Watts/BTU's	BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order
MD037	700	425	75	4	400	75	106 / 362	459	593.00	711.60	W

Understated with great towel hanging functionality, Grace is the epitome of simple chic design.

Manufactured from large diameter high quality mild steel. Prices shown are chrome finished for central heating models.







Grace	Dim	ensions	(mm)	Bar	Pipe	Electric	Output	Output	Price £	Price £	Stock
MS 15 C	Н	W	D	config	centres	element wattage	ΔT50°C Watts/BTU's	ΔT60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order
MD067	800	500	100	3	462	100	140 / 478	606	179.00	214.80	√
MD067	1200	500	100	4	462	125	199 / 678	860	200.00	240.00	

SMOOTH Wall Mounted CN035



Smooth combines excellent towel hanging space with high heat output and eye catching design.

Manufactured from high quality mild steel. Prices shown are chrome finished for central heating systems models.



Smooth	Dimensions (mm)	Bar	Pipe	Electric	Output	Output	Price £	Price £	Stock
10 15		config	centres	element	Δ T50°C	ΔT60°C	(ex VAT)	(inc VAT)	or made

CN035	800	400	94	9	368	100	163 / 556	705	326.00	391.20	√
CN035	800	500	94	9	468	125	189 / 664	842	336.00	403.20	✓
CN035	1200	400	94	13	368	150	235 / 800	1014	410.00	492.00	✓
CN035	1200	500	94	13	468	150	271 / 924	1172	425.00	510.00	/

Smooth II is modern and stylish, featuring 38mm vertical tubes. Manufactured from high quality mild steel with mitred corners. Prices shown are chrome finished for central heating systems.





Smooth II	Dime	ensions (mm)	Bar	Pipe	Electric	Output Δ T50°C	Output	Price £	Price £	Stock
MS 15 C	Н	W	D	config	centres	element wattage	Watts/BTU's	Δ T60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order
CN036	800	400	96	8	368	125	206 / 702	890	348.00	417.60	√
CN036	800	500	96	8	468	150	237 / 810	1027	364.00	436.80	
CN036	1200	400	96	11	368	200	292 / 997	1264	434.00	520.80	/
CN036	1200	500	96	11	468	200	335 / 1144	1451	456.00	547.20	1

CHIC Wall Mounted MD046



Chic gives ultimate versatility allowing towels to be accessed from the side. This practical and stylish design is available chrome plated or in white. Manufactured from high quality mild steel which can be mounted to the left or right. Prices shown are chrome or white finished for central heating models.



Chic		nsions	(mm)	Bar config	Pipe centres			t ∆⊤50°C :/BTU's	Out ∆⊺60°C			ce £ rome		ce £ hite	Stock or made	
MS 15 C	Н	W	D			wattage	chrome	white	chrome	white	ex VAT	inc VAT	ex VAT	inc VAT	to order	
MD046	1200	500	85	3-3-3-	100	150	282 / 962	377 / 1289	1220	1634	235.00	282.00	170.00	204.00	1	





For electric element & valve options see pages 135 & 139

A contemporary, minimalist design with crisp clean lines. Keys II allows towels to be effortlessly hung onto the rails from the left or right hand side, depending on your requirements. Manufactured from high quality mild steel, chromed to a mirror finish. Prices shown are for central heating models. Stainless Steel version available on request


Keys II	Dimensions (mm)			Bar	Pipe	Electric	Output ∆ T50°C	Output	Price £	Price £	Stock
MS 15 C	Н	W	D	config	Centres	element wattage	Watts/BTU's	ΔT60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order
CN030	1080	500	132.5	6	50	150	392 / 1339	1698	348.00	417.60	√
CN030	1460	500	132.5	8	50	200	524 / 1786	2265	461.00	553.20	/
CN030	1840	500	132.5	10	50	300	656 / 2237	2837	551.00	661.20	\checkmark

RUBIK Wall Mounted MD038



Simple and beautiful, the rectangular stainless steel tube is built to last. The Rubik comes in polished stainless steel as standard. Please see pages 141 & 142 for finishes and colour options.

Stainless steel construction suitable for all hot water systems



22 cross bars

18 cross bars

12 cross bars










30sq + 20sq mm

Rubik	Dimen	isions (r	nm)	Bar	Pipe	Electric	Output Δ T50°C	Output	Price £	Price £	Stock	
SS 30 H	Н	W	D	config	Centres	element wattage	Watts/BTU's	ΔT60°C BTU's	Polished	Polished	or made to order	
MD038	800	500	80	3-6-3	470	200	404 / 1379	1749	987.00	1184.40	W	
MD038	1200	500	80	4-10-4	470	300	607 / 2072	2627	1258.00	1509.60	W	
MD038	1500	500	80	4-7-7-4	470	300	747 / 2549	3232	1396.00	1675.20	W	

Anthracite

W

Modern looks from this square tubed design brings together aesthetics and practicality. This versatile product will suit any modern bathroom. Chromed to a mirrored or anthracite finish. Prices shown are for central heating models.









Squire **Dimensions** Output A T50°C Price £ Bar Pipe Electric Output Price £ Watts/BTU's config centres element ΔT60°C BTU's Chrome Anthracite or made to order (mm) MS 15 wattage W Н D MD047 830 480 90 278 / 948 416 / 1419 1202 1799 472.00 566.40 313.00 375.60 4-10 450 150 MD047 830 580 90 4-10 550 200 331 / 1129 495 / 1689 1432 2142 479.00 574.80 336.00 403.20 480 440 / 1501 656 / 2238 1903 2838 623.00 747.60 409.00 490.80 MD047 1322 90 450 300 4-8-10 MD047 1322 580 523 / 1784 780 / 2661 2262 3374 636.00 763.20 419.00 502.80 4-8-10 550 300 1770 480 581 / 1982 868 / 2961 2513 3755 761.00 913.20 496.00 595.20 MD047 90 4-7-8-10 450 400 691 / 2357 1032 / 3521 779.00 934.80 515.00 618.00 MD047 2989 4465 1770 580 90 4-7-8-10 550 600



SERENE Wall Mounted MD049



The Serene is just that. A well balanced design which maximises hanging space. A perfect towel warmer for contemporary kitchens and bathrooms alike. Square tubes finished with a choice of chrome or contemporary finishes. Please see page 141 for other colour options. Prices shown are for central heating models.



15 cross bars



20 cross bars










ade der

12 cross bars

Selene	Dill	(mm)	ns		centres			ιραι /atts/BTU's		BTU's	Chr	ome		nite	Cold		or mad
MS 15 C	Н	W	D			wattage	chrome	painted	chrome	painted	ex VAT	inc VAT	ex VAT	inc VAT	ex VAT	inc VAT	to ord
MD049	1000	500	85	12	470	150	257 / 876	409 / 1396	1111	1770	248.00	297.60	165.00	198.00	283.00	339.60	/
MD049	1165	500	85	15	470	200	314 / 1071	420 / 1435	1358	1820	270.00	324.00	182.00	218.40	302.00	362.40	/
MD049	1165	600	85	15	570	300	365 / 1245	437 / 1492	1579	1892	297.00	356.40	199.00	238.80	330.00	396.00	/
MD049	1700	500	85	20	470	300	434 / 1480	501 / 1714	1877	2173	352.00	422.40	232.00	278.40	377.00	452.40	/
MD049	1700	600	85	20	570	400	520 / 1776	601 / 2060	2252	2612	383.00	459 60	254 00	304.80	397 00	476 40	./

A contemporary, minimalist design. With crisp edges and clean lines. The Ideal is manufactured in high quality stainless steel which is polished to perfection.

Stainless steel construction is suitable for all hot water systems.







Ideal

MD055

MD055

MD055



BOXA Wall Mounted CN009




Boxa is crafted using large gauge square and rectangular tubing and has smooth rounded corners. A perfect blend of form and function. There are two options, polished stainless steel or chromed mild steel. Available in three heights to suit the size of your room.

Prices shown are for chrome and polished stainless steel models. Please see pages 141 & 142 for finishes and colour options.



Boxa MS 15 C		nsions		Bar config	Pipe centres	Electric element wattage	Output Δ T50°C Watts/BTU's	Output ∆⊺60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order	
	Н	W	D						Onionic			
CN009A - MS	620	450	120	3	410	100	199 / 679	861	392.00	470.40	\checkmark	
CN009B - MS	1060	450	120	5	410	150	290 / 989	1254	455.00	546.00	\checkmark	
CN009C - MS	1500	450	120	7	410	150	437 / 1491	1891	514.00	616.80	1	
											•	
Воха	Dime	nsions	(mm)	Bar	Pipe	Electric	Output	Output	Price £	Price £	Stock	
Boxa SS 30 H	Dime H	nsions W	(mm)	Bar config	Pipe centres	Electric element wattage	Output ΔT50°C Watts/BTU's	Output ΔT60°C BTU's	Price £ (ex VAT) Stainless	Price £ (inc VAT) Stainless	Stock or made to order	
						element	Δ T50°C	Δ T60°C	(ex VAT)	(inc VAT)	or made	
SS 30 H	Н	W	D	config	centres	element wattage	ΔT50°C Watts/BTU's	ΔT60°C BTU's	(ex VAT) Stainless	(inc VAT) Stainless	or made to order	

Quadrate has 50mm vertical tubes and crisp, sleek edges, which would suit any modern bathroom setting. Available in a range of heights and widths. Manufactured from high quality mild steel. Prices are for chrome central heating models.







Quadrate	Dime	ensions	(mm)	Bar	Pipe	Electric	Output Δ T50°C	Output	Price £	Price £	5
MS 15 C	Н	W	D	config	centres	element wattage	Watts/BTU's	ΔT60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	oi to
MD074	800	500	105	3-3-3	450	150	271 / 923	1170	301.00	361.20	
MD074	800	600	105	3-3-3	550	200	310 / 1058	1342	316.00	379.20	
MD074	1200	500	105	3-4-7	450	300	416 / 1419	1799	391.00	469.20	
MD074	1200	600	105	3-4-7	550	300	477 / 1629	2066	417.00	500.40	
MD074	1600	500	105	3-3-3- 5-5	450	400	561 / 1914	2427	482.00	578.40	
MD074	1600	600	105	3-3-3- 5-5	550	600	645 / 2199	2788	516.00	619.20	

ZENITH Wall Mounted IN007



Zenith is manufactured in stainless steel and has a brushed or polished finish, suitable for all heating & hot water systems. Please see page 141 for colour options

VL003









40sq + 30sq mm

Zenith	Dime	nsions	(mm)	Bar config	Pipe centres	Electric	Output ΔT50°C	Output ΔT60°C	Price £	Price £	Stock or made	
SS 30 H	Н	W	D	comig	Control	wattage	Watts/BTU's	BTU's	Brushed or Polished	Brushed or Polished	to order	
IN007	1200	400	90	6	360	125	421 / 1437	1822	1221 00	1465 20	1/2	





Moda is manufactured from high quality mild steel and finished in polished chrome with a white integral radiator. Other finishes are available please see pages 141 & 142.

40sq + 40 x 20mm

For electric element & valve options see pages 135 & 139

Moda MS 15



RAL 4005







W D

Bar config Pipe

Electric element wattage

Output Δ T50°C Watts/BTU's Output Δ T60°C BTU's

Price £ (ex VAT) Chrome Price £ (inc VAT) Chrome

Stock or made to order

坐

1200 500 CN001 150 5 310 300 787 / 2686 3406 1556.00 1867.20

VISTA Wall Mounted IN002



Vista is sculptural with beautifully finished tactile edges. Manufactured from stainless steel and has a brushed or polished finish. Available in three lengths from 500mm, ideal for ensuites to 1500mm, perfect above a bath. Stainless steel suitable for all hot water systems. Please see page 141 for colour options.



Vista	Dime	ensions	(mm)	Bar config	End to End Connections	Electric element	Output ΔT50°C	Output Δ T60°C	Price £ (ex VAT)	Price £ (inc VAT)	Stock or made
SS 30 H	Н	W	D			wattage	Watts/BTU's	BTU's	Brushed or Polished	Brushed or Polished	to order
IN002A	140	500	93	2	500	75	118 / 403	511	817.00	980.40	W
IN002B	140	1000	93	2	1000	100	223 / 761	965	897.00	1076.40	W
IN002C	140	1500	93	2	1500	125	328 / 1120	1420	976.00	1171.20	W




Simple and beautiful, this design comes in three different widths, the 500mm shortest width is perfect for areas where space is at a premium. Manufactured from high quality mild steel, chromed to a mirror finish. Prices shown are for central heating models. Please see pages 141 & 142 for finishes and colour options. Prices shown are chrome finished for heating and hot water systems.



Memo	Dime	ensions	(mm)	Bar	End to End	Electric element	Output Δ T50°C	Output Δ T60°C	Price £	Price £	Stock
MS 15 C	Н	W	D	config	Connections	wattage	Watts/BTU's	BTU's	Chrome	Chrome	or made to order
CN007A	140	500	90	2	500	75	86 / 292	370	859.00	1030.80	W
CN007B	140	1000	90	2	1000	100	171 / 583	739	901.00	1081.20	W
CN007C	140	1500	90	2	1500	125	256 / 873	1107	987.00	1184.40	W

AQUILA Wall Mounted DR016



Rectangular tube towel rail provides ample space and heat for warming or drying towels, in a design which allows you to slide them effortlessly into place from either the left or right, depending on your preference.

Manufactured from high quality mild steel, prices shown are chrome finished for central heating models.




D

(

E

40 x 10 + 30 x 30mm

Aquila	Dime	ensions	(mm)	Bar	Pipe	Electric	Output Δ T50°C	Output Δ T60°C	Price £	Price £	Stock	
MS 15 C	Н	W	D	config	centres	element wattage	Watts/BTU's	BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order	
DR016	1200	500	118	3-3-3-3	60	150	354 / 1209	1533	331.00	397.20	√	
DR016	1400	600	118	3-3-3-3- 3-3	60	200	436 / 1488	1887	365.00	438.00	✓	



Asymmetric rectangular tube towel rails give a fascinating design that has clean lines and simple access from either side. Manufactured from high quality mild steel, prices shown are chrome finished for central heating models.




Phoenix	Dime	ensions	(mm)	Bar config	Pipe	Electric	Output	Output	Price £	Price £	Stock or made	
MS 15 C	Н	W	D	Coming	centres	element wattage	ΔT50°C Watts/BTU's	ΔT60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	to order	
DR017	1200	500	118	3-3-3- 3-3	60	150	301 / 1029	1305	303.00	363.60		

GALLANT Wall Mounted MD040SS



Crafted in high quality stainless steel. The Gallant is a bold stylish piece offering crisp right angles to stunning effect. Available in two heights in polished stainless steel, suitable for all hot water systems.

Please see page 141 for colour options.














Gallant	Dime	ensions	(mm)	Bar	Pipe	Electric	Output	Output	Price £	Price £	Stock	
SS 30 H	Н	W	D	config	Centres	element wattage	ΔT50°C Watts/BTU's	ΔT60°C BTU's	(ex VAT) Polished Stainless Steel	(inc VAT) Polished Stainless Steel	or made to order	
MD040SS	900	500	97	2-2-4	440	200	458 / 1564	1983	1003.00	1203.60	W	
MD040SS	1200	500	97	2-2-3-4	440	300	624 / 2131	2702	1221.00	1465.20	W	

The square tubed design brings together aesthetics and practicality. This versatile product will suit any modern bathroom. Chromed to a mirrored finish. Prices shown are for central heating models.





Dimensions (mm)

W

500

D

130

130

3-4-5

3-5-7

450

450

200

300

296 / 1011

363 / 1239

1282

1571

386.00

455.00

463.20

546.00

Н

970

1270

Gallant II

MS 15

MD040MS

MD040MS




ARC Wall Mounted MD065



Arc has it all, ample towel hanging space and good heat output. Available in chrome to suit your ideal kitchen or bathroom. Manufactured from high quality mild steel. Prices shown are for central heating models in a chrome finish.



Unique bar design











014 40 x 18mm

Arc	Dim	ensior	1S (mm)	Bar config	Pipe centres	Electric element	Output ∆T50°C	Output ∆T60°C	Price £ (ex VAT)	Price £ (inc VAT)	Stock or made	
MS 15 C	Н	W	D			wattage	Watts/BTU's	BTU's	Chrome	Chrome	to order	
MD065	828	500	133 - 150	3-3-4	430	150	232 / 793	1006	266.00	319.20	/	
MD065	1200	500	133 - 150	3-4-4-4	430	300	346 / 1179	1495	342.00	410.40	/	
MD065	1800	500	133 - 150	3-3-3-4-4-4	430	400	491 / 1674	2123	429.00	514.80	/	

Curvee is stylish and practical. As the name suggests the cross rails are gently bowed. The towel rail offers good heat output in four sizes, the 800mm version is pictured. Available in chrome or white finish. Please see page 141 for colour options. Prices shown are chrome finished for central heating models.









1100mm 20 cross bars

800mm 15 cross bars



		-		.5											
Curvee	Dime	ensior	ns (mm)	Bar config		Electric element wattage	Out Δ T50°C Wa		Out Δ T60°C	put :BTU's		ce £ ome		e £ nite	Stock or made to order
MS 15 C	Н	W	D			wallaye	chrome	painted	chrome	painted	ex VAT	inc VAT	ex VAT	inc VAT	to order
MD050	800	500	135-160	4-11	455	125	235 / 802	543 / 1856	1017	2353	165.00	198.00	106.00	127.20	\
MD050	800	600	135-160	4-11	555	150	274 / 934	556 / 1901	1184	2410	182.00	218.40	123.00	147.60	1
MD050	1100	500	135-160	4-6-10	455	200	316 / 1078	583 / 1992	1367	2526	232.00	278.40	149.00	178.80	1
MD050	1100	600	135-160	4-6-10	555	300	387 / 1289	587 / 2005	1634	2542	248.00	297.60	165.00	198.00	1


VELA Wall Mounted MD048



Rectangular crossbars give a solid feel to this design. Available in two sizes finished in your choice of chrome, white or a contemporary colour of your choice from the swatches (right). Prices shown are for central heating models. Please see pages 141 for colour options.




For electric element & valve options see pages 135 & 139



13 cross bars 9 cross bars



Vela	Dimensions (mm)			Bar Pipe config centres					Output Δ T60°C BTU's		Price £ Chrome		Price £ White		Price £ Colours		Stock or made to order
MS 15 C	Н	W	D			wallaye	chrome	painted	chrome	painted	ex VAT	inc VAT	ex VAT	inc VAT	ex VAT	inc VAT	to order
MD048	950	500	103	2-3-4	462	125	246 / 839	289 / 986	1064	1250	265.00	318.00	177.00	212.40	324.00	388.80	√
MD048	1300	500	103	3-5-5	462	200	330 / 1125	389 / 1327	1427	1683	423.00	507.60	265.00	318.00	447.00	536.40	



A memorable design, available in two sizes. Suitable for any modern bathroom. Chromed to a mirror finish. Prices shown are for central heating models.



VL003 40 x 20 + 40 x 10mm

For valve options see pages 139

Decor	Dime	ensions	(mm)	Bar	Face to Face	Output Δ T50°C	Output Δ T60°C	Price £	Price £	Stock
MS 15 C	Н	W	D	config	connections	Watts/BTU's	BTU's	Chrome	(inc VAT) Chrome	or made to order
MD084	750	450	145	4	388	129 / 440	558	248.00	297.60	√
MD084	1200	450	145	6	388	199 / 679	861	288.00	345.60	/

UNIQUE Wall Mounted CN028



Contemporary Towel Warmer with cylindrical features. Made from high quality mild steel. Prices shown are chrome finished for central heating models.



Unique	Dime	ensions	(mm)	Bar config	Pipe	Electric	Output ΔT50°C	Output	Price £	Price £	Stock or made
MS 15 C	Н	W	D	coming	centres	wattage	Watts/BTU's	BTU's	(ex VAT) Chrome	Chrome	to order
CN028	950	500	90	4	460	125	155 / 529	671	383.00	459.60	√

Venture is available in three widths and four heights, with spacious hanging bars. The bold jointed design suits contemporary interiors. Manufactured from high quality brass, chromed to a mirror finish. Please see pages 141 & 142 for finishes and colour options.













Venture	Dime	ensions	(mm)	Bar	Pipe	Electric	Output	Output	Price £	Price £	Sto
BR 30 H	Н	W	D	config	Centres	Element Wattage	ΔT50°C Watts/BTU's	ΔT60°C BTU's	Chrome	(inc VAT) Chrome	or ma to or
CN022	750	450	95	4	400	75	121 / 413	524	669.00	802.80	~
CN022	850	650	95	4	600	100	157 / 536	680	700.00	840.00	当
CN022	1300	500	95	6	450	125	206 / 703	891	864.00	1036.80	鱼
CN022	1300	650	95	6	600	125	240 / 819	1038	879.00	1054.80	3
CN022	1600	500	95	8	450	150	267 / 911	1155	931.00	1117.20	1
CN022	1600	650	95	8	600	150	312 / 1064	1349	1023.00	1227.60	当

VIVID Wall Mounted CN021



Vivid is a beautiful minimalistic towel warmer, manufactured from high quality brass. Prices shown are for chrome heating and hot water systems. Please see pages 141 & 142 for other finish and colour options.



Mitred Joint











VIVId	Diffie	ensions	(mm)	Bar	Pipe	Electric	Output	Output	Price £	Price £	Stock	
BR 30 H	Н	W	D	config	Centres	Element Wattage	ΔT50°C Watts/BTU's	Δ T60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order	
CN021	750	450	93	4	400	75	121 / 413	524	577.00	692.40	√	
CN021	800	650	93	4	600	100	154 / 525	666	638.00	765.60	W	
CN021	1250	500	93	6	450	125	201 / 686	870	741.00	889.20	\checkmark	
CN021	1250	650	93	6	600	125	235 / 802	1017	755.00	906.00	W	
CN021	1550	500	93	8	450	150	258 / 880	1116	863.00	1035.60	W	
CN021	1550	650	93	8	600	150	303 / 1034	1311	890.00	1068.00	W	



Standard installation with visible valve.



Integral valve is hidden within the towel rail.

INTEGRAL COLLECTION VALVE FITTING





Vivid IV has all the stunning looks of Vivid with the added feature of built in integral valves. Manufactured from high quality brass with a chrome mirror finish. Prices shown are for chrome heating and hot water systems. This radiator is also available on previous page with standard valves. Please see pages 141 & 142 for other finish and colour options. Pipe work is hidden in the wall. Supplied with service valves. Not suitable for brick walls.




Vivid IV	Dime	nsions	(mm)	Bar	Pipe	Output	Output	Price £	Price £	Stock
BR 30 H	Н	W	D	config	centres	Δ T50°C Watts/BTU's	ΔT60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order
IVCN021	700	500	94	4	450	138 / 471	597	696.00	835.20	W
IVCN021	1100	500	94	5	450	189 / 645	818	761.00	913.20	W
IVCN021	1400	500	94	6	450	232 / 792	1004	826.00	991.20	W

VIVID IV Wall Mounted IVCN021



Vivid IV 400 x 1200 is the ideal choice over a bath or underneath a window. The single bar versions are perfect for ensuites and small spaces. Manufactured from high quality brass with built in valves. Prices shown are chrome finished for all heating and hot water systems. Please see pages 141 & 142 for other finish and colour options. Pipe work is hidden in the well. Contributed with a series where Net with the for bridge law.





Single Towel Bar option







4mm

Vivid IV	Dimer	nsions (n	nm)	Bar	Pipe	Output	Output	Price £	Price £	Stock
BR 30 H	Н	W	D	config	centres	ΔT50°C Watts/BTU's	ΔT60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order
IVCN021	400	1200	94	3	1150	183 / 624	791	903.00	1083.60	W
IVCN021 single bar	50	400	94	1	325	21 / 72	91	408.00	489.60	W
IVCN021 single bar	50	600	94	1	525	30 / 102	129	424.00	508.80	W

Simple beautiful, this and design manufactured from high quality brass, is perfect at the side of a shower. Prices shown are chrome finished for all heating and hot water systems. Please see pages 141 & 142 for other finish and colour options. Pipe work is hidden in the wall. Supplied with service valves. Not suitable for brick walls.



Robe or Towel Hook

INTEGRAL COLLECTION VALVE FITTING













Dimensions (mm) W

D

Bar

centres

ΔT50°C Watts/BTU's

ΔT60°C BTU's

(ex VAT) Chrome

(inc VAT) Chrome

or made to order

4

IVCN026 1700 50 115 1625 75 / 256 325 510.00 612.00

CARINA Wall Mounted MD051





Carina offers curves that work perfectly with the bold tubular design. The towel rail maximises storage space with a top shelf. Finished in chrome to match your sanitaryware. Style and versatility for the most contemporary of settings. Manufactured from high quality mild steel. Prices shown are chrome finished for central heating models.

Carina	Di	mensio (mm)	ns	Bar config	Face to Face	Electric element	Output Δ T50°C	Output Δ T60°C	Price £ (ex VAT)	Price £	Stock or made to order
MS 15 C	Н	W	D		connections	wattage	Watts/BTU's	BTU's	Chrome	Chrome	to order
MD051	1200	500	225	8	422	125	223 / 762	966	429.00	514.80	1
MD051	1200	600	225	8	522	150	243 / 831	1054	483.00	579.60	/



275

500

315

TR002

The Solo and Binary are perfect for situations where space is at a premium and style is of priority. This clever design allows you to stack, roll or hang your towels, so they are always warm, dry and handy. Manufactured from quality brass or mild steel and chromed to a mirror finish. Bespoke finishes are available at an additional cost. Please see page 141 for colour options. Prices shown are chrome finished for central heating models.





807.00

969

968.40

			-				1 01 01001110 0	iorriorit a var	70 00110110 000	pagoo 100 a	100
Solo and Binary	Dime	ensions	(mm)	Bar	Pipe	Electric	Output	Output	Price £	Price £	Stock
MS 15 C	Н	W	D	config	Centres	element wattage	ΔT50°C Watts/BTU's	ΔT60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order
TR001-MS	265	500	315	5	425	50	97 / 332	421	242.00	290.40	√
TR002-MS	274	500	315	9	425	75	155 / 527	668	381.00	457.20	/
Solo and Binary	Dime	ensions	(mm)	Bar	Pipe	Electric	Output	Output	Price £	Price £	Stock
BR 30 H	Н	W	D	config	Centres	element wattage	Δ T50°C Watts/BTU's	ΔT60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order
TR001	263	500	315	5	425	50	126 / 430	545	597.00	716.40	<u> </u>

425

75

224 / 764


COMBY Wall Mounted MD052



VL003 E 40 x 30 D Section + 22 + 25
For electric element & valve options see pages 135 & 139

Comby is designed to provide completely adaptable towel hanging and storage space. Towels in use can be hung over the cross rails to dry, clean towels placed on the folding shelf. Clothes can also be aired from the shelf as pictured. Chromed to a mirror or white painted finish. Prices shown are for central heating models.

Comby	Dime	ension	S (mm)	Bar config	Pipe centres	Electric		tput /atts/BTU's	Out ∆ ⊤60°C		Pric Chr	e £ ome	Pric Wr	e £ nite	Stock or made to order
MS 15 C	Н	W	D			wattage	Chrome	White	Chrome	White	ex VAT	inc VAT	ex VAT	inc VAT	to order
MD052	1200	500	85-110	25	455	300	377 / 1286	507 / 1945	1631	2466	269.00	322.80	201.00	241.20	√
MD052	1200	600	85-110	25	555	300	452 / 1544	683 / 2331	1958	2956	313.00	375.60	233.00	279.60	\checkmark



A modern chrome multirail towel warmer with folding shelf combined with a white double panel radiator giving high heat output and drying in a combined unit. Inset radiator available in other radiator RAL colours, please see page 141 for colour options. Manufactured from mild steel, suitable for closed heating systems and with a 15 year guarantee. Dual fuel and sealed electric element options available.

40 x 30 D Section + 22 + 25

Harmonique Duo	Dime	ension	S (mm)	Bar	Pipe	Electric	Output	Output	Price £	Price £	Stock
MS 15 C	Н	W	D	config	centres	element wattage	ΔT50°C Watts/BTU's	ΔT60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order
MD090	1200	500	85-110	25	455	300	850 / 2900	3677	472.00	566.40	√
MD090	1200	600	85-110	25	555	300	1170 / 3992	5062	509.00	610.80	/



Please note shelf location may vary when electric model specified



VL003 valves













BR Ø 25.4 + 22mm

MS 32 + 25mm


For electric element & valve options see pages 135 & 139

The integrated shelf in this curvaceous design has the added benefit of towel stacking as well as plentiful hanging space. Available in two height options to suit your space with an alternative shelf position which is optional on point of order. Manufactured from high quality brass or mild steel and chrome finished, with bespoke finishes available at an additional cost. Please see pages 141 & 142 for finishes and colour options. Prices shown are chrome finished for central heating models.

leri MS	Dime	ensions	(mm)	Bar config	Pipe centres	Electric	Output Δ T50°C	Output Δ T60°C	Price £	Price £	Stock or made
MS 15 C	Н	W	D	Coning	centres	wattage	Watts/BTU's	BTU's	Chrome	Chrome	to order
TM014-MS	750	525	265	4	240	100	173 / 592	751	366.00	439.20	/
TM014-MS	1350	525	265	7	240	200	277 / 946	1200	444.00	532.80	/
leri	Dime	ensions	(mm)	Bar	Face to	Electric	Output	Output	Price £	Price £	Stock
leri BR 30 H	Dime H	ensions W	(mm)	Bar config	Face to Face connections	Electric element wattage	Output ΔT50°C Watts/BTU's	Output ∆ T60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
					Face	element	Δ T50°C	Δ T60°C	(ex VAT)	(inc VAT)	or made

A perfect combination for heating and drying. This versatile product will suit any modern bathroom. With a white double panelled radiator as standard and 25mm chrome horizontal tubes.

Other radiator colours can be specified please see page 141 for colour options. Prices shown are for central heating models.





1200 x 500mm 7 Sections



1200 x 600mm 10 Sections







NEXUS III Wall Mounted TM001



High heat output from a radiator combined with a stylish brass frame makes the perfect combination of heat, good looks and versatility to enhance any bathroom or utility room. Prices shown are for central heating models. The inset radiator comes in white as standard. Please see pages 141 & 142 for finishes and colour options applicable to the tubular frame only. Please Note: The colour option does not apply to the inset radiator.







25.4 + 22mm

For electric element & valve options see pages 135 & 139




Dimensions (m)

Bar Pip

Pipe Output
Centres Δ T50°C
Watts/BTU's

ıt Output C ∆⊺60°C 'U's BTU's Electric element wattage Price £ (ex VAT) Chrome Price £ (inc VAT) Chrome

Stock or made to order



The contemporary version of the Nexus Grand (Pages 93 & 94) is manufactured in brass framework and chrome finished. Prices shown are for central heating models. The inset radiator comes in white as standard. Please see pages 141 & 142 for finishes and colour options applicable to the tubular frame only. Please Note: The colour option does not apply to the inset radiator.



Nexus IV	Dime	ension	S (mm)	Bar	Pipe	Electric	Output	Output	Electric	Price £	Price £	Stock
BR 30 C	Н	W	D	config	Centres	element wattage	ΔT50°C Watts/BTU's	ΔT60°C BTU's	element wattage	(ex VAT) Chrome	(inc VAT) Chrome	or made to order
TM002	900	590	214	3	500	400	689 / 2351	2981	400	631.00	757.20	1

SESTO RONDO III Wall Mounted MD021



The devil is always in the detail... Sesto Rondo's handsome curves and elegant straight lines are designed to maximise hanging space. Brass manufactured with a chrome finished as standard. Bespoke finishes are available at an additional cost. Please see finishes on page 142.



31.8 + 15mm

Features Luxury Air Vent



For electric element & valve options see pages 135 & 139

820



MD021









Dimensions (mm)

507



167

Bar config

21

Pipe centres

Electric

150

Output ΔT50°C Watts/BTU's

339 / 1157

Output Δ T60°C BTU's

1467

Price £

1101.00

Price £ (inc VAT) Chrome

1321.20

Stock or made to order



Something a bit different. A contemporary multirail, with protruding bars for extra towel hanging space. Prices shown are chromed finish for central heating models.





Tempo





Dimensions (mm)

22mm + 30 x 40 D section

Bar

MS 15 C	Н	W	D			wattage	Watts/BTU's	BTU's	Chrome	Chrome
MD072	800	500	170-190	19 + 9	455	150	416 / 1419	1799	179.00	214.80
MD072	1160	500	170-190	28 + 12	455	300	592 / 2021	2563	243.00	291.60



be fident

V®GUE

Ladder Rails

The Ladder style towel rail... High heat output and towel hanging space in an efficient format.

Vogue UK have an extensive offering for this benchmark range of products.

Clean designs to suit modern bathrooms...



AXIS 22mm Wall Mounted MD062



Axis and Combes have 22mm horizontal tubes. Axis has straight rails and Combes has curved. Prices shown are for central heating models.



Optional Aroma Plug

Blanking Plug with Aroma Oil Dish

AC035 £8.00 ex VAT £9.60 inc VAT

New Metallic Finishes

Bright Nickel

Chrome + £178.00 ex VAT - £213.60 inc VAT



Brushed Nickel

Chrome + £249.00 ex VAT - £298.80 inc VAT

Straight Bars




03




22 + 30 x 40mm D Section

Axis (Straight)		ension	S (mm)	Bar	Pipe		Output	Output Δ T60°C	Price £	Price £	Stock	
MS 15 C	Н	W	D		Centres		ΔT50°C Watts/ BTU's					
MD062	600	400	83 - 105	4-8	355	100	172 / 586	743	108.00	129.60	✓	
MD062	600	500	83 - 105	4-8	455	125	208 / 711	902	114.00	136.80	\	
MD062	600	600	83 - 105	4-8	555	125	245 / 837	1061	119.00	142.80	1	
MD062	800	300	83 - 105	4-5-5	255	100	167 / 569	721	125.00	150.00	\	
MD062	800	400	83 - 105	4-5-5	355	100	209 / 711	902	129.00	154.80	\checkmark	
MD062	800	500	83 - 105	4-5-5	455	125	252 / 858	1088	138.00	165.60	\checkmark	
MD062	800	600	83 - 105	4-5-5	555	150	295 / 1005	1274	147.00	176.40	\checkmark	
MD062	1000	300	83 - 105	4-5-8	255	150	204 / 695	881	135.00	162.00	\checkmark	
MD062	1000	400	83 - 105	4-5-8	355	150	256 / 874	1108	142.00	170.40	\checkmark	
MD062	1000	500	83 - 105	4-5-8	455	200	308 / 1053	1335	154.00	184.80	\checkmark	
MD062	1000	600	83 - 105	4-5-8	555	200	361 / 1231	1561	165.00	198.00	\checkmark	
MD062	1200	300	83 - 105	4-5-12	255	200	250 / 854	1083	153.00	183.60	\checkmark	
MD062	1200	400	83 - 105	4-5-12	355	200	313 / 1070	1357	157.00	188.40	\checkmark	
MD062	1200	500	83 - 105	4-5-12	455	200	378 / 1291	1637	167.00	200.40	✓	
MD062	1200	600	83 - 105	4-5-12	555	300	443 / 1512	1917	184.00	220.80	\checkmark	
MD062	1400	500	83 - 105	4-5-5-10	455	300	431 / 1470	1864	186.00	223.20	✓	
MD062	1400	600	83 - 105	4-5-5-10	555	300	504 / 1721	2182	202.00	242.40		
MD062	1600	400	83 - 105	4-5-5-5-9	355	300	412 / 1407	1784	204.00	244.80	✓	
MD062	1600	500	83 - 105	4-5-5-5-9	455	300	495 / 1689	2142	206.00	247.20	\checkmark	
MD062	1600	600	83 - 105	4-5-5-5-9	555	400	580 / 1979	2510	219.00	262.80	√	
MD062	1800	400	83 - 105	4-5-5-5-13	355	400	464 / 1584	2008	246.00	295.20		
MD062	1800	500	83 - 105	4-5-5-5-13	455	400	558 / 1903	2412	259.00	310.80	✓	
MD062	1800	600	83 - 105	4-5-5-5-13	555	400	654 / 2232	2830	277.00	332.40	/	




1800mm 1600mm 1400mm 32 cross bars 28 cross bars 24 cross bars



1200mm 800mm 1000mm 600mm 21 cross bars 17 cross bars 14 cross bars 12 cross bars









FOCUS 25mm Wall Mounted MD001



The Focus is a range of 25mm horizontal tube design towel rails. Giving high heat output and superior looks. Manufactured from high quality mild steel with smooth flat tops and rear air vent. Prices shown are for chrome and white central heating models.

Available in other contemporary colours please see page 59. For other RAL colour options please see page 141.

New Metallic Finishes

Bright Nickel

Chrome + £178.00 ex VAT - £213.60 inc VAT



Brushed Nickel

Chrome + £249.00 ex VAT - £298.80 inc VAT




Focus				Bar config	Pipe centres				Out ∆ T60°C						Stock or made
MS 15 C	Н	W	D				chrome	white	chrome	white	ex VAT	inc VAT	ex VAT	inc VAT	
MD001	800	300	93-113	3-5-6	255	100	177 / 604	271 / 923	766	1170	158.00	189.60	85.00	102.00	√
MD001	800	400	93-113	3-5-6	355	125	226 / 771	346 / 1179	978	1495	163.00	195.60	90.00	108.00	/
MD001	800	500	93-113	3-5-6	455	150	275 / 938	420 / 1434	1189	1818	179.00	214.80	101.00	121.20	/
MD001	800	600	93-113	3-5-6	555	200	324 / 1105	495 / 1689	1401	2142	198.00	237.60	106.00	127.20	/
MD001	1000	500	93-113	4-5-9	455	200	351 / 1198	-	1519	-	208.00	249.60	-	-	/
MD001	1000	600	93-113	4-5-9	555	200	414 / 1413	-	1792	-	215.00	258.00	-	-	
MD001	1200	300	93-113	4-5-13	255	200	273 / 932	424 / 1444	1182	1831	224.00	268.80	112.00	134.40	/
MD001	1200	400	93-113	4-5-13	355	200	350 / 1196	543 / 1853	1517	2350	230.00	276.00	122.00	146.40	/
MD001	1200	500	93-113	4-5-13	455	300	428 / 1460	663 / 2261	1851	2867	250.00	300.00	136.00	163.20	/
MD001	1200	600	93-113	4-5-13	555	400	505 / 1723	783 / 2669	2185	3384	277.00	332.40	147.00	176.40	/
MD001	1500	500	93-113	4-5-7-12	455	300	534 / 1823	820 / 2796	2312	3545	316.00	379.20	156.00	187.20	/
MD001	1500	600	93-113	4-5-7-12	555	400	631 / 2154	969 / 3304	2731	4189	353.00	423.60	163.00	195.60	/
MD001	1800	400	93-113	4-5-12-13	355	400	521 / 1779	793 / 2703	2256	3427	361.00	433.20	174.00	208.80	/
MD001	1800	500	93-113	4-5-12-13	455	600	638 / 2176	969 / 3305	2759	4191	389.00	466.80	182.00	218.40	/
MD001	1800	600	93-113	4-5-12-13	555	600	754 / 2572	1146 / 3908	3261	4955	435.00	522.00	205.00	246.00	1


The curved version of the Focus. The Chorus has all the same attributes with high heat output and superb looks. Prices shown are for chrome or white central heating models. Please see page 141 for other colour options.



Capped off smooth ends for aesthetic appeal and ease of installation.








25 + 30 x 40mm D Section For electric element & valve options see pages 135 & 139

MS 15 C MD002 800 100-120 3-5-6 275 / 938 420 / 1434 1189 1818 184.00 220.80 106.00 127.20 500 455 150 MD002 800 600 105-125 3-5-6 555 200 324 / 1105 495 / 1689 1401 2142 209.00 250.80 112.00 134.40 MD002 1000 500 100-120 4-5-9 455 200 351 / 1198 1519 224.00 268.80 MD002 1000 600 105-125 4-5-9 555 200 414 / 1413 1792 230.00 276.00 MD002 1200 500 100-120 4-5-13 455 300 428 / 1460 663 / 2261 1851 2867 266.00 319 20 144 00 172.80 MD002 1200 600 105-125 4-5-13 555 400 505 / 1723 783 / 2669 2185 3384 290.00 348.00 154.00 184.80

MD002 1500 500 100-120 4-5-7-12 300 534 / 1823 820 / 2796 2312 3545 367.00 440.40 171.00 205.20 600 105-125 4-5-7-12 MD002 1500 555 400 631 / 2154 969 / 3304 2731 4189 413.00 495.60 179.00 214.80 100-120 4-5-12-13 2759 MD002 1800 638 / 2176 969 / 3305 414.00 496.80 198.00 237.60 500 455 600 4191 MD002 1800 600 105-125 4-5-12-13 555 600 754 / 2572 1146 / 3908 3261 4955 460.00 552.00 212.00 254.40

FOCUS COLOURS 25mm Wall Mounted MD001






Focus Colours	Dim	ensions (Bar	Pipe		Output	Output	Price £	Price £	Stock
MS 15 C	Н	W	D	config						(inc VAT) Colours	
MD001	800	500	93 - 113	3-5-6	455	150	420 / 1434	1818	103.00	123.60	✓
MD001	1200	300	93 - 113	4-5-13	255	200	424 / 1444	1831	115.00	138.00	✓
MD001	1200	500	93 - 113	4-5-13	455	300	663 / 2261	2867	139.00	166.80	✓
MD001	1200	600	93 - 113	4-5-13	555	400	783 / 2669	3384	150.00	180.00	\checkmark
MD001	1800	500	93 - 113	4-5-12-13	455	600	969 / 3305	4191	186.00	223.20	\checkmark



CHUBE Wall Mounted MD035



The round tube polished stainless steel design with rear air vent, brings together aesthetics and practicality. It will suit any modern bathroom. Please see page 141 for colour options. Stainless Steel suitable for all hot water systems.










(1.8 + 22mm

Chube		ensions		Bar	Pipe		Output	Output	Price £	Price £	Stock	
SS 30 H	Н	W	D	config				ΔT60°C BTU's	(ex VAT) Polished		or made to order	
MD035	800	300	100	3-4-5	268	100	161 / 549	696	220.00	264.00	✓	
MD035	800	400	100	3-4-5	368	100	197 / 672	852	241.00	289.20	\	
MD035	800	500	100	3-4-5	468	125	243 / 829	1051	262.00	314.40	\checkmark	
MD035	800	600	100	3-4-5	568	150	269 / 918	1164	304.00	364.80	/	
MD035	1200	300	100	3-4-5-6	268	125	240 / 819	1038	325.00	390.00	/	
MD035	1200	400	100	3-4-5-6	368	150	294 / 1003	1272	350.00	420.00	\	
MD035	1200	500	100	3-4-5-6	468	200	348 / 1187	1505	378.00	453.60	/	
MD035	1200	600	100	3-4-5-6	568	200	402 / 1372	1740	442.00	530.40	\checkmark	
MD035	1600	300	100	3-4-5-6-6	268	200	321 / 1095	1388	475.00	570.00	1	
MD035	1600	400	100	3-4-5-6-6	368	200	391 / 1334	1692	535.00	642.00	\checkmark	
MD035	1600	500	100	3-4-5-6-6	468	300	464 / 1583	2007	584.00	700.80	/	
MD035	1600	600	100	3-4-5-6-6	568	300	536 / 1829	2319	642.00	770.40	\checkmark	

Kerve is the curvaceous sibling of the Chube. As the name suggests the hanging bars have a gentle tactile bow. The design has an integral rear air vent for aesthetic appeal and ease of installation. Available in a wide range of heights and widths. Polished stainless steel manufacture, suitable for all hot water systems. Please see page 141 for colour options.








		'		1 0							
Kerve	Dime	ensions	(mm)	Bar config	Pipe centres		Output Δ T50°C	Output Δ T60°C	Price £	Price £	Stock or made
SS 30 H	Н	W	D	3			Watts/BTU's				
MD036	800	500	120	3-4-5	468	125	243 / 829	1051	305.00	366.00	\checkmark
MD036	800	600	120	3-4-5	568	150	269 / 918	1164	347.00	416.40	\checkmark
MD036	1200	500	120	3-4-5-6	468	200	348 / 1187	1505	427.00	512.40	/
MD036	1200	600	120	3-4-5-6	568	200	402 / 1372	1740	492.00	590.40	\checkmark
MD036	1600	500	120	3-4-5-6-6	468	300	464 / 1583	2007	596.00	715.20	/
MD036	1600	600	120	3-4-5-6-6	568	300	536 / 1829	2319	653.00	783.60	✓

Galaxy has clean lines and plenty of hanging space. Manufactured from polished stainless steel. Please see page 141 for colour options. Suitable for all hot water systems.













Ø 31.8 + 22mm

Galaxy		ensions		Bar	Pipe		Output	Output	Price £	Price £	Stock
SS 30 H		W		config			ΔT50°C Watts/BTU's				
MD059	700	500	100	3	468	75	86 / 294	373	227.00	272.40	√
MD059	1200	500	100	5	468	100	217 / 740	938	351.00	421.20	✓
MD059	1600	500	100	7	468	125	296 / 1011	1282	452.00	542.40	✓



High quality polished stainless steel. Pearl's chic styling and sensible design allows you to hang towels side by side. Suitable for all hot water systems. Please see page 141 for colour options.





600mm 800mm 9 cross bars 12 cross bars

Pearl		ensions		Bar	Pipe	Output	Output		Price £	Price £	Stock
SS 30 H		W							(ex VAT) Polished	(inc VAT) Polished	
MD058	600	750	100	4-5	718	419 / 1430	1813	100	320.00	384.00	✓
MD058	600	1000	100	4-5	968	517 / 1765	2238	125	368.00	441.60	✓
MD058	800	750	100	3-4-5	718	529 / 1805	2289	125	388.00	465.60	✓
MD058	800	1000	100	3-4-5	968	682 / 2327	2951	150	424.00	508.80	\checkmark

TUNE Wall Mounted MD003



Contemporary style, these multirails work well with most interior design schemes. Tune has straight cross rails and Melody's have a gentle curve. Both are exceptionally practical and work well in bathrooms and kitchens alike. Prices shown are chrome finished for central heating models.

Optional Aroma Plug




Blanking Plug with Aroma Oil Dish


AC035 £8.00 ex VAT £9.60 inc VAT




772mm 13 Cross Bars



1186mm 20 Cross Bars



1508mm 25 Cross Bars



1738mm 30 Cross Bars





2 32 + 22mm

Tune (Straight)		nensions		Bar	Pipe		Output	Output	Price £	Price £	Stock	
MS 15 C	Н	W		config					(ex VAT) Chrome			
MD003	772	500	80 - 95	3-5-5	450	125	290 / 988	1253	157.00	188.40	✓	
MD003	772	600	80 - 95	3-5-5	550	200	347 / 1185	1503	167.00	200.40	\checkmark	
MD003	1186	500	80 - 95	5-5-5-5	450	300	465 / 1586	2011	213.00	255.60	\checkmark	
MD003	1186	600	80 - 95	5-5-5-5	550	300	553 / 1886	2391	232.00	278.40	\checkmark	
MD003	1508	500	80 - 95	5-5-5-5	450	400	581 / 1982	2513	257.00	308.40	\checkmark	
MD003	1508	600	80 - 95	5-5-5-5	550	400	686 / 2339	2966	279.00	334.80	✓	
MD003	1738	500	80 - 95	6-6-6-6	450	600	687 / 2342	2970	294.00	352.80	\checkmark	
MD003	1738	600	80 - 95	6-6-6-6	550	600	815 / 2781	3526	320.00	384.00	\checkmark	






Melody (Curved)	Dim	ensions	(mm)	Bar	Pipe	Electric	Output	Output	Price £	Price £	St
MS 15 C		W	D								
MD004	772	500	100 - 115	3-5-5	450	125	290 / 988	1253	160.00	192.00	\
MD004	772	600	100 - 115	3-5-5	550	200	347 / 1185	1503	172.00	206.40	,
MD004	1186	500	100 - 115	5-5-5-5	450	300	465 / 1586	2011	216.00	259.20	,
MD004	1186	600	100 - 115	5-5-5-5	550	300	553 / 1886	2391	253.00	303.60	,
MD004	1508	500	100 - 115	5-5-5-5	450	400	581 / 1982	2513	262.00	314.40	,
MD004	1508	600	100 - 115	5-5-5-5	550	400	686 / 2339	2966	285.00	342.00	,
MD004	1738	500	100 - 115	6-6-6-6	450	600	686 / 2342	2970	299.00	358.80	`
MD004	1738	600	100 - 115	6-6-6-6	550	600	815 / 2781	3526	326.00	391.20	,


STELLA Wall Mounted MD034



Contemporary styling always makes an impact. Stella is manufactured from polished stainless steel. Please see page 141 for colour options. Suitable for all hot water systems.







800mm 15 cross bars









Stella		ensions		Bar	Pipe		Output	Output	Price £	Price £	Stock
SS 30 H	Н	W	D		Centres		ΔT50°C Watts/BTU's				
MD034	800	450	75 - 95	3-4-8	400	125	412 / 1405	1782	321.00	385.20	√
MD034	800	600	75 - 95	3-4-8	550	200	515 / 1758	2229	343.00	411.60	/
MD034	1200	450	75 - 95	4-8-10	400	200	608 / 2074	2630	444.00	532.80	/
MD034	1200	600	75 - 95	4-8-10	550	300	759 / 2589	3283	531.00	637.20	\checkmark



Simple style, with bold straight cross rails. Manufactured from a high quality brass and chromed to a mirror finish.

Supplied with a hidden rear air vent for aesthetic appeal and ease of installation. Available in three different heights. If you need a different size, talk to us about our bespoke service. Prices shown are for all hot water and heating systems.

Please see pages 141 & 142 for finishes and colour options.



Rear air vent Capped off smooth ends for aesthetic appeal and ease of installation.







1000mm 21 Cross Bars



720mm 14 Cross Bars







Ø 31.8 + 25.4mm

Studio	Dimensions (mm)			Bar	Pipe Centres	Electric element	Output ΔT50°C	Output ΔT60°C	Price £ (ex VAT)	Price £ (inc VAT)	Sto	
BR 30 H	Н	W	D	config	Centres	wattage	Watts/BTU's	BTU's	Chrome	Chrome		
MD006	720	500	82 - 102	4-4-6	468	125	327 / 1116	1415	665.00	798.00	~	
MD006	1000	500	82 - 102	6-7-8	468	200	482 / 1645	2086	914.00	1096.80	~	
MD006	1435	500	82 - 102	6-8-8-8	468	300	690 / 2355	2986	1258.00	1509.60	~	



elegant t

V@GUETraditional Towel Rails

A collection of traditional towel rails. Designed and handcrafted by Vogue UK, reflecting our commitment to providing the finest interior pieces.

High quality materials and finishes with our guarantee to stand the test of time.



REGENCY Floor and Wall Mounted LG004 / OG006



Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT















For electric element & valve options see pages 135 & 139 LG Ball Joint




OG Ball Joint

The classic column radiator towel rail, offering high heat output. Brass or mild steel manufactured framework with an integral white mild steel column radiator. Prices shown are chrome finished for central heating models. Please see pages 141 & 142 for finishes and colour options. Please Note: The colour option does not apply to the Mild Steel (MS) model inset radiators.

Regency	Dimensions (mm)			Bar	Face to Face	Electric	Output	Output Δ T60°C	Price £	Price £	Stock	
MS 15 C	Н	W	D	config	connections	element wattage	ΔT50°C Watts/BTU's	BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order	
LG004-MS	963	538	230	1	393	200	392 / 1337	1695	377.00	452.40	✓	
LG004-MS	963	673	230	1	528	300	554 / 1890	2397	447.00	536.40	✓	
LG004-MS	963	763	230	1	618	400	653 / 2228	2825	512.00	614.40	\checkmark	

Regency	Dimensions (mm)			Bar	Face to Face	Electric	Output Δ T50°C	Output ΔT60°C	Price £	Price £	Stock or made	
BR 30 C	Н	W	D	config	connections	element wattage	Watts/BTU's	BTU's	Chrome	Chrome	to order	
LG004C-BR	938	500	250	1	343	300	392 / 1337	1695	961.00	1153.20	W	
LG004B-BR	938	675	250	1	518	400	554 / 1890	2397	1034.00	1240.80	W	
LG004A-BR	938	735	250	1	578	400	653 / 2228	2825	1024.00	1228.80	W	
OG006C-BR	938	500	250	1	343	300	392 / 1337	1695	1005.00	1206.00	W	
OG006B-BR	938	675	250	1	518	400	554 / 1890	2397	1067.00	1280.40	W	
OG006A-BR	938	735	250	1	578	400	653 / 2228	2825	1111.00	1333.20	W	



The Regency II Wall Mounted emanates traditional style. This handmade British design will stand the test of time! A Vogue UK registered design, liked for its heat output, hanging space and unique design. Brass manufactured framework with an integral white mild steel column radiator. Your choice of Legacy or Originals ball joint. Other radiator colours can be specified on ordering. Prices shown are chrome finished for central heating models. Please see pages 141 & 142 for finishes and colour options.











For electric element & valve options see pages 135 & 139 LG Ball Joint OG Ball Joint

Regency II	Dime	ensions	(mm)	Bar	Pipe Centres	Electric element	Output Δ T50°C	Output Δ T60°C	Price £	Price £	Stock
BR 30 C	Н	W	D	config	Centres	wattage	Watts/BTU's	BTU's	Chrome	Chrome	or made to order
LG036-BR	825	500	150	2	425	300	384 / 1310	1661	1126.00	1351.20	W
LG036-BR	825	675	150	2	600	400	570 / 1945	2466	1196.00	1435.20	
LG036-BR	825	735	150	2	660	400	671 / 2290	2903	1243.00	1491.60	W
OG009C-BR	825	500	160	2	425	300	384 / 1310	1661	1244.00	1492.80	
OG009B-BR	825	675	160	2	600	400	570 / 1945	2466	1312.00	1574.40	W
OG009A-BR	825	735	160	2	660	400	671 / 2290	2904	1355.00	1626.00	W

ARCADIA Floor Mounted LG017 / OG017



Arcadia the classic war horse!

A very British design which has stood the test of time. In brass or mild steel manufactured models, with plenty of towel hanging space. Chromed to a mirror finish, other finishes can be specified on ordering. Please see finishes on pages 141 & 142. Prices shown are for central heating models.




For electric element & valve options see pages 135 & 139

Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT

Arcadia	Dime	ensions	(mm)	Bar	Face to Face	Output	Output	Electric	Price £	Price £	Stock	
MS 15 C	Н	W	D	config	connections	ΔT50°C Watts/BTU's	BTU's	element wattage	(ex VAT) Chrome	(inc VAT) Chrome	or made to order	
LG017-MS	850	600	235	7	443	439 / 1498	1899	2 x 75	608.00	729.60	✓	
Arcadia	Dime	ensions	(mm)	Bar	Face to Face	Output	Output	Electric	Price £	Price £	Stock	
BR 30 H DL	Н	W	D	config	connections	ΔT50°C Watts/ BTU's	ΔT60°C BTU's	element wattage	(ex VAT) Chrome	(inc VAT) Chrome	or made to order	
LG017-BR	850	600	235	7	443	439 / 1498	1899	2 x 125	1338.00	1605.60	W	
OG017-BR	850	600	275	7	443	439 / 1498	1899	2 x 125	1618.00	1941.60	W	



A fixture of yesteryear.

The Baroque uses a classical white mild steel column radiator within a handcrafted, chrome plated, brass framework. Superior heat output and towel hanging space are abundant in this imposing feature design. Many designers place the Baroque in the centre of a bathroom, often next to a free standing cast iron bath. Please see pages 141 & 142 for finishes and colour options. Prices shown are chrome finished for central heating models.














loint

OG Ball Joir

TOT CICCUTC CICTUCTE &	vaive op	110113 30	c pages	100 0 100) La Bail doi	TIC OG Bail (OOIITE				
Baroque	Dime	ensions	(mm)	Bar config	Face to Face to Connections Output Output Output Face ΔT50°C Output ΔT60°C BTU's Electric element wattage Price £ (ex VAT) (inc VAT) (inc VAT) Or made Chrome to order						
BR 30 C	Н	W	D	comig							
LG014-BR	900	675	325	7	518	871 / 2971	3767	200 + 300	1672.00	2006.40	W
OG016-BR	900	675	350	7	518	871 / 2971	3767	200 +300	1922.00	2306.40	14

REGENCY Wall Mounted LG005 / OG015



Mild Steel Metallic Finish Supplements

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT



















OG Ball Joint

A classic design with a compact height in three different widths. This towel rail looks great situated above the bath, just at the right height for reaching for your luxuriously warm towel! Brass or Mild Steel manufactured framework with an integral white mild steel column radiator. Other colours can be specified. Please see pages 141 & 142 for finishes and colour options. Please Note: The colour option does not apply to the Mild Steel (MS) model inset radiators. Prices shown are chrome finished for central heating models.

Regency	Dime	ensions	(mm)	Bar	Pipe	Electric	Output	Output	Price £	Price £	Stock	
MS 15 C	Н	W	D	config	Centres	element wattage	ΔT50°C Watts/BTU's	ΔT60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order	
LG005-MS	740	675	250	1	600	300	568 / 1938	2457	445.00	534.00	√	
Regency	Dime	ensions	(mm)	Bar	Pipe	Electric	Output ΔT50°C	Output Δ T60°C	Price £	Price £	Stock	
BR 30 C	Н	W	D	config	Centres	element wattage	Watts/BTU's	BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order	
LG005C-BR	740	500	250	1	425	300	384 / 1310	1661	1028.00	1233.60	W	
LG005B-BR	740	675	250	1	600	400	541 / 1846	2341	1097.00	1316.40	W	
LG005A-BR	740	735	250	1	660	400	643 / 2193	2781	1144.00	1372.80	W	
OG015-BR	740	500	250	1	425	300	384 / 1310	1661	1152.00	1382.40	W	
OG015-BR	740	675	250	1	600	400	541 / 1846	2341	1215.00	1458.00	W	
OG015-BR	740	735	250	1	660	400	643 / 2193	2781	1230.00	1476.00	W	

Ideal for family bathrooms or a special en-suite. Brass or Mild steel manufactured framework with an integral white mild steel column radiator. Brass versions come with an extra towel bar above the column radiator and are available in optional metallic and colour finishes. Please see pages 141 & 142 for finishes and colour options. Please Note: The colour option does not apply to the Mild Steel (MS) model inset radiators. Prices shown are chrome finished for central heating models.

Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT





LG013FW-MS OG Ball Joint LG Ball Joint For electric element & valve options see pages 135 & 139 Regency Tall WM Dimensions (mm) Bar Pipe Electric Output Output Price £ Price £ Stock ΔT50°C Watts/BTU's ΔT60°C BTU's or made Centres element (ex VAT) (inc VAT) (15) MS wattage Chrome Chrome to order Н W D LG013WM-MS 1403 575 250 2 500 400 824 / 2814 3568 509.00 610.80 Dimensions (mm) Regency Tall Face to Bar Electric Output Output Price £ Price £ Stock Face ΔT60°C BTU's Δ T50°C (ex VAT) (inc VAT) confia or made element MS (15) Watts/BTU's wattage Chrome to order connections Chrome Н W D LG013FW-MS 1500 500 250 2 355 400 815 / 2784 3530 551.00 661.20 Regency Tall Dimensions (mm) Bar Face to Electric Output Output Price £ Price £ Stock Face ΔT50°C Watts/BTU's ΔT60°C BTU's config element (ex VAT) (inc VAT) or made 30 wattage Chrome Chrome to order connections Н D W LG013FW-BR 1500 3 738 / 2518 3193 1307.00 1568.40 OG007FW-BR 1500 738 / 2518 1473.00 1767.60 500 250 3 343 400 3193

BALLERINA Floor and Wall Mounted LG024A-MS / LG021-MS



This Ballerina wall and floor mounted towel rail is offered in a Legacy ball joint mild steel version as detailed on this page. Prices shown are chrome finished central heating models. The high quality brass versions (opposite) are available with Legacy or Originals Balljoint.









For electric element & valve options see pages 135 & 139



Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT

Ballerina	Dime	ension	S (mm)	Bar config	Face to Face	Electric element	Output ΔT50°C	Output Δ T60°C	Price £	Price £	Stock or made	
MS 15 C	Н	W	D	comig	connections	wattage	Watts/BTU's	BTU's	Chrome	Chrome	to order	
LG024A-MS	850	600	138	4	453	100	163 / 556	705	348.00	417.60	✓	
LG021-MS	1548	600	138	5	453	150	310 / 1058	1342	388.00	465.60	/	



High quality brass, supremely durable for longevity. The Ballerina wall and floor is available with your choice of Legacy or Originals ball joint. Prices shown are chrome finished for all heating and hot water systems. Other finishes are available, please see page 142.











For electric element & valve options see pages 135 & 139 LG Ball Joint

Ballerina	Dime	nsions	(mm)	Bar config	Face to Face	Electric element	Output Δ T50°C	Output Δ T60°C	Price £ (ex VAT)	Price £	Stock or made
BR 30 H	Н	W	D		connections	wattage	Watts/BTU's	BTU's	Chrome	Chrome	to order
LG024C-BR	938	575	138	3	418	100	163 / 556	705	830.00	996.00	W
LG024A-BR	938	675	138	3	518	125	195 / 665	843	848.00	1017.60	W
LG024B-BR	938	825	138	3	668	150	207 / 708	898	887.00	1064.40	W
LG021A-BR	1238	525	138	4	368	125	239 / 817	1036	1036.00	1243.20	W
LG021E-BR	1238	675	138	4	518	150	266 / 907	1150	1053.00	1263.60	W
LG021D-BR	1538	525	138	5	368	125	292 / 997	1264	1072.00	1286.40	W
LG021H-BR	1538	675	138	5	518	150	327 / 1116	1415	1151.00	1381.20	W
OG003A-BR	938	575	138	3	418	100	163 / 556	705	961.00	1153.20	W
OG003B-BR	938	675	138	3	518	125	195 / 665	843	969.00	1162.80	W
OG003C-BR	938	825	138	3	668	150	207 / 708	898	981.00	1177.20	W
OG003D-BR	1238	525	138	4	368	125	239 / 817	1036	1169.00	1402.80	W
OG003E-BR	1238	675	138	4	518	150	266 / 907	1150	1185.00	1422.00	W
OG003F-BR	1538	525	138	5	368	125	292 / 997	1264	1309.00	1570.80	W
OG003G-BR	1538	675	138	5	518	150	327 / 1116	1415	1328.00	1593.60	W

BALLERINA Wall Mounted LG010A-MS



The Ballerina wall mounted towel rail is offered in a Legacy ball joint mild steel version, as detailed on this page. Prices shown are chrome finished central heating models.

The high quality brass versions (opposite) are available with Legacy or Originals Balljoint.

Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT + £213.60 inc VAT









For electric element & valve options see pages 135 & 139



LG010A-MS











Bar config

Pipe Centres

425

Electric element wattage

100

Output ΔT50°C Watts/BTU's Output Δ T60°C BTU's Price £ (ex VAT) Chrome

Price £ (inc VAT) Chrome

Stock or made to order

750 500 125 4

D

169 / 577

732

363.00

435.60



High quality brass, durable for longevity, the Ballerina is available with your choice of Legacy (as pictured) or Originals ball joint. Prices shown are chrome finished for all heating and hot water systems. Other finishes are available, please see on page 142.













For electric element & valve options see pages 135 & 139 LG Ball Joint OG Ball Joint

Ballerina	Dime	nsions	(mm)	Bar	Pipe	Electric	Output	Output	Price £	Price £	Stock or made
BR 30 H	Н	W	D	config	Centres	element wattage	ΔT50°C Watts/BTU's	ΔT60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	to order
LG025A-BR	675	675	125	3	600	100	167 / 667	846	789.00	946.80	W
LG025B-BR	675	825	125	3	750	125	190 / 762	966	805.00	966.00	
LG010A-BR	750	500	125	4	425	100	169 / 577	732	916.00	1099.20	W
LG021B-BR	1275	525	125	4	450	125	239 / 817	1036	966.00	1159.20	
LG021F-BR	1275	675	125	4	600	150	266 / 907	1150	983.00	1179.60	W
LG021C-BR	1575	525	125	5	450	125	292 / 997	1264	1145.00	1374.00	W
LG021G-BR	1575	675	125	5	600	150	327 / 1116	1415	1165.00	1398.00	W
OG002B-BR	675	675	135	3	600	100	167 / 667	846	880.00	1056.00	W
OG002C-BR	675	825	135	3	750	125	190 / 762	966	902.00	1082.40	
OG002D-BR	750	525	135	4	450	100	169 / 577	732	1058.00	1269.60	W
OG002A-BR	1275	525	135	4	450	125	239 / 817	1036	1102.00	1322.40	
OG002E-BR	1275	675	135	4	600	150	266 / 907	1150	1117.00	1340.40	W
OG002F-BR	1575	525	135	5	450	125	292 / 997	1264	1319.00	1582.80	W
OG002G-BR	1575	675	135	5	600	150	327 / 1116	1415	1328.00	1593.60	W

GRANDEUR Floor and Wall Mounted LG032FW



Reflecting the quality and craftsmanship of a bygone age. Manufactured from our most robust 38mm diameter brass tube, this towel rail is of a timeless nature and would sit well in any traditional setting. Available in two heights to suit your requirements.

Brass manufactured with a chrome finish as standard. Bespoke finishes are available at an additional cost. Please see finishes on page 142.










Grandeur	Dime	ensions	S (mm)	Bar config	Face to Face	Electric	Output ΔT50°C	Output Δ T60°C	Price £	Price £	Stock or made	
BR 30 H	Н	W	D	9	connections	wattage	Watts/BTU's	BTU's	Chrome	Chrome	to order	
LG032FW	943	686	163	3	522	125	243 / 830	1052	1640.00	1968.00	W	
LG032FW	1243	686	163	4	522	200	319 / 1089	1381	2112.00	2534.40	W	



The wall mounted Grandeur is available in two different heights and widths, providing ample warm towel hanging space. With classic looks and robust traditional quality, this towel rail is made to outlive fashion!

Brass manufactured with a chrome finish as standard. Bespoke finishes are available at an additional cost. Please see finishes on page 142.











Grandeur Ball Joint

For electric element & valve options see pages 135 & 139

Grandeur	Dime	nsions	(mm)	Bar	Pipe Centres	Electric	Output Δ T50°C	Output Δ T60°C	Price £	Price £	Stock
BR 30 H	Н	W	D	config	Centres	element wattage	Watts/BTU's	BTU's	Chrome	Chrome	or made to order
LG032WM	686	686	154	3	600	100	220 / 751	952	1815.00	2178.00	W
LG032WM	1286	636	154	4	550	150	321 / 1096	1390	2156.00	2587.20	W

BUTLER Floor and Wall Mounted LG035 / OG004



















This traditional design is tactile and sturdy, a centrepiece for a classically designed bathroom. Brass manufactured, shown with the Originals ball joint. Chrome finish as standard. Bespoke finishes are available at an additional cost. Please see finishes on page 142.

FOI Electric element o	valve op	JUDI IS SE	e pages	133 & 13	9 LG Dali JC	on to the same	JOHE				
Butler	Dimen	sions (mm)	Bar	Face to Face	Output Δ T50°C	Output Δ T60°C	Electric element	Price £	Price £	Stock or made
BR 30 H	Н	W	D	config	connections	Watts/BTU's	BTU's	wattage	Chrome	Chrome	to order
LG035	940	75	488	4	268	156 / 532	675	100	832.00	998.40	W
OG004	965	75	488	4	268	156 / 532	675	100	986.00	1183.20	

Small is always beautiful. The Hamlet is perfect for en suites and downstairs WCs where space is at a premium, but warm dry towels are still welcomed...


Brass manufactured with a chrome finish as standard with the Originals ball joint. Bespoke finishes are available at an additional cost. Please see finishes on page 142.



LG Ball Joint OG Ball Joint







ELIZABETH Floor and Wall Mounted LG003 / OG019



With sculptured lines and quality ball joints the Elizabeth has a twist on tradition. Brass or Mild Steel manufactured models Chrome finished as standard. Bespoke finishes are available at an additional cost. Please see finishes on page 142.









For electric element & valve options see pages 135 & 139





OG Ball Joint

Mild Steel Metallic Finish Supplements

Gold - POA

Bright Nickel - Chrome + £178.00 ex VAT - £213.60 inc VAT

Elizabeth	Dime	ensions	s (mm)	Bar config	Face to Face	Electric element	Output ΔT50°C	Output Δ T60°C	Price £	Price £	Stock or made
MS 15 C	Н	W	D	Corning	connections	wattage	Watts/ BTU's	BTU's	Chrome	Chrome	to order
LG003-MS	963	673	168	7	528	125	290 / 989	1688	428.00	513.60	✓
Elizabeth	Dime	nsions	s (mm)	Bar	Face to	Electric	Output	Output	Price £	Price £	Stock
BR 30 H	Н	W	D	config	Face connections	element wattage	ΔT50°C Watts/BTU's	ΔT60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order
LG003A	938	675	138	7	518	125	290 / 989	1254	1071.00	1285.20	3
LG003B	938	825	138	7	668	150	372 / 1269	1609	1102.00	1322.40	3
OG019A	938	675	138	7	518	125	290 / 989	1254	1184.00	1420.80	W
OG019B	938	825	138	7	668	150	372 / 1269	1609	1214.00	1456.80	W

The wall mounted Elizabeth is available in two widths with your choice of Legacy (as this page) or Originals ball joints. Chrome finished as standard. Bespoke finishes are available at an additional cost. Please see finishes on page 142.

OG019E

740

825

135

750

150

372 / 1269


1609

1186.00

1423.20



ART MODERNE Floor and Wall Mounted OG011



Deco decadence in a nutshell....

High quality hexagonal brass tube manufacture, crafted to a gleaming finish. Available in two sizes and chrome finish as standard. Bespoke finishes are available at an additional cost. Please see finishes on page 142.



Art Moderne	Dime	nsions	6 (mm)		Face to Face	Electric	Output	Output	Price £	Price £	Stock
BR 30 H	Н	W	D	config	connections	element wattage	ΔT50°C Watts/BTU's	ΔT60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	or made to order
OG011B	943	600	175	3	268	100	197 / 673	853	994.00	1192.80	3
OG011A	1543	550	168	5	378	125	318 / 1084	1374	1178.00	1413.60	3

Perfect for any bathroom with Deco sanitary and brassware, this ever popular style never fades.

The wall mounted Art Moderne is available in three different sizes to suit your room. Brass manufactured with a chrome finish as standard. Bespoke finishes are available at an additional cost. Please see finishes on page 142.







Art Moderne		Dimensions (mm)			Pipe Centres	Electric element	Output Δ T50°C	Output Δ T60°C	Price £	Price £	Stock or made
BR 30 H	Н	W	D	config	Centres	wattage	Watts/BTU's	BTU's	Chrome	Chrome	to order
OG010A	836	550	145	4	450	100	211 / 720	913	1089.00	1306.80	W
OG010B	836	700	145	4	600	125	247 / 844	1070	1115.00	1338.00	W
OG010C	986	700	145	4	600	125	263 / 899	1140	1132.00	1358.40	W

ART MODERNE II Wall Mounted OG021



Quality hexagonal brass tube meets a practical brass multirail for an elegant look. Chrome finished as standard. Bespoke finishes are available at an additional cost. Please see finishes on page 142.







For electric element & valve options see pages 135 & 139

Unique Art Moderne joint with hexagonal upright and round horizontals



Art Moderne II	Dimensions (mm)			Bar Pipe config centres	Electric	Output ΔT50°C	Output Δ T60°C	Price £	Price £	Stock or made		
BR 30 H	н	W	D	comig	centres	wattage	Watts/BTU's	BTU's	Chrome	Chrome	to order	
OG021	700	532	83 - 106	7-7	500	125	354 / 1208	1532	923.00	1107.60	W	
OG021	1000	482	83 - 106	6-6-6	450	150	429 / 1464	1856	1022.00	1226.40	W	
OG021	1200	482	83 - 106	5-5-5-5	450	200	487 / 1662	2107	1066.00	1279.20	W	

This characterful robustly British towel warmer hails quality and craftmanship.

Made for you with your choice of the Legacy or Originals ball joint (pictured).

Brass manufactured with a chrome finish as standard. Bespoke finishes are available at an additional cost. Please see finishes on page 142.





LG Ball Joint OG Ball Joint







Ø 31.8 + 25.4mm

Penthouse	Dimensions (mm)			Bar		Electric element	Output ΔT50°C	Output	Price £	Price £	Stock
BR 30 H	Н	W	D	config	centres	wattage	Watts/BTU's	BTU's	(ex VAT) Chrome	(Inc VAI) Chrome	or made to order
LG018	1100	550	100	20	500	200	532 / 1815	2301	1535.00	1842.00	W
OG020	1100	550	100	18	500	200	532 / 1815	2301	1794.00	2152.80	W

COLONNADE 4 Wall Mounted LG023



The distinguished design features both rope and reed tubing providing a stand-out product. Manufactured from high quality brass with a chrome finish as standard. Bespoke finishes are available at an additional cost.

Finish Ideas - See Finishes page 142 for full options





Antique Gold

Melange





Bright Nickel

Rose Gold

Featuring both rope and reed tubing





Rope

Reed









			1000										
Colonnade 4		Dime	ensions	(mm)	Bar	Pipe centres	Electric	Output Δ T50°C	Output Δ T60°C	Price £ (ex VAT) Chrome	Price £	Stock or made	
BR 30 H	Н	W	D	config	wattage		Watts/BTU's	BTU's	Chrome		to order		
	LG023A	775	475	125	4	400	100	169 / 577	732	1040.00	1248.00	W	
	LG023B	775	575	125	4	500	100	190 / 648	822	1103.00	1323.60	2	

This chrome finished brass tubed simple design with Legacy ball joints would sit happily in either a traditional or more contemporary setting. Bespoke finishes are available at an additional cost. Please see finishes on page 142. Prices shown are for chrome finished models.











For electric element & valve options see pages 135 & 139 LG Ball Joint

Vintage										
BR	30 F									











475

D

Bar config

Pipe centres

element wattage

ΔT50°C Watts/BTU's

ΔT60°C BTU's

(ex VAT) Chrome

(inc VAT) Chrome

or made to order

LG010B

750

105

400

100

169 / 576

730

570.00

684.00

NEXUS GRAND III Wall Mounted TM003



When combinations are right, something good happens!

This towel rail has a great heat output from a twin column radiator inset. It is skillfully combined in a brass framework and chrome plated. The two column radiator inset comes in white as standard, other colours can be specified at an additional cost. Please see pages 141 & 142 for finishes and colour options. Prices shown are chrome finished for central heating models.



Nexus III	Din	nensior	ns (mm)	Bar	Pipe	Electric	Output Δ T50°C	Output	Price £	Price £	Stock or made	
BR 30 C	Н	W	D	config	centres	wattage	Watts/BTU's	Δ T60°C BTU's	(ex VAT) Chrome	(inc VAT) Chrome	to order	
TM003	900	525	142 - 160	6	500	400	726 / 2477	3141	868.00	1041.60	WE	

This single curved bar version is a more modern take on the traditional. With the same great heat output and high quality manufacture.

The mild steel two column radiator inset comes in white as standard, other colours can be specified at an additional cost. Quality brass manufactured framework. Please see pages 141 & 142 for finishes and colour options.

Prices shown are chrome finished for central heating models.





TM004

For electric element & valve options see pages 135 & 139

25.4 + 22mm

214 - 232

Nexus IV	Dir	mension	S (mm)	Bar	Pipe	Electric	Output Δ T50°C	Output	Price £	Price £	Stock
BR 30 C	Н	W	W D	comig	centres	element wattage	Watts/BTU's	BTU's	Chrome	Chrome	Stock or made to order

400

699 / 2382

3020

774.00

928.80

500

SEQUEL V Wall Mounted TM006



TM006

1000

525

191-209

The Sequel V has Legacy ball joints and emits a fine traditional sense of style. With brass manufactured framework and a white three column mild steel integral radiator it produces a high heat output. Other radiator colours can be specified.

Prices shown are chrome finished for central heating models. Please see pages 141 & 142 for finishes and colour options.





3098



926.00



For electric element & valve options see pages 135 & 139 LG Ball Joint

1111.20

Sequel V Dimensions (mm) Output Output Stock Bar Pipe Electric Price £ Price £ ΔT50°C Watts/BTU's or made to order config centres element ΔT60°C BTU's (ex VAT) (inc VAT) 30 wattage Chrome Chrome Н W D 1

716 / 2443

400



The Sequel III is manufactured from high quality brass and chrome plated. Curved hanging bars give a modern edge to this traditional style. The three column mild steel radiator inset comes in white as standard, other colours can be specified at an additional cost. Please see pages 141 & 142 for finishes and colour options. Prices shown are chrome finished for central heating models.



Sequel III	Dim	ension	S (mm)	Bar config	Pipe	Pipe Electric centres element wattage	Output ΔT50°C	Output ∆⊺60°C BTU's	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made
BR 30 C	Н	W	D		Centres		Watts/BTU's				to order
TM005	1000	550	182-200	8	475	400	741 / 2527	3204	1006.00	1207.20	W





Kensington BSS004 As pictured with nickel finish (left)



Mayfair BSS003 To suit rounded basins



Chelsea BSS006 Pictured heated and wall mounted



City BSS007 Wall mounted with Art Linea joints

Heated or Unheated Basin Stands

Vogue have developed a range of handcrafted brass basin stands produced to order. The styles illustrated can be altered to suit your exact requirements with your choice of metal finish.

Please contact us for further information and a specific quotation.














Richmond BSS001



Linea Richmond BSS002



Belgravia BSS005




SHOWER CURTAIN RAILS Wall Mounted


Complement Your Bathroom...

Our handmade range of shower curtain rails are beautifully engineered from high quality brass tubing for longevity. As standard they are finished in chrome. Please talk to us if you require other metal finishes or non standard sizes.



Single Ended Oval Wall and Ceiling Mounted SCR 2 25.4mm \emptyset








Straight Wall Mounted SCR 3 31.8mm Ø







Shower Curtain Rail	Dim	ensions	(mm)	Description	Price £	Price £	Stock
BR 30	Н	W	D	Boomplasii	(ex VAT) Chrome	(inc VAT) Chrome	or made to order
SCR 1.1	325	1275	625	Oval shape mounted to ceiling	436.00	523.20	W
SCR 1.2	325	1625	625	Oval shape mounted to ceiling	462.00	554.40	W
SCR 2.1	338	1238	675	Single ended oval shape mounted to wall and ceiling	403.00	483.60	W
SCR 2.2	338	1538	675	Single ended oval shape mounted to wall and ceiling	572.00	686.40	
SCR 3.1	-	1700	-	Straight wall mounted bar	398.00	477.60	W
SCR 3.2	-	2000	-	Straight wall mounted bar	407.00	488.40	
SCR 4.1	-	938	938	Round curve for corner applications	419.00	502.80	W
SCR 4.2	-	1238	1238	Round curve for corner applications	430.00	516.00	W
SCR 5.1	-	750 Ø	-	Circular wall mounted	518.00	621.60	W
SCR 5.2	-	925 Ø	-	Circular wall mounted	528.00	633.60	
SCR 6.1	-	938	638	Right angled curve for corner applications	434.00	520.80	W
SCR 6.2	-	1238	638	Right angled curve for corner applications	442.00	530.40	W
SCR 6.3	-	1538	638	Right angled curve for corner applications	490.00	588.00	*



be unique

V©GUEDesigner Radiators

Our radiators add warmth and style to any interior scheme. Radiators can be so much more than white panels on a wall.

Vogue UK designer radiators are a mix of classical and contemporary designs.

They come with our pedigree and quality guarantee.



KATE Wall Mounted DR019



A contemporary radiator with cylindrical uprights available in white.

Manufactured from mild steel, suitable for closed heating systems and with a 15 year guarantee.



Towel Bar - Chrome or White

AC041 (375mm wide) £48.00 ex VAT £57.60 inc VAT



For other valve options see page 139



Dimensions (mm)

370

End to End connections

Output ΔT50°C Watts/BTU's Output ^Δ T60°C BTU's Price £
(ex VAT)
White

Price £ (inc VAT) White Stock or made to order

DR019 1800

W D

92-99

370

700 / 2388

3028

243.00





The Suave has a strong, minimalist design, ideal for more contemporary properties. Manufactured in high quality mild steel and finished in anthracite or white. Please see pages 141 for colour options. Magnetic towel bar is an optional extra, please see page 138.

Anthracite Textured finish option

Suave Dimensions (mm) Pipe Electric Output Output Stock Price £ Price £ element wattage Δ T60°C BTU's or made to order ΔT50°C Watts/BTU's White 15 MS inc VAT D 669 / 2281 MD056 1800 500 85-100 450 600 2892 499.00 598.80 476.00 571.20

VISION Wall Mounted DR022

A full length mirror built into a stylish tubular radiator makes Vision an asset in every room in your home. Manufactured from high quality mild steel and available in a Chrome, White or Anthracite finish to blend with any décor.





For other valve options see page 139

Vision MS 15

Dimensions (mm)

End connections

End to Output

Δ T50°C Watts/BTU's A & W

ΔT60°C BTU's A & W Price £

ex VAT

Price £ Anthracite or White

inc VAT

ex VAT

or made

104 473 / 1612 713 / 2443 DR022 1800 600 600 2044 3098 490.00 588.00 454.00 544.80 A bold and clean lined tubular radiator. The Ordinate will integrate well into any room of the house. The radiator is chrome finished and available in four heights, the picture illustrates the tallest model. There are towel rails and robe hooks available to give the Ordinate supreme function for bathrooms and kitchens.

Optional Accessories



Towel Bar - Chrome

AC023A (220mm wide) £98.00 ex VAT £117.60 inc VAT

AC023B (310mm wide) £103.00 ex VAT £123.60 inc VAT


AC023C (450mm wide) £111.00 ex VAT £117.66 inc VAT

Frosted Robe Hook

AC031 £37.00 ex VAT £44.40 inc VAT







SQUIRE VERTICAL Wall Mounted DR005



An elegant square tube design with a contemporary feel. However it would also work well in a more traditional interior scheme.

Chromed to a mirror finish with a great heat output. The Squire is available in four different widths.



VL014 25sq + 30sq mm For other valve options see page 139

Squire Vertical	Dim	ension	S (mm)	Number of tubes	End to End	Output Δ T50°C	Output ΔT60°C	Price £	Price £	Stock or made
MS 15 C	Н	W	D	or tubes	CONTICOLORIS	Watts/BTU's	BTU's	Chrome	Chrome	to order
DR005	1800	325	92 - 117	6	325	421 / 1437	1822	445.00	534.00	√
DR005	1800	525	92 - 117	10	525	700 / 2388	3028	613.00	735.60	/
DR005	1800	725	92 - 117	14	725	979 / 3339	4234	776.00	931.20	W
DR005	1800	925	92 - 117	18	925	1257 / 4290	5440	944.00	1132.80	W

Serenade is a vertical contemporary design radiator, manufactured from high quality mild steel with finish options of chrome, textured matt black & white. Please see pages 141 for colour options.



Optional Accessory

Towel Bar - White, Chrome or Black

AC039A (266mm wide) AC039B (375mm wide) £41.00 ex VAT £49.20 inc VAT



VL014 30sq + 40 x 10sq mm
For other valve options see page 139

End Output Price £ Price £ Stock Dimensions (mm) Bar Output Serenade to end ΔT50°C Watts/BTU's ΔT60°C BTU's White or Black or made config Chrome MS (15) connections to order ex VAT inc VAT ex VAT Н W D DR008 1200 252 70 5 252 242 / 825 367 / 1253 1046 1589 243.00 291.60 187.00 224.40 DR008 7 339 / 1155 515 / 1755 1465 2225 280.00 336.00 210.00 252.00 1200 358 70 358 344.40 227.00 272.40 **DR008** 1800 252 70 252 351 / 1196 533 / 1817 1517 2304 287.00 DR008 1800 358 70 7 358 491 / 1675 746 / 2545 2124 3227 435.00 522.00 270.00 324.00

FLY LINE VERTICAL Wall Mounted DR003



Fly Line is a strong, minimalist design ideal for contemporary properties. These radiators come with a choice of single or double panel versions with the double panel offering an increased heat output. Fly Line Vertical and Horizontal are available in a variety of size options and come as standard in white or anthracite. Please see pages 141 for colour options, available on single panel versions only.



Double panel design Fly Line Vertical in white



Optional Accessory for single panel Vertical Fly Line

Towel Bar - Stainless Steel

AC032 - 450mm wide

£135.00 ex VAT £162.00 inc VAT





For other valve options see page 139

Fly Line Vertical	Se		No of Sections	End to End	Output Δ T50°C	Output AT60°C BTU'S Anthracite		Price £ White		Stock or made to order			
MS 15 C	Н	W	D	Sections	Connections	Watts/BTU's	BTU's	ex VAT	inc VAT	ex VAT	inc VAT	to order	
DR003 (single panel)	1800	224	71	3	224	402 / 1371	1738	182.00	218.40	180.00	216.00	/	
DR003 (single panel)	1800	376	71	5	376	670 / 2286	2899	248.00	297.60	246.00	295.20	/	
DR003 (single panel)	1800	528	71	7	528	938 / 3200	4058	315.00	378.00	312.00	374.40	/	
DR003 (single panel)	1800	680	71	9	680	1206 / 4114	5217	381.00	457.20	377.00	452.40	/	
DR003DP (double panel)	1800	224	71	3	224	627 / 2193	2781	287.00	344.40	285.00	342.00	/	
DR003DP (double panel)	1800	376	71	5	376	1045 / 3565	4520	418.00	501.60	416.00	499.20	/	
DR003DP (double panel)	1800	528	71	7	528	1463 / 4991	6329	549.00	658.80	546.00	655.20	/	
DR003DP (double panel)	1800	680	71	9	680	1881 / 6417	8137	679.00	814.80	676.00	811.20	\checkmark	





For other valve options see page 139



MS 15 C	Dime	nsions	(mm)	No of	Pipe	Output Δ T50°C	Output Δ T60°C		racite		nite	Stock or made	
MS 13 C	Н	W	D	Sections	Centres	Watts/BTU's	BTU's	ex VAT	inc VAT	ex VAT	inc VAT	to order	
DR004 (single panel)	452	900	63	6	850	420 / 1433	1817	206.00	247.20	204.00	244.80	√	
DR004 (single panel)	452	1200	63	6	1150	552 / 1883	2388	233.00	279.60	231.00	277.20	\checkmark	
DR004 (single panel)	604	900	63	8	850	560 / 1910	2422	249.00	298.80	247.00	296.40	\	
DR004 (single panel)	604	1200	63	8	1150	736 / 2511	3184	284.00	340.80	282.00	338.40	\checkmark	
DR004DP (double panel)	452	900	112	6	850	654 / 2231	2829	348.00	417.60	346.00	415.20	\checkmark	
DR004DP (double panel)	452	1200	112	6	1150	858 / 2927	3711	396.00	475.20	394.00	472.80	\checkmark	
DR004DP (double panel)	604	900	112	8	850	872 / 2975	3772	436.00	523.20	434.00	520.80	\checkmark	
DR004DP (double panel)	604	1200	112	8	1150	1144 / 3903	4949	500.00	600.00	497.00	596.40	\checkmark	

LURE SINGLE Wall Mounted DR020



A statement piece that oozes sophistication and practical good looks, with a bank of closely fitting oval tubes to provide aesthetic appeal and efficient heat output. Available in chrome or white. Please see pages 141 for colour options.



1800 352

DR020

280.80

234.00

Unique oval tubing

3249

364.00

436.80

2152

Lure Single		Dimensions (mm)		Bar config	End to end	Output Δ T50°C Watts/BTU's			tput CBTU's		ce £		ce £	Stock or made
MS 15 C	Н	W	D		Connections	chrome	white	chrome	white	ex VAT	inc VAT	ex VAT	ex VAT	to order

497 / 1697 751 / 2562

352

A modern designer radiator with twin rows of oval tubes for elegance and high output available in white or anthracite.

Manufactured from mild steel, suitable for closed heating systems and with a 15 year guarantee.





Lure Double Dimensions (mm) MS (15)

White or Anthracite

or made to order

DR020DP

1800

352

W

D 105-110

6

352


2161 / 7368

9343

338.00 405.60


MODE II Wall or Floor Mounted CN027


Contemporary styling with sleek rounded tubes. Mode II has all the attributes of a great column radiator with edgy attitude. These wall hung radiators will complement many areas of the home. Available in white RAL 9016 and Metallic Anthracite as standard. Please see page 141 for other colour options.





Metallic Anthracite option (non-textured)





Optional Accessories

Towel Bar - White, Chrome or Anthracite

AC034A (60 x 200mm wide) AC034B (60 x 340mm wide) AC034C (60 x 480mm wide)

£51.00 ex VAT £61.20 inc VAT







For other valve options see page 139

Mode II	Din	nensions (ı	mm)	Number	Output	Output	Price £	Price £	Stock
MS 15 C	Н	W	D	Of Sections	ΔT50°C Watts/BTU's	ΔT60°C BTU's	(ex VAT) White or Anthracite	(inc VAT) White or Anthracite	or made to order
CN027	450	507	90	7	398 / 1358	1722	197.00	236.40	√
CN027	450	785	90	11	625 / 2132	2703	262.00	314.40	/
CN027	450	993	90	14	796 / 2716	3444	383.00	459.60	/
CN027	450	1202	90	17	966 / 3296	4179	463.00	555.60	/
CN027	550	507	90	7	505 / 1723	2185	222.00	266.40	/
CN027	550	785	90	11	793 / 2705	3430	296.00	355.20	/
CN027	550	993	90	14	1009 / 3443	4366	434.00	520.80	/
CN027	550	1202	90	17	1226 / 4183	5304	524.00	628.80	/
CN027	1800	229	90	3	922 / 3147	3990	234.00	280.80	/
CN027	1800	370	90	5	1538 / 5245	6651	347.00	416.40	/
CN027	1800	507	90	7	2153 / 7344	9312	458.00	549.60	✓





Mode suits traditional properties, yet also looks great in contemporary settings.

Available in a wide range of sizes, so you can choose a radiator which exactly suits your space and required heat output. The standard colour finish is white RAL 9016. Other RAL colours are available. Please see page 141 for other colour options.

Please note, contemporary colours available on 2 & 3 column only.

Wall brackets are included, feet and other fixing accessories are detailed on the next pages. Please see page 139 for valve options.

Standard Stock Sizes (opposite)

We stock 2, 3 and 4 column radiators. Heights range from 300mm great for under window sills, to a 1800mm tall version. There are many sizes in between.

Non Standard Sizes (next pages)

Non standard sizes include 5 and 6 columns ranging from 300mm - 2000mm high and detailed on the next pages. Non stocked and colour finish options have an eight week lead time.





VL004 Arne Thermostatic option







For other valve options see page 139









100mm



140mm





W	=	No	Of	sections	Χ	44mm	+	2	Χ	10mm	

2 Columns

3 Columns

4 Columns

5 Columns

6 Columns

Column Radiators	Mode		Dimension excluding		Number Of Section		Output Δ T60°C	Price £	Price £	Stock or made
2C-080-10 2C-080-13 500 812 68 18 68 128 1280 22817,2788 3555 342.00 410.40 2C-080-10 2C-080-10 600 460 68 10 440,1502 1905 1945.00 232.80 2C-080-14 600 636 88 14 616,1212 2658 247,00 232.80 247.00 232.80 2C-080-12 2C-080-22 600 88 68 12 2 887,2733 3427 289.00 358.80 2C-080-22 600 1088 68 22 88,1333 4188 352.00 422.40 2C-080-24 600 1076 68 24 1066,3804 4188 352.00 422.40 2C-080-24 600 1078 68 24 1066,3804 4188 352.00 422.40 2C-080-28 600 1078 68 24 1066,3804 4188 352.00 422.40 2C-080-28 600 1078 68 24 1066,3804 4188 352.00 422.40 2C-080-28 600 1078 68 24 1066,3804 4188 352.00 422.40 2C-080-28 600 1078 68 24 1066,3804 4188 352.00 422.40 2C-080-28 600 1078 68 24 1066,3804 4570 383.00 458.60 2C-180-18 2C-180-10 1800 372 88 88 1032,3852 4466 288,00 288	MS	15 C	W	D	01 000001					to order
2C-060-18	2 Colu	mn Radiators								
2C-080-22	2C-050-	10 500	0 460	68	10	371 / 1266	1605	187.00	224.40	✓
2C-080-10	2C-050-	18 500	0 812	68	18	668 / 2280	2891	290.00	348.00	✓
2C-080-14	2C-050-	22 500	0 988	68	22	817 / 2788	3535	342.00	410.40	\checkmark
2C-060-18	2C-060-	10 600	0 460	68	10	440 / 1502	1905	194.00	232.80	✓
2C-060-22	2C-060-	14 600	0 636	68	14	616 / 2102	2665	247.00	296.40	\checkmark
2C-060-24	2C-060-	18 600	0 812	68	18	792 / 2703	3427	299.00	358.80	\checkmark
2C-080-28	2C-060-	22 600	0 988	68	22	968 / 3303	4188	352.00	422.40	\checkmark
2C-180-6 1800 284 68 6 774/2641 3349 225.00 270.00 2C-180-8 1800 372 68 8 1032/3522 4466 289.00 346.80 2C-180-10 1800 68 8 10 1290/4402 5882 331.00 337.20 2C-180-12 1800 548 68 12 1548/5282 6698 335.00 462.00 3 Column Radiators 3 Column Radiators 3 50 50.01 636 100 14 720/2457 3115 289.00 346.80 3 C-950-18 500 818 100 18 926/3160 4007 349.00 418.80 3 C-950-24 500 1076 100 22 1131/3859 489.3 411.00 493.20 3 C-950-28 500 1252 100 28 1440/4914 6231 508.00 699.60 3 C-960-14 600 636 100 11 699/	2C-060-	24 600	0 1076	68	24	1056 / 3604	4570	383.00	459.60	✓
2C-180-8	2C-060-	28 600	0 1252	68	28	1232 / 4204	5331	436.00	523.20	\checkmark
2C-180-10 1800 460 68 10 1290 / 4402 5582 331.00 397.20 2C-180-12 1800 548 68 12 1548 / 5282 6698 385.00 462.00 3 Column Radiators 3C-050-14 500 636 100 14 720 / 2457 3115 289.00 346.80 3C-050-18 500 818 100 18 926 / 3160 4007 349.00 418.80 3C-050-22 500 988 100 22 1131 / 3859 411.00 493.20 3C-050-28 500 1076 100 24 1234 / 4211 5340 445.00 534.00 3C-060-10 600 460 100 10 609 / 2078 2265 226.00 283.20 3C-060-14 600 636 100 14 852 / 209.8 387.30 000.00 20 218 / 4156 5270 400.00 40.40 30.00 30.00 30.00 30.00 30.00	2C-180-	6 180	00 284	68	6	774 / 2641	3349	225.00	270.00	\checkmark
2C-180-12	2C-180-	8 180	00 372	68	8	1032 / 3522	4466	289.00	346.80	\checkmark
3 Column Radiators 3C-050-14 500 636 100 14 720 / 2457 3115 289.00 346.80 3C-050-18 500 818 100 18 926 / 3160 4007 349.00 418.80 3C-050-22 500 988 100 22 1131 / 3859 4893 411.00 493.20 3C-050-24 500 1076 100 24 1234 / 4211 5540 445.00 534.00 3C-050-28 500 1252 100 28 1440 / 4914 6231 508.00 609.60 3C-060-10 600 460 100 10 609 / 2078 2635 236.00 283.20 3C-060-10 600 460 100 14 852 / 2908 3687 30.20 362.40 3C-060-18 600 90 812 100 18 1097 / 3743 4746 367.00 440.40 3C-060-20 600 900 1076 100 24 1462 / 4989 6326 467.00 560.40 3C-060-24 600 1076 100 24 1462 / 4989 6326 467.00 560.40 3C-060-30 600 1340 100 30 1827 / 6234 7905 566.00 679.20 3C-075-10 750 460 100 14 1050 / 3559 3245 267.00 320.40 3C-075-14 750 636 100 14 100 30 1827 / 6234 7905 560.00 692.00 3C-075-22 750 988 100 22 1650 / 5603 453 342.00 410.40 3C-075-22 750 988 100 22 1650 / 5603 7139 494.00 502.80 3C-180-10 1800 372 100 8 1412 / 4818 6109 339.00 406.80 3C-180-10 1800 372 100 8 1412 / 4818 6109 339.00 406.80 3C-180-10 1800 460 100 10 176 / 750 / 2559 3245 267.00 502.80 3C-180-10 1800 372 100 8 1412 / 4818 6109 339.00 406.80 3C-180-10 1800 460 100 10 176 / 750 / 7592 401.00 461.20 3C-180-10 1800 460 100 10 176 / 750 / 7592 401.00 461.20 3C-180-10 1800 460 100 10 176 / 750 / 7592 401.00 461.20 3C-180-10 1800 460 100 10 176 / 750 / 7592 401.00 461.20 3C-180-10 1800 460 100 10 176 / 750 / 7592 401.00 461.20 3C-180-10 1800 460 100 10 176 / 750 / 7592 401.00 461.20 3C-180-10 1800 460 100 10 176 / 750 / 7592 401.00 461.20 3C-180-12 1800 548 100 12 2117 / 7224 9160 464.00 556.80 4C-030-20 300 900 140 20 850 / 7591 7591 7500 620.40 4C-030-20 300 900 140 20 860 / 7503 7632 401.00 556.80 4C-060-18 600 818 140 14 14 147 / 7994 4963 365.00 438.00 4C-060-18 600 818 140 14 14 147 / 7994 4963 365.00 438.00 4C-060-18 600 818 140 140 18 147 / 7994 8656 585.00 702.00 4C-060-18 600 606 11076 140 24 1960 60708 8506 585.00 702.00	2C-180-	10 180	00 460	68	10	1290 / 4402	5582	331.00	397.20	\checkmark
3C-050-14 500 636 100 14 720 / 2457 3115 289.00 346.80 3C-050-18 500 818 100 18 926 / 3160 4007 349.00 418.80 3C-050-22 500 988 100 22 1131 / 3859 4893 411.00 493.20 3C-050-24 500 1076 100 24 1234 / 4211 5340 445.00 534.00 3C-050-28 500 1252 100 28 1440 / 4914 6231 508.00 609.60 3C-060-10 600 460 100 10 609 / 2078 2635 236.00 283.20 3C-060-14 600 636 100 14 852 / 2908 3687 302.0 362.40 3C-060-18 600 812 100 18 1097 / 3743 4746 367.00 440.40 3C-060-24 600 1076 100 24 1462 / 4898 6326 467.00 560.40	2C-180-	12 180	00 548	68	12	1548 / 5282	6698	385.00	462.00	✓
3C-050-18	3 Colu	mn Radiators								
3C-050-22	3C-050-	14 500	0 636	100	14	720 / 2457	3115	289.00	346.80	/
3C-050-24 500 1076 100 24 1234 / 4211 5340 445.00 534.00 3C-050-28 500 1252 100 28 1140 / 4914 6231 508.00 609.60 3C-060-10 600 460 100 10 609 / 2078 2635 236.00 283.20 3C-060-18 600 812 100 18 1097 / 3743 4746 367.00 440.40 3C-060-20 600 900 100 20 1218 / 4156 5270 400.00 480.00 3C-060-24 600 1076 100 24 1462 / 4989 6326 467.00 560.40 3C-075-10 750 460 100 10 750 / 2559 3245 267.00 320.40 3C-075-14 750 636 100 14 1050 / 3583 4543 342.00 410.40 3C-075-26 750 988 100 22 1650 / 5630 7139 494.00 502.80	3C-050-	18 500	0 818	100	18	926 / 3160	4007	349.00	418.80	/
3C-050-28	3C-050-	22 500	0 988	100	22	1131 / 3859	4893	411.00	493.20	/
3C-060-10	3C-050-	24 500	0 1076	100	24	1234 / 4211	5340	445.00	534.00	1
3C-060-14 600 636 100 14 852 / 2908 3687 302.00 362.40 3C-060-18 600 812 100 18 1097 / 3743 4746 367.00 440.40 3C-060-20 600 900 100 20 1218 / 4156 5270 400.00 480.00 3C-060-24 600 1076 100 24 1462 / 4989 6326 467.00 560.40 3C-060-30 600 1340 100 30 1827 / 6234 7905 566.00 679.20 3C-075-10 750 460 100 10 750 / 2559 3245 267.00 320.40 3C-075-14 750 636 100 14 1050 / 3583 4543 342.00 410.40 3C-075-18 750 818 100 18 1350 / 4607 5842 419.00 502.80 3C-075-22 750 988 100 22 1650 / 5630 7139 494.00 592.80 3C-075-26 750 1164 100 26 1950 / 6654 8437 575.00 690.00 3C-180-8 1800 372 100 8 1412 / 4818 6109 339.00 406.80 3C-180-10 1800 460 100 10 1764 / 6019 7632 401.00 481.20 3C-180-10 1800 460 100 10 1764 / 6019 7632 401.00 481.20 3C-180-10 1800 548 100 12 2117 / 7224 9160 464.00 556.80 4 Column Radiators 4C-030-30 30 900 140 20 850 / 2901 3678 367.00 440.40 4C-030-30 30 818 140 14 1147 / 3914 4963 365.00 438.00 4C-060-14 600 636 140 14 1147 / 3914 4963 365.00 438.00 4C-060-18 600 818 140 18 1475 / 5033 6382 452.00 542.40 4C-060-20 600 900 140 20 1638 / 5589 7087 494.00 592.80 4C-060-24 600 1076 140 24 1966 / 6708 8506 585.00 702.00 4C-060-24 600 1076 140 24 1966 / 6708 8506 585.00 702.00	3C-050-	28 500	0 1252	100	28	1440 / 4914	6231	508.00	609.60	/
3C-060-18 600 812 100 18 1097 / 3743 4746 367.00 440.40 3C-060-20 600 900 100 20 1218 / 4156 5270 400.00 480.00 3C-060-24 600 1076 100 24 1462 / 4989 6326 467.00 560.40 3C-060-30 600 1340 100 30 1827 / 6234 7905 566.00 679.20 3C-075-10 750 460 100 10 750 / 2559 3245 267.00 320.40 3C-075-14 750 636 100 14 1050 / 3583 4543 342.00 410.40 3C-075-18 750 818 100 18 1350 / 4607 5842 419.00 502.80 3C-075-22 750 988 100 22 1650 / 5630 7139 494.00 592.80 3C-075-26 750 1164 100 26 1950 / 6654 8437 575.00 690.00 3C-180-8 1800 372 100 8 1412 / 4818 6109 339.00 406.80 3C-180-12 1800 548 100 12 2117 / 7224 9160 464.00 556.80 4 Column Radiators 4 C-030-20 300 900 140 20 850 / 2901 3678 367.00 440.40 4C-030-30 300 1340 140 14 1147 / 3914 4963 365.00 438.00 4C-060-14 600 636 140 14 1147 / 3914 4963 365.00 438.00 4C-060-24 600 1076 140 24 1966 / 6708 8506 585.00 702.00 4C-060-24 600 1076 140 24 1966 / 6708 8506 585.00 702.00	3C-060-	10 600	0 460	100	10	609 / 2078	2635	236.00	283.20	/
3C-060-20 600 900 100 20 1218 / 4156 5270 400.00 480.00 3C-060-24 600 1076 100 24 1462 / 4989 6326 467.00 560.40 3C-060-30 600 1340 100 30 1827 / 6234 7905 566.00 679.20 3C-075-10 750 460 100 10 750 / 2559 3245 267.00 320.40 3C-075-14 750 636 100 14 1050 / 3583 4543 342.00 410.40 3C-075-18 750 818 100 18 1350 / 4607 5842 419.00 502.80 3C-075-26 750 1164 100 22 1650 / 5630 7139 494.00 592.80 3C-075-26 750 1164 100 26 1950 / 6654 8437 575.00 690.00 3C-180-8 1800 372 100 8 1412 / 4818 6109 339.00 406.80 3C-180-12 1800 548 100 12 2117 / 7224 9160 464.00 556.80 4 Column Radiators 4 C-030-20 300 900 140 20 850 / 2901 3678 367.00 440.40 4C-030-30 300 1340 140 30 1275 / 4351 5517 517.00 620.40 4C-060-18 600 818 140 18 1475 / 5033 6382 452.00 542.40 4C-060-24 600 1076 140 24 1966 / 6708 8506 585.00 702.00 4C-060-24 600 1076 140 24 1966 / 6708 8506 585.00 702.00 4C-075-14 750 636 140 14 1417 / 4835 6131 425.00 510.00	3C-060-	14 600	0 636	100	14	852 / 2908	3687	302.00	362.40	/
3C-060-24 600 1076 100 24 1462 / 4989 6326 467.00 560.40 3C-060-30 600 1340 100 30 1827 / 6234 7905 566.00 679.20 3C-075-10 750 460 100 10 750 / 2559 3245 267.00 320.40 3C-075-14 750 636 100 14 1050 / 3583 4543 342.00 410.40 3C-075-18 750 818 100 18 1350 / 4607 5842 419.00 502.80 3C-075-22 750 988 100 22 1650 / 5630 7139 494.00 592.80 3C-180-8 1800 372 100 8 1412 / 4818 6109 339.00 406.80 3C-180-10 1800 460 100 10 1764 / 6019 7632 401.00 481.20 3C-180-12 1800 548 100 12 2117 / 7224 9160 464.00 556.80	3C-060-	18 600	0 812	100	18	1097 / 3743	4746	367.00	440.40	/
3C-060-30 600 1340 100 30 1827 / 6234 7905 566.00 679.20 3C-075-10 750 460 100 10 750 / 2559 3245 267.00 320.40 3C-075-14 750 636 100 14 1050 / 3583 4543 342.00 410.40 3C-075-18 750 818 100 18 1350 / 4607 5842 419.00 502.80 3C-075-22 750 988 100 22 1650 / 5630 7139 494.00 592.80 3C-180-8 1800 372 100 8 1412 / 4818 6109 339.00 406.80 3C-180-10 1800 460 100 10 1764 / 6019 7632 401.00 481.20 3C-180-12 1800 548 100 12 2117 / 7224 9160 464.00 556.80 4 Column Radiators 4C-030-20 300 900 140 20 850 / 2901 3678 36	3C-060-	20 600	0 900	100	20	1218 / 4156	5270	400.00	480.00	✓
3C-075-10 750 460 100 10 750 / 2559 3245 267.00 320.40 3C-075-14 750 636 100 14 1050 / 3583 4543 342.00 410.40 3C-075-18 750 818 100 18 1350 / 4607 5842 419.00 502.80 3C-075-22 750 988 100 22 1650 / 5630 7139 494.00 592.80 3C-075-26 750 1164 100 26 1950 / 6654 8437 575.00 690.00 3C-180-8 1800 372 100 8 1412 / 4818 6109 339.00 406.80 3C-180-10 1800 460 100 10 1764 / 6019 7632 401.00 481.20 3C-180-12 1800 548 100 12 2117 / 7224 9160 464.00 556.80 4C-030-20 300 90 140 20 850 / 2901 3678 367.00 440.40	3C-060-	24 600	0 1076	100	24	1462 / 4989	6326	467.00	560.40	✓
3C-075-14 750 636 100 14 1050 / 3583 4543 342.00 410.40 3C-075-18 750 818 100 18 1350 / 4607 5842 419.00 502.80 3C-075-22 750 988 100 22 1650 / 5630 7139 494.00 592.80 3C-075-26 750 1164 100 26 1950 / 6654 8437 575.00 690.00 3C-180-8 1800 372 100 8 1412 / 4818 6109 339.00 406.80 3C-180-10 1800 460 100 10 1764 / 6019 7632 401.00 481.20 3C-180-12 1800 548 100 12 2117 / 7224 9160 464.00 556.80 4 Column Radiators 4C-030-20 300 900 140 20 850 / 2901 3678 367.00 440.40 4C-060-14 600 636 140 14 1147 / 3914 4963 365.00 438.00 4C-060-18 600 900 140 20 1638 / 5589 7087 494.00 592.80 4C-060-24 600 1076 140 24 1966 / 6708 8506 585.00 702.00 4C-075-14 750 636 140 14 1417 / 4835 6131 425.00 510.00	3C-060-	30 600	0 1340	100	30	1827 / 6234	7905	566.00	679.20	✓
3C-075-18 750 818 100 18 1350 / 4607 5842 419.00 502.80 3C-075-22 750 988 100 22 1650 / 5630 7139 494.00 592.80 3C-075-26 750 1164 100 26 1950 / 6654 8437 575.00 690.00 3C-180-8 1800 372 100 8 1412 / 4818 6109 339.00 406.80 3C-180-10 1800 460 100 10 1764 / 6019 7632 401.00 481.20 3C-180-12 1800 548 100 12 2117 / 7224 9160 464.00 556.80 4 Column Radiators 4C-030-20 300 900 140 20 850 / 2901 3678 367.00 440.40 4C-030-30 300 1340 140 30 1275 / 4351 5517 517.00 620.40 4C-060-14 600 636 140 14 1147 / 3914 4963 365.00 438.00 4C-060-18 600 818 140 18 1475 / 5033 6382 452.00 542.40 4C-060-20 600 900 140 20 1638 / 5589 7087 494.00 592.80 4C-060-24 600 1076 140 24 1966 / 6708 8506 585.00 702.00 4C-075-14 750 636 140 14 1417 / 4835 6131 425.00 510.00	3C-075-	10 750	0 460	100	10	750 / 2559	3245	267.00	320.40	✓
3C-075-22 750 988 100 22 1650 / 5630 7139 494.00 592.80 3C-075-26 750 1164 100 26 1950 / 6654 8437 575.00 690.00 3C-180-8 1800 372 100 8 1412 / 4818 6109 339.00 406.80 3C-180-10 1800 460 100 10 1764 / 6019 7632 401.00 481.20 3C-180-12 1800 548 100 12 2117 / 7224 9160 464.00 556.80 4 Column Radiators 4C-030-20 300 900 140 20 850 / 2901 3678 367.00 440.40 4C-030-30 300 1340 140 30 1275 / 4351 5517 517.00 620.40 4C-060-14 600 636 140 14 1147 / 3914 4963 365.00 438.00 4C-060-18 600 818 140 18 1475 / 5033 6382 452.00 542.40 4C-060-20 600 900 140 20 1638 / 5589 7087 494.00 592.80 4C-060-24 600 1076 140 24 1966 / 6708 8506 585.00 702.00 4C-075-14 750 636 140 14 1417 / 4835 6131 425.00 510.00	3C-075-	14 750	0 636	100	14	1050 / 3583	4543	342.00	410.40	✓
3C-075-26	3C-075-	18 750	0 818	100	18	1350 / 4607	5842	419.00	502.80	\checkmark
3C-180-8	3C-075-	22 750	0 988	100	22	1650 / 5630	7139	494.00	592.80	\checkmark
3C-180-10 1800 460 100 10 1764 / 6019 7632 401.00 481.20 3C-180-12 1800 548 100 12 2117 / 7224 9160 464.00 556.80 4 Column Radiators 4C-030-20 300 900 140 20 850 / 2901 3678 367.00 440.40 4C-030-30 300 1340 140 30 1275 / 4351 5517 517.00 620.40 4C-060-14 600 636 140 14 1147 / 3914 4963 365.00 438.00 4C-060-18 600 818 140 18 1475 / 5033 6382 452.00 542.40 4C-060-20 600 900 140 20 1638 / 5589 7087 494.00 592.80 4C-060-24 600 1076 140 24 1966 / 6708 8506 585.00 702.00 4C-075-14 750 636 140 14 1417 / 4835 6131 425.00 510.00	3C-075-	26 750	0 1164	100	26	1950 / 6654	8437	575.00	690.00	\checkmark
3C-180-12 1800 548 100 12 2117 / 7224 9160 464.00 556.80 4 Column Radiators 4C-030-20 300 900 140 20 850 / 2901 3678 367.00 440.40 4C-030-30 300 1340 140 30 1275 / 4351 5517 517.00 620.40 4C-060-14 600 636 140 14 1147 / 3914 4963 365.00 438.00 4C-060-18 600 818 140 18 1475 / 5033 6382 452.00 542.40 4C-060-20 600 900 140 20 1638 / 5589 7087 494.00 592.80 4C-060-24 600 1076 140 24 1966 / 6708 8506 585.00 702.00 4C-075-14 750 636 140 14 1417 / 4835 6131 425.00 510.00	3C-180-	8 180	00 372	100	8	1412 / 4818	6109	339.00	406.80	✓
4 Column Radiators 4C-030-20 300 900 140 20 850 / 2901 3678 367.00 440.40 4C-030-30 300 1340 140 30 1275 / 4351 5517 517.00 620.40 4C-060-14 600 636 140 14 1147 / 3914 4963 365.00 438.00 4C-060-18 600 818 140 18 1475 / 5033 6382 452.00 542.40 4C-060-20 600 900 140 20 1638 / 5589 7087 494.00 592.80 4C-060-24 600 1076 140 24 1966 / 6708 8506 585.00 702.00 4C-075-14 750 636 140 14 1417 / 4835 6131 425.00 510.00			00 460	100	10	1764 / 6019	7632	401.00	481.20	\checkmark
4C-030-20 300 900 140 20 850 / 2901 3678 367.00 440.40 4C-030-30 300 1340 140 30 1275 / 4351 5517 517.00 620.40 4C-060-14 600 636 140 14 1147 / 3914 4963 365.00 438.00 4C-060-18 600 818 140 18 1475 / 5033 6382 452.00 542.40 4C-060-20 600 900 140 20 1638 / 5589 7087 494.00 592.80 4C-060-24 600 1076 140 24 1966 / 6708 8506 585.00 702.00 4C-075-14 750 636 140 14 1417 / 4835 6131 425.00 510.00	3C-180-	12 180	00 548	100	12	2117 / 7224	9160	464.00	556.80	✓
4C-030-30 300 1340 140 30 1275 / 4351 5517 517.00 620.40 4C-060-14 600 636 140 14 1147 / 3914 4963 365.00 438.00 4C-060-18 600 818 140 18 1475 / 5033 6382 452.00 542.40 4C-060-20 600 900 140 20 1638 / 5589 7087 494.00 592.80 4C-060-24 600 1076 140 24 1966 / 6708 8506 585.00 702.00 4C-075-14 750 636 140 14 1417 / 4835 6131 425.00 510.00	4 Colu	mn Radiators								
4C-060-14 600 636 140 14 1147 / 3914 4963 365.00 438.00 4C-060-18 600 818 140 18 1475 / 5033 6382 452.00 542.40 4C-060-20 600 900 140 20 1638 / 5589 7087 494.00 592.80 4C-060-24 600 1076 140 24 1966 / 6708 8506 585.00 702.00 4C-075-14 750 636 140 14 1417 / 4835 6131 425.00 510.00	4C-030-	20 300	0 900	140	20	850 / 2901	3678	367.00	440.40	✓
4C-060-18 600 818 140 18 1475 / 5033 6382 452.00 542.40 4C-060-20 600 900 140 20 1638 / 5589 7087 494.00 592.80 4C-060-24 600 1076 140 24 1966 / 6708 8506 585.00 702.00 4C-075-14 750 636 140 14 1417 / 4835 6131 425.00 510.00	4C-030-	30 300	0 1340	140	30	1275 / 4351	5517	517.00	620.40	1
4C-060-20 600 900 140 20 1638 / 5589 7087 494.00 592.80 4C-060-24 600 1076 140 24 1966 / 6708 8506 585.00 702.00 4C-075-14 750 636 140 14 1417 / 4835 6131 425.00 510.00	4C-060-	14 600	0 636	140	14	1147 / 3914	4963	365.00	438.00	/
4C-060-24 600 1076 140 24 1966 / 6708 8506 585.00 702.00 4C-075-14 750 636 140 14 1417 / 4835 6131 425.00 510.00	4C-060-	18 600	0 818	140	18	1475 / 5033	6382	452.00	542.40	/
4C-075-14 750 636 140 14 1417 / 4835 6131 425.00 510.00	4C-060-	20 600	0 900	140	20	1638 / 5589	7087	494.00	592.80	✓
	4C-060-	24 600	0 1076	140	24	1966 / 6708	8506	585.00	702.00	/
	4C-075-	14 750	0 636	140	14	1417 / 4835	6131	425.00	510.00	/
4C-075-18 750 818 140 18 1822 / 6217 7883 530.00 636.00	4C-075-	18 750	0 818	140	18	1822 / 6217	7883	530.00	636.00	/
4C-075-22 750 988 140 22 2227 / 7599 9636 635.00 762.00	4C-075-	22 750	0 988	140	22	2227 / 7599	9636	635.00	762.00	/
4C-075-26 750 1164 140 26 2632 / 8981 11388 743.00 891.60	4C-075-	26 750	0 1164	140	26	2632 / 8981	11388	743.00	891.60	✓

MODE Bespoke



This service gives the opportunity to order non standard sizes. Choose from wall or floor standing. These radiators are supplied in white RAL 9016. Coloured finishes are available, please see the colour chart on page 141. Please note, contemporary colours available on 2 & 3 column only. The lead time for delivery is approximately eight weeks. The sections cannot be joined on site. We only supply complete radiators, practical considerations need to be given to weight, carriage, handling and accessibility. Where necessary large radiators can be supplied in module format. Contact our sales office for further information.





For other valve options see page 139

Accessorion for Mode Colum		Price £ (ex VAT)	Price £ (inc VAT)	Stock or made to order
T	Column Radiator Feet AC028	65.00 per pair	78.00 per pair	✓
	Adjustable Feet AC024 Height from 90mm to 120mm. Must only be used with top retaining stay.	40.00 each	48.00 each	✓
	Base Plate Cover AC025 For use with adjustable feet (above).	9.00 each	10.80 each	✓
	Top Retaining Stay AC026 For use with adjustable feet.	14.00 each	16.80 each	✓
	Heavy Duty Wall Brackets Available for 2 to 6 column radiators.	POA	POA	**
	Standing Brackets For use with glass walls etc	POA	POA	3
0	Welded Feet (Increase height by 100mm)	65.00 each	78.00 each	W

Up to 20 sections requires two feet 21 to 40 sections three feet

41 to 58 sections four feet

Calculations for Sizing a Radiator...

Required output is 1200 watts

Space available is1000 mm high x 750 mm wide. Approx radiator dimensions 900mm high x 600mm wide.

(Taking into account space for valves)

Number of sections possible

Width (600mm) divide by 45mm per section + allowance for each side. 600 - 24 divided by 45 = 12 sections.

Heat output per section

Divide your required output by sections. 1200 watts divided by 12 = 100 watts per section.

Selecting your radiator section

4-750 @102 watts per section. Therefore 12 sections @102 per section = 1224 watts @ 50 degrees C delta T.

Price calculation

12 x £40.00 = £480.00 ex VAT
Plus feet if floor standing and any other non standard support brackets you may require.

Dimensions

The nominal overall length of a radiator =number of section x 45mm = 24mm for reducing bushes (12mm each end). Subject to manufacturing tolerance of +/- 0.6mm per section.

Mode Sections	Dimensio excludin		Output ΔT50°C	Output Δ T60°C	Price £ (ex VAT)	Price £ (inc VAT)	Stock or made
MS 15 C	Н	D	Watts/BTU's	BTU's	White	White	to order
2 Column Section							
2-300	300	68	24 / 82	104	28.00	33.60	W
2-400	400	68	31 / 106	134	28.00	33.60	***
2-500	500	68	37 / 126	160	28.00	33.60	***
2-600	600	68	44 / 150	190	29.00	34.80	***
2-750	750	68	55 / 188	238	29.00	34.80	W
2-900	900	68	65 / 222	282	31.00	37.20	3
2-1000 2-1200	1000 1200	68 68	72 / 246 86 / 293	312 372	34.00 44.00	40.80 52.80	<u> </u>
2-1500	1500	68	108 / 369	468	55.00	66.00	<u> </u>
2-1800	1800	68	129 / 440	558	64.00	76.80	2
2-2000	2000	68	144 / 491	623	83.00	99.60	*
3 Column Section							
3-300	300	100	33 / 113	143	34.00	40.80	<i>≥</i>
3-400	400	100	42 / 143	181	32.00	38.40	31
3-500	500	100	52 / 177	224	31.00	37.20	2
3-600	600	100	61 / 208	264	32.00	38.40	2
3-750	750	100	75 / 256	325	37.00	44.40	***
3-900	900	100	90 / 307	389	43.00	51.60	*
3-1000	1000	100	99 / 338	429	45.00	54.00	W
3-1200	1200	100	118 / 403	511	58.00	69.60	2
3-1500	1500	100	147 / 502	637	71.00	85.20	***
3-1800	1800	100	177 / 604	766	84.00	100.80	W
3-2000	2000	100	197 / 672	852	95.00	114.00	**
4 Column Section							
4-300	300	140	43 / 147	186	37.00	44.40	W
4-400	400	140	56 / 191	242	38.00	45.60	***
4-500	500	140	69 / 235	298	39.00	46.80	3
4-600	600	140	82 / 280	355	40.00	48.00	2
4-750	750	140	102 / 348	441	40.00	48.00	3
4-900 4-1000	900	140 140	121 / 413 134 / 457	524 579	44.00 50.00	52.80 60.00	31
4-1200	1200	140	159 / 543	689	67.00	80.40	2
4-1500	1500	140	197 / 672	852	89.00	106.80	W
4-1800	1800	140	235 / 802	1017	107.00	128.40	2
4-2000	2000	140	260 / 887	1125	119.00	142.80	2
5 Column Section							
5-300	300	177	52 / 177	224	43.00	51.60	3
5-400	400	177	68 / 232	294	44.00	52.80	W
5-500	500	177	83 / 283	359	46.00	55.20	W
5-600	600	177	98 / 334	424	47.00	56.40	W
5-750	750	177	121 / 413	524	53.00	63.60	W
5-900	900	177	143 / 488	619	59.00	70.80	W
5-1000	1000	177	158 / 539	683	64.00	76.80	₩
5-1200	1200	177	188 / 641	813	82.00	98.40	<i>₩</i>
5-1500	1500	177	232 / 792	1004	108.00	129.60 154.80	**
5-1800 5-2000	1800 2000	177 177	277 / 945 307 / 1048	1198 1329	129.00 142.00	170.40	3
	2000	177	307 7 1040	1029	142.00	170.40	
6 Column Section							
6-300	300	215	63 / 215	273	50.00	60.00	W
6-400	400	215	82 / 280	355	51.00	61.20	3)
6-500 6-600	500 600	215 215	101 / 345 120 / 409	437 519	53.00 57.00	63.60 68.40	3
6-750	750	215	148 / 505	640	64.00	76.80	3
6-900	900	215	175 / 597	757	74.00	88.80	W
6-1000	1000	215	193 / 659	836	80.00	96.00	W
6-1200	1200	215	229 / 781	990	105.00	126.00	W
6-1500	1500	215	282 / 962	1220	131.00	157.20	***
6-1800	1800	215	334 / 1140	1446	156.00	187.20	2
6-2000	2000	215	369 / 1259	1596	171.00	205.20	W



be different

V®GUEElectric Products

Vogue UK have a comprehensive range of electrical products including –

Towel Warmers

Radiators

Electric Underfloor Heating

Envirovent fans



COMBY DRYER Wall Mounted MD082



The Comby Dryer is the best of both worlds; it dries towels and clothes quickly, whilst heating the bathroom at the same time. Practical and energy saving, the Comby Dryer has three programs to set. Allowing activation of the towel rail in the morning, evening or both. By simply adjusting the air guide panel to a suitable position, hot air is also able to be directed to where it is needed most. It also features a "Boost" button on the control panel, enabling more widespread ventilation to be achieved.

23 + 31 x 40mm D Section

* The first value refers to the towel warmer; the second to the blower

Comby Dryer	Dimensions (mm)		Bar	Pipe	*Output	Output	Price £	Price £	Stock	
MS 15 E	Н	W	D	config	centres	Δ T50°C Watts/BTU's	ΔT60°C BTU's	(ex VAT)	(inc VAT)	or made to order
MD082 White	1441	500	94-126	7-4-11	450	750 + 1000* / 5971	7571	667.00	800.40	✓
MD082 Chrome	1441	500	94-126	7-4-11	450	500 + 1000* / 5118	6490	1125.00	1350.00	/



Comfort	Dir	nensions (mm)	Power	Price £	Price £	Stock	
MS 15 E	Н	W	D	wattage	Chrome	Chrome	or made to order	
EL028	719	545	103	120	199.00	238.80		

ECO Wall Mounted ER001



Eco is a cost effective electric radiator which allows you to control room temperature. It also has an integral economy function and frost protection. Electrical components are covered by a two year warranty.

Eco (IP24)	Din	nensions (Number of	Power	Price £	Price £	Stock
MS 15 E	Н	W	D	Sections	wattage	(ex VAT) White	(inc VAT) White	or made to order
ER001	580	370	80	4	500	297.00	356.40	W
ER001	580	530	80	6	750	368.00	441.60	2
ER001	580	690	80	8	1000	443.00	531.60	W
ER001	580	770	80	9	1250	519.00	622.80	W
ER001	580	930	80	11	1500	598.00	717.60	W



A sleek unit with digital programmable technology. The programmer can be safety locked to avoid accidental alterations. Stromboli has a comfort, economy and frost protection settings, great for houses unoccupied for weeks at a time. Electrical components are covered by a two year warranty.

Sromboli (IP20)	Dim	nensions (Number of Powe Sections wattage		Price £	Price £	Stock
MS 15 E	Н	W	D	Sections	wattage	(ex VAT) White	(inc VAT) White	or made to order
ER002	580	470	100	4	500	576.00	691.20	W
ER002	580	630	100	6	750	646.00	775.20	<u> </u>
ER002	580	790	100	8	1000	721.00	865.20	3
ER002	580	870	100	9	1250	797.00	956.40	2
ER002	580	1030	100	11	1500	876.00	1051.20	W

SIMPLICITY II Wall Mounted EL040 / EL045

Uncomplicated and chic. The linear styling of Simplicity adds a sense of sophistication to any room. Slimline and discreet it provides the comfort of warm fluffy towels or bathrobes. This is electric drylined only and is manufactured in high quality stainless steel. Electrical components are covered by our two year warranty. Has a rating of IP44.









Delivered complete, no cover shroud necessary.

Simplicity II	Dimensions (mm)	Description	Power W	Price £ (ex VAT) Polished	Price £ (inc VAT) Polished	Stock or made to order
EL040 Round	1100	Round tube 30mm Ø	26	206.00	247.20	✓
EL040 Round	1500	Round tube 30mm Ø	40	227.00	272.40	/
EL040 Round	1800	Round tube 30mm Ø	55	268.00	321.60	✓
EL045 Cube	1100	Square tube 30 x 30mm	40	241.00	289.20	/
EL045 Cube	1500	Square tube 30 x 30mm	44	280.00	336.00	/
EL045 Cube	1800	Square tube 30 x 30mm	80	331.00	397.20	✓



The Mode electric radiator compliments traditional and contemporary interiors to a tee. Manufactured from mild steel, supplied as standard in a white RAL 9016 powder coated finish. Most RAL colours are available as a special order. Available in seven stock sizes, 2 - 3 weeks delivery wall mounted. 4 - 6 weeks floor mounted with welded feet. Bespoke sizes can be arranged. Electrical components are covered by a two year warranty.

Electric Controls

- White as standard.
- Matt chrome finish is available.
- Temperature control between 10°C and 65°C.
- Led power indicator with frost protection.





Mode	Dimensions (mm)		Number Power		Price £ (ex VAT) White		Price £ (inc VAT) White		Stock	
MS 15 E	Н	W	D	of sections	wattage	Wall	Floor	Wall	Floor	or made to order
2C-1800-12E	1802	634	63	12	1500	726.00	822.56	823.00	931.20	\
3C-0600-10E	602	544	101	10	900	508.00	604.20	604.00	684.00	\checkmark
3C-0600-14E	602	724	101	14	1200	578.00	674.16	674.00	763.20	/
3C-0600-20E	602	994	101	20	1500	683.00	779.10	779.00	882.00	/
4C-0600-18E	602	904	139	18	1500	690.00	786.52	787.00	890.40	/
4C-0300-30E	302	1444	139	30	1500	987.00	1132.08	1132.00	1281.60	\
4C-0600-24E	602	1174	139	24	2000	812.00	957.18	957.00	1083.60	\

ENVIROVENT

SILENT Design 100

- Silent elastic blocks
- Sealed for life ball bearings
- Back draught shutter and airflow guide vanes
- High performance and quality
- Incredibly silent running
- Energy efficient
- 8 Watts / 230 Volts
- IP45 rated



A range of 100mm domestic axial extract fans for wall or ceiling installations, designed to solve ventilation problems in WC's and bathrooms. Fitted with motors mounted on silent elastic blocks, the fans deliver incredibly silent running and exceptional performance and stylish design.

ECO dMEV

- Up to 6 adjustable trickle speed settings
- Timer, humidity sensor and pull cord models
- Complies with Building Regulations. Part F for system 3 Continuous Mechanical Extract
- SAP Appendix Q eligible achieving a low specific fan power of 0.28 W/l/s
- Incredibly silent running Below 20 dB(A)
- One fan for all situations, both walls and ceilings
- Low Energy DC 1.5 Watts Low voltage version available
- 4 Interchangeable front panel trims



The ECO dMEV has been designed and developed to offer the market a constant volume, continuously running, decentralised extract fan for the lowest power consumption, the lowest noise and lowest lifecycle costs.

SILENT MV

- Sound absorbent insulation
- Incredibly silent running
- 360° rotating connection box
- Sealed for life ball bearings
- Fitted with a two speed motor
- Complies with building regulations
- High performance with flexible location
- Easy installation and maintenance
- IP44 rated

The SILENT MV fan range offers one of the most versatile fan systems on the market today. Due to its flexibility it can be used in a multitude of small and medium fan installations. Especially advantageous in applications where the system may be running for long periods throughout the day, the acoustic benefits of the SILENT MV fans ensure that optimum comfort is achieved without the disturbance of noisy ventilation systems.

SILENT 100

- Also available in silver on silent elastic blocks
- Sealed for life ball bearings
- Back draught shutter and airflow guide vanes
- High performance and quality
- Incredibly silent running
- Significant energy savings
- 8 Watts / 230 Volts or 13 Watts / 12 Volts options
- IP45 / IP57 SELV version



100mm domestic axial extract fans for wall or ceiling installations. Designed to solve ventilation problems in WC's and bathrooms. Fitted to motors mounted on silent elastic blocks, fans are incredibly silent running and exceptional performance.

Optional Kits



ENV-WALL KIT



ENV-CEILING KIT



ENV-SOFIT KIT



ENV-3M FLEX



ENV-6M FLEX

					120
Fan	Description	Airflow rates l/s (m³/h)	Price £	Price £	Stock or to order
Silent Design 100				'	
SILDES100 S	White Standard Model	22 (85)	50.00	60.00	√
SILDES100 SS	Silver Standard Model	22 (85)	75.00	90.00	/
SILDES100 T	White Timer Model	22 (85)	78.00	93.60	✓
SILDES100 TS	Silver Timer Model	22 (85)	102.00	122.40	/
SILDES100 HT	White Adjustable Humidity Sensor Model	22 (85)	136.00	163.20	✓
SILDES100 HTS	Silver Adjustable Humidity Sensor Model	22 (85)	161.00	193.20	✓
Eco dMEV					
Eco dMEV S	Standard Model	18 (65)	198.00	237.60	W
Eco dMEV T	Adjustable Run-On Timer Model	18 (65)	205.00	246.00	<u> </u>
Eco dMEV HT	Adjustable Humidity Sensor and Timer Model	18 (65)	209.00	250.80	W
Eco dMEV HTP	Pull Cord Adjustable Humidity Sensor and Timer Model	18 (65)	221.00	265.20	W
Eco dMEV S SELV	Standard (SELV) Model	18 (65)	272.00	326.40	W
Eco dMEV T SELV	Adjustable (SELV) Run-On Timer Model	18 (65)	278.00	333.60	W
Eco dMEV HT SELV	Adjustable (SELV) Humidity Sensor and Timer Model	18 (65)	285.00	342.00	W
Eco dMEV HTP SELV	Pull Cord Adjustable (SELV) Humidity Sensor and Timer Model	18 (65)	294.00	352.80	W
Silent MV					
SILMV 160100 S	Silent 2 speed in line fan	50 (80)	97.00	116.40	√
SILMV 160100 T	Silent single speed inline fan with adjustable timer	50 (80)	125.00	150.00	\checkmark
SILMV 250100 S	Silent 2 speed in line fan	50 (80)	274.00	328.80	W
SILMV 250100 T	Silent single speed inline fan with adjustable timer	50 (80)	291.00	349.20	W
Silent 100					
Silent-100 S	Standard Model	26 (95)	56.00	67.20	✓
Silent-100 T	Adjustable Timer Model	26 (95)	85.00	102.00	\checkmark
Silent-100 IT	Intelligent Timer Model	26 (95)	127.00	152.40	W
Silent-100 HT	Adjustable Humidity Sensor Model	26 (95)	150.00	180.00	\checkmark
Silent-100 PIR	PIR Model	26 (95)	171.00	205.20	W
Silent-100S 12V	Standard Model (SELV)	26 (95)	203.00	243.60	W
Silent-100 T 12V	Adjustable Timer Model (SELV)	26 (95)	302.00	362.40	W
Silent-100 TP 12V	Adjustable Timer and Pullcord Model (SELV)	26 (95)	317.00	380.40	W
Silent-100 P 'EV' (12V 50)	Pullcord (SELV)	26 (95)	219.00	262.80	W
Silent-100 HTP 12V	Adjustable Timer, Humidity Sensor and Pullcord Model (SELV)	26 (95)	281.00	337.20	**
Silent-100 SS SILVER	Silver Standard Model	26 (95)	82.00	98.40	✓
Silent-100 ST SILVER	Silver Adjustable Timer Model	26 (95)	113.00	135.60	✓
Optional Kits					
ENV-WALL KIT	Wall Grill and pipe		25.00	30.00	✓
ENV-CEILING KIT	Ceiling Vent, 6M Flex and 2 flex ties		30.00	36.00	✓
ENV-SOFIT KIT	Wall grill, 3M Flex and 2 flex ties		19.00	22.80	✓
ENV-3M FLEX	3 metre flex 100 dia		7.00	8.40	/
ENV-6M FLEX	6 metre flex 100 dia		10.00	12.00	\checkmark

ELECTRIC Underfloor Heating

There is nothing that quite matches the comfort of warm feet when getting out of the bath or shower, especially in the cold winter months! Imagine stepping onto warm tiles controlled to the temperature you prefer.

Electric underfloor heating works by gently warming the mass of floor which in turn warms the rest of the room. Our underfloor heating kit is quick and easy to install. Ideally timed when you are fitting a new kitchen or bathroom.

Electrical components are covered by a two year warranty.

The Underfloor Heating Kit Includes

- The correct size heating mat.
- Digital touch screen timer and thermostat.
- Floor sensor and floor sensor mounting pipe.
- Multimeter to check installation at every stage.
- Comprehensive installation manual and control card.





Putting You in Control...

The digital touch screen, completely programmable timer and thermostatic controller enables you to fully regulate the temperature and control when the heating is on or off. The manual override means at the touch of a button the temperature can be higher or lower to suit as and when it is needed.

EUFH	Area Metre(s)	Rated Power	Price £	Price £	Stock	
E 2	Square	Wattage per mat	(ex VAT)	(inc VAT)	or made to order	
EUFH150-01.0	1.0	150	157.00	188.40	✓	
EUFH150-01.5	1.5	225	173.00	207.60	\checkmark	
EUFH150-02.0	2.0	300	186.00	223.20	\checkmark	
EUFH150-02.5	2.5	375	199.00	238.80	\checkmark	
EUFH150-03.0	3.0	450	215.00	258.00	\checkmark	
EUFH150-03.5	3.5	525	228.00	273.60	\checkmark	
EUFH150-04.0	4.0	600	242.00	290.40	✓	
EUFH150-04.5	4.5	675	286.00	343.20	✓	
EUFH150-05.0	5.0	750	297.00	356.40	\checkmark	
EUFH150-06.0	6.0	900	321.00	385.20	\checkmark	
EUFH150-07.0	7.0	1050	352.00	422.40	\checkmark	
EUFH150-08.0	8.0	1200	384.00	460.80	✓	
EUFH150-09.0	9.0	1350	416.00	499.20	✓	
EUFH150-10.0	10.0	1500	444.00	532.80	✓	
EUFH150-12.0	12.0	1800	508.00	609.60	1	





bechoosy

V®GUE

Additions and Accessories

So you've found your perfect towel rail... Now add the perfect finishing touches. From high quality valves to the latest technology in heated electric elements....



ELECTRIC ELEMENT ONLY Prices



Standard Element

IP55 Suitable for zones 1 and 2 of the bathroom.

Each standard element contains an internal preset over the temperature switch and fail safe fuse. There is no thermostatic control although a suitably rated rheostat (CD-VR) will give thermal control when fitted into the electrical supply circuit.

Available as a summer kit for dual fuel options. See Page 137 for tee piece AC003 £28.00 ex VAT £33.60 inc VAT

Product	Watts	Price £ (ex VAT)	Price £ (inc VAT)
EE002	75w	51.00	61.20
EE002	100w	81.00	97.20
EE002	125w	82.00	98.40
EE002	150w	83.00	99.60
EE002	200w	85.00	102.00
EE002	300w	86.00	103.20
EE002	400w	87.00	104.40
EE002	600w	92.00	110.40



Electronique Element

IP66 Suitable for zones 1 and 2 of the bathroom.

The standard Electronique element is set to a constant surface temperature of 52°C, with no need for external controls. In the fully loaded towel warming mode it will act to reduce power and save running costs. In space heating mode it will increase the power to deliver background heat needed to the maximum of its rated capacity. A safe to touch system, with safety measures incorporated.



Available as a summer kit for dual fuel options. See Page 137 for tee piece AC003 $\mathfrak{L}28.00$ ex VAT $\mathfrak{L}33.60$ inc VAT

Product	Watts	Price £ (ex VAT)	Price £ (inc VAT)
EE001A	200w	189.00	226.80
EE001A	400w	199.00	238.80
EE001A	600w	212.00	254.40



Contract Fixed Heat / LST Electronique Flement

IP55 Suitable for zones 1 and 2 of the bathroom. Fixed Heat is designed as an energy saving element to control temperature and consume only the correct amount of power required. It maintains your pre-set temperature whether the rail is in a cold bathroom empty or fully loaded with towels. Fixed Heat for LST (low surface temperature) of 43°C must be chosen to comply with LST legislation for use in public buildings, hospitals and care homes.

Product	Watts	Price £ (ex VAT)	Price £ (inc VAT)
EE001C	200w	189.00	226.80
EE001C	400w	199.00	238.80
EE001C	600w	212.00	254.40



Thermostatic Element

IP44 Suitable for zone 2 of the bathroom.

Electronically controls room temperature and has a two hour boost function. It also has the benefit of a frost protection function.



Available as a summer kit for dual fuel options. See Page 137 for tee piece AC003 £28.00 ex VAT £33.60 inc VAT

Not suitable for use with timer AC013

Product	Watts	Price £ (ex VAT)	Price £ (inc VAT)
EE003 White	150w	125.00	150.00
EE003 Chrome	150w	136.00	163.20
EE003 White	300w	131.00	157.20
EE003 Chrome	300w	141.00	169.20
EE003 White	600w	148.00	177.60
EE003 Chrome	600w	158.00	189.60
EE003 White	900w	164.00	196.80
EE003 Chrome	900w	175.00	210.00



Remote Controlled Heat Element

IPX4 suitable for zones 1 and 2 of the bathroom.

Negative Temperature Coefficient technology

7 day programmable element with remote control switches the towel rail on and off when you want, at the temperature you want. Eco, boost and safety lock features included, and manual override allows you total flexibility when needed. Can be retro fitted to existing electric or dual fuel multirail towel rails.



*Please note, Element only suitable for vertical installation

Available as a summer kit for dual fuel options. See Page 137 for tee piece AC003 £28.00 ex VAT £33.60 inc VAT

Product	Watts	Price £ (ex VAT)	Price £ (inc VAT)
EE005	300w	180.00	216.00
EE005	600w	183.00	219.60
EE005	900w	187.00	224.40



Heat Sensor Element

IPX5 suitable for zones 1 and 2 of the bathroom. Five temperature settings ranging from 30°C to 60°C. The device displays the temperature to which it is currently set and indicates the status of the heating cycle.

Optional accessory is the Heat Sensor Element Cover Shroud - AC040, to hide the cable - RRP £12.00 (ex VAT) each. See page 137



Not suitable for use with timer AC013

Product	Watts	Price £ (ex VAT)	Price £ (inc VAT)
EE006	200w	147.00	176.40
EE006	300w	155.00	186.00
EE006	400w	162.00	194.40
EE006	600w	171.00	205.20
EE006	800w	178.00	213.60
EE006	1000w	188.00	225.60





Standard Rail Option (H) and (C) Mulitirail Option (H) and (C)

Heating Only Options



Heating and Hot Water this is suitable for all heating and hot water systems. For connection to either direct (open) or indirect (closed) central heating systems.



Suitable for indirect (closed) central heating circuits only. It cannot be installed on an open circuit due to the product containing ferrous (steel) parts.

Electric Only Options



A completely independent unit requiring only a fused spur electric connection. Thermal transfer fluid is heated by an electric element within the towel rail.







Mulitirail Option (E)

Standard Rail Option (D)



Mulitirail Option (D)

Dual Fuel Options



The towel rail has the capability to run from a central heating circuit or an electric element. Handy in the summer months when the central heating is turned off.



Internal view



Rear external view

Electric Dryline Option



Electric dryline technology, with the towel warmer not containing any fluids. The towel warmer is heated using a silicone heater cable, exiting the towel warmer via a 3 core cable. This can then be attached to a fuse spur. Only available on specific models, please contact our sales office on +44(0)1902 387000 for further details. POA.

Please Note:

When using the electric element only (ie; during summer), allowance must be made for thermal expansion within the product by having the 'return' radiator valve left partially open. The 'flow' radiator valve must be closed to prevent back flow through the system. Both valves should be opened and balanced when the central heating system is operative, (i.e. during winter).

Steel Rails - Must be installed in accordance with BS7593 where a corrosion inhibitor is used. Brass Rails - Caution where water softener is installed, as this could cause dezincification (material is attacked ie. zinc eaten away by aggressive water).

Brass towel rails are manufactured using dezincification resistant brass, however it should be understood that the term 'resistant'does not entirely preclude the possibility of dezincification occurring. If you intend to install the product on an open (DHW) circuit, make reference to your local water authority to ensure dezincification has not previously occurred. Towel rails manufactured from brass tubing should not be installed on an open circuit if a water softener is present. Water analysis to determine the likelihood of dezincification is available at cost.

Models suitable for indirect (closed) circuits only cannot be installed on an open circuit due to the item containing ferrous (steel) parts. Product compatibility is the responsibility of the installer.

FITTED ELECTRIC & DUAL FUEL Pricing

This section contains a range of elements with price supplements for electric and dual fuel models. Please add the price of your element to the model you choose and we will build it for you.



Standard Element IP55 Code EE002

A benchmark element to suit each size of product.

- E Electric Only £162.00 ex VAT £194.40 inc VAT
- D Dual Fuel £111.00* ex VAT £133.20 inc VAT



Thermostatic Element IP44 Code EE003

Variable room temperature control function.

- E Electric Only £268.00 ex VAT £321.60 inc VAT
- Dual Fuel £217.00* ex VAT £260.40 inc VAT



Fixed Heat / LST Electronique Element IP55 Code EE001C

Ideal for LST applications where surface temperatures need to be guaranteed.

E Electric Only £254.00 ex VAT - £304.80 inc VAT



Electronique Element IP66 Code EE001A

Maintains surface temperature of product to 52 $^{\circ}\text{C}.$

- E Electric Only £254.00 ex VAT £304.80 inc VAT
- Dual Fuel £210.00* ex VAT £252.00 inc VAT



Remote Controlled Heat Element IPX4 Code EE005

NTC – Negative Temperature Coefficient technology. Remote controlled programmable element for adjustable temperature control.

- E Electric Only £239.00 ex VAT £286.80 inc VAT
- Dual Fuel £198.00* ex VAT £237.60 inc VAT



Heat Sensor Element IPX5 Code EE006*

An electronic temperature sensor control.

- E Electric Only £268.00 ex VAT £321.60 inc VAT
- Dual Fuel £217.00* ex VAT £260.40 inc VAT
- *Optional cover shroud available AC040, see page 137

All the images of elements depict electric only versions. Dual fuel configurations may vary including element positioning. The appropriate standard versions will be supplied in all cases unless advised otherwise.

Electric towel rails are filled with a glycol ethylene / water mix to strict guidelines. This improves the thermal transfer rate and acts as a corrosion inhibitor.

All electric and dual fuel towel rails must be fitted by a qualified person.

The elements are fitted on the right hand side as standard. They can be left hand mounted on request, on certain rails only.

^{*} Dual fuel models will also be supplied with a conversion tee where applicable. This can be used with VL013 valves for a mulitrail. Alternatively to a conversion tee dual fuel valves VL015 can be used.

This section contains information on electrical safety.

IEE Wiring Regulations have identified the following zones and IP ratings to ensure safety.



IP Zoning

ZONE 0

Inside the bath or shower. Any fitting here must be SELV (max 12v) and a minimum rating of IPX7. (Protection against immersion in water)

ZONE

Above the bath or shower to a height of 2.25m. A minimum rating of IPX4 is required * See note 1

ZONE

The area stretching to 0.6m outside the bath or shower and above the bath or shower if over 2.25m. A minimum rating of IPX4 is required

OUTSIDI

Anywhere outside zones 0, 1, and 2. Where water jets are not used for cleaning purposes, the general rules BS7671 apply. * See note 1.

All final circuits require 30mA RCD protection.

Notes

- In zones 1 and 2 if there is a likelihood of water jets being used for cleaning purposes a minimum of IPx5 is required.
- Where ceiling heights exceed 2.25m, the zones are effectively up to 3m, beyond 3m the walls are out of scope.
- Basins are not covered, however they are usually considered zone 2.
- If the space underneath a bath cannot be accessed without tools that space is considered out of zone.
- Information contained on this page is for guidance only. Please refer to current IEE Regulations or a qualified electrician.

IP Rating Guide

The IP (ingress protection) rating given to an enclosure, states the degree of protection it offers by means of two digits. A summary of these are detailed below. For more information please see IEC 529: 1989 BSEN 65029:1992.

First Digit

Protection against solid foreign objects and access to hazardous parts.

At the lowest of seven levels is 0, this means no protection is offered. At the highest level 6, there shall be no entry of dust particles.

Second Digit

Protection against entrance of water on a progressive scale. At level 1 dripping water shall have no effect. at level 6 water from powerful jets against the enclosure shall have no effect.

The letter X can be used in place of the first digit or second digit to indicate that tests have not being carried out or are not applicable.

0	3	No protection.	
1	53 54	Protected against solid objects larger than 50mm e.g. accidental touch by hands.	
2	33	Protected against solid objects larger than 12.5mm e.g. fingers.	
3	3	Protected against solid objects larger than 2.5mm e.g. tools and cables.	
4	53	Protected against solid objects larger than 1mm.	
5		Protected against dust (no harmful deposits).	

No protection. Protected against vertically falling drops of water e.g. condensation. Protected against direct sprays of water up to 15° from the vertical. Protected against direct sprays of water up to 60° from the vertical. Protected against water splashed from all directions limited ingress permitted. Protected against low pressure jets of water from all directions - limited ingress permitted. Protected against strong jets of water e.g. for use on ship decks - limited Totally protected against dust ingress permitted. Protected against the

IEC 529, bs en 60529 does not apply to any risk of explosion or conditions such as humidity, corrosive gases, fungi or vermin. In certain cases equipment designed to be mounted in an enclosure will contribute towards the stated IP rating (eg Push buttons mounted in an enclosure). Different parts of enclosures can have different degrees of protection and still conform to the standard (e.g. Enclosures with pre-drilled conduit entry. All information strictly for guidance only, please refer to regulations and manufacturers for information if you are in any doubt.



effects of temporary immersion in water between 150mm and 1m.



Protected against continuous submersion at a specified depth.

ACCESSORIES



AC001

Auto air vent.

Can only be fitted in manufactured products. Must be specified at point of order.



AC002 Ball vent.





AC003

Conversion tee for dual energy radiators.



AC007




please contact the sales office for a quote.



Electric element shroud covers. Shown as standard in chrome. Other finishes are available,







AC004

Valve sleeves.



AC040

Heat Sensor Element Cover Shroud

Can be used when depth from wall to centre is the maximum of 70mm.



AC006

Street elbow connection tubes.



AC035

Blanking Plug with Aroma Oil Dish.

Product	Description	Price £ (ex VAT) Chrome	Price £ (inc VAT) Chrome	Stock or made to order
AC001	1/8" BSP M.I. Self sealing auto vent. All models are fitted with manual air vents. To be specified on order	24.00	28.80	
				Y
AC002	1/2" BSP M.I. Decorative air vent and plug	78.00	93.60	√
AC003	Three point 1/2" BSP adaptor. For electric element and radiator valve link	28.00	33.60	✓
AC004	19 mm Ø x 100 mm long, electroplated to match towel rail and valves	64.00	76.80	\
AC005	15 mm Ø x 150 mm long	28.00	33.60	/
AC005	22 mm Ø x 150 mm long	40.00	48.00	✓
AC006	15 mm Ø x 150 mm long	45.00	54.00	√
AC007A	Legacy ball joint	110.00	132.00	✓
AC007B	Contemporary	97.00	116.40	√
AC007C	Mitred	97.00	116.40	✓
AC007D	Flexi (suitable for use with standard element only)	111.00	133.20	√
AC007E	Variheat (suitable for use with variheat element only)	97.00	116.40	✓
AC007F	Originals ball joint	126.00	151.20	√
AC007G	Electronique (suitable for use with electronique element only)	97.00	116.40	\checkmark
AC007H	Hexagonal	149.00	178.80	√
AC035	Oil Aroma Blanking Plug	8.00	9.60	1
AC040	Heat Sensor Element Cover Shroud	12.00	14.40	✓



AC012 Voltage Regulator A manual controller to manage power consumption to your towel warmer.



AC013 7 Day Timer
This digital controller gives you the facility to pre plan when you will need your towel



AC014 Pattress Plate Housing the wires from the towel rail element if no external controller is required.



AC034
Towel Bar for CN027



Clip on chrome towel bar in three widths.



Magnetic towel bar.



AC032 Stainless steel towel bar.



AC037
Pack of 2 Heavy Duty Hollow Wall Fixings



AC031
Clip on frosted sphere and chrome robe hook.



AC010 Round or square metal cover plates.



Arne straight or angled fixing kit.



ACUTIF
Crosshead angled fixing kit.

riodria or square metar	7 THO Straight of angled fixing Nt.	0103311044 41	igiod iixii ig ixit	•
Product 2	Description	Price £ (ex VAT)	Price £ (inc VAT)	Stock or made to order
AC010A	Round 15 mm internal diameter hinged cover plates	17.00	20.40	√
AC010B	Square 15 mm internal diameter cover plates	17.00	20.40	\checkmark
AC011	VL003 (pair) straight or angled valves with cover plates and connection tubes	81.00	97.20	\checkmark
AC011F	VL008 (pair) angled valves with cover plates and connection tubes	100.00	120.00	\checkmark
AC012	Chrome 75W - 400W (1 gang)	49.00	58.80	✓
AC012	Chrome 150W - 1000W (2 gang)	105.00	126.00	\checkmark
AC013	Digital single channel programme timer (White)	101.00	121.20	✓
AC014	Covers 1 gang pattress box (Chrome)	30.00	36.00	✓
AC023A	Chrome 220 mm wide, suitable for MD001, MD005 and MD034	98.00	117.60	√
AC023B	Chrome 310 mm wide, suitable for MD001, MD005 and MD034	103.00	123.60	\checkmark
AC023C	Chrome 405 mm wide, suitable for MD001, MD005 and MD034	111.00	133.20	✓
AC030	Chrome 443 mm wide, suitable for MD056	81.00	97.20	✓
AC031	Chrome and frosted sphere. Suitable for MD001, MD003, MD005 and MD034	37.00	44.40	1
AC032	Stainless steel 450 mm wide, suitable for DR003 and DR021	135.00	162.00	✓
AC034A	Towel Bar for CN027 - 60mm wide x 200mm wide Chome, White or Anthracite	51.00	61.20	1
AC034B	Towel Bar for CN027 - 60mm wide x 340mm wide Chome, White or Anthracite	51.00	61.20	✓
AC034C	Towel Bar for CN027 - 60mm wide x 480mm wide Chome, White or Anthracite	51.00	61.20	✓
AC037	Pack of 2 Heavy Duty Fixings	27.00	32.40	√

VALVES



Arne VL003
A contemporary classic that works with many designs.



Arne Thermostatic VL004
Controlling the heat of your
towel rail or radiator.



Xero VL012
This modern tap head style suits many bathroom taps and fittings.



Piazza VL014

This cubed valve gives a great finish to our square tube products.



Combination Kit VL013

A combination kit of VL003 straight and angles valves for dual energy option, applicable for all multirail products.



Adapta VL001
A contemporary double angled valve, almost not to be noticed.







Valve	Description	Туре	Price £ Per Pair (ex VAT) Chrome	Price £ Per Pair (inc VAT) Chrome	Stock or made to order
Arne VL003	1/2" BSP X 15 mm	Straight	40.00	48.00	√
Arne VL003	1/2" BSP X 15 mm	Angled	40.00	48.00	✓
Arne Thermostatic VL004	1/2" BSP X 15 mm thermostatic	Straight	62.00	74.40	\checkmark
Arne Thermostatic VL004	1/2" BSP X 15 mm thermostatic	Angled	62.00	74.40	✓
Art Deco VL006	1/2" BSP X 15 mm	Angled	64.00	76.80	\checkmark
Adapta VL001	1/2" BSP X 15 mm	Angled	60.00	72.00	\checkmark
Crosshead VL008	1/2" BSP X 15 mm	Straight	53.00	63.60	\checkmark
Crosshead VL008	1/2" BSP X 15 mm	Angled	53.00	63.60	\checkmark
Excelsior VL010	1/2" BSP X 15 mm thermostatic	Angled	157.00	188.40	\checkmark
Xero VL012	1/2" BSP X 15 mm	Angled	43.00	51.60	\checkmark
Piazza VL014	1/2" BSP X 15 mm	Angled	72.00	86.40	\checkmark
Crosshead 2 VL018	1/2" BSP X 15 mm	Angled	44.00	52.80	\checkmark
Combination Kit VL013	1/2" BSP X 15 mm	Angled / Straight	49.00	58.80	\checkmark
Dual Fuel VL015	1/2" BSP X 15 mm	Angled	41.00	49.20	✓
Arne Corner VL023	1/2" BSP X 15 mm	Corner	48.00	57.60	✓
Arne Corner Thermostatic VL024	1/2" BSP X 15 mm thermostatic	Corner	72.00	86.40	\



Art Deco VL006

These valves work well with the hexagonal tube deco designs.



Crosshead VL008

A valve that suits most traditional designs. Our benchmark.



Crosshead 2 VL018
A capstan style valve, which suits ball jointed products.



Excelsior VL010

Thermostatic, a substantial valve in a time honoured design.



Arne Corner VL023
A discreet contemporary valve that neatly aligns with your towel warmer.



Arne Corner Thermostatic VL024
Thermostatic version of of our discreet
corner valves.

Valves are supplied as standard in a chrome finish. Other finishes are available.

Please Note: Designs may differ slightly when ordering in different finishes.

Please contact our sales office on 01902 387000

to discuss your requirements.





COLOURS

Vogue UK Radiator Colours

The colours below are available on many of our ranges carrying the RAL colour symbol. The featured colours have a £224 supplement ex VAT on the white price. Other RAL colours are available POA.







RAL colours come in a gloss finish as standard, unless specified differently.

The RAL colours in this chart have been matched as closely as possible. The colour depends on the printing or your monitor. We suggest the official RAL colour chart gives the most accurate colour sample.

Vogue UK Contemporary Colour Range



The contemporary colour range is available as a stocked item in three models Serene, Vela and Focus. Latte, Cappuccino, Mocha and Anthracite have a textured finish, with Espresso and Black being gloss. These finishes are also available on other ranges.

Vogue UK Metallic Finishes



Antique Bronze, Antique Brass & Antique Copper - Due to the reaction of the bronze solution with the base metal there will always be a degree of natural variation in the shade between different components.

Un-lacquered/un-protected polished material will discolour in a short space of time and will need regular cleaning to preserve the finish.

Inset Radiator Range







Flat Panel

Vogue UK Joint Range



Ball Joint 1"



Legacy 1.25"



Originals 1.25"



Charlotte 1.5"



Grandeur



The 1909



Art Moderne



Minima Square



Romolo



Art Linea



Mitred



Plain



Contemporary



Minima Round



Valour Bend

Selecting your joint and tube design could not be more flexible.

Our hand made selection of towel rails can be as individual as you are.

Tubing Range



Rope



Reed



Plain



Square



Hexagonal

General terms & conditions

Bespoke items are non-returnable. Please note that certain non-stock models are also non-returnable, please confirm with our Sales Office on telephone +44(0) 1902 387000.

All heat outputs are shown at $50^{\circ}\text{C}\Delta t$, in compliance with BSEN442 - Specification for Radiators and Convectors. To convert to $60^{\circ}\text{C}\Delta t$, multiply heat output by conversion factor 1.268 (approximate figure).

All measurements given are nominal dimensions only (mm), and are not binding. Detailed technical drawings are available on request from our Sales Office on +44(0) 1902 387000 or via our website - www.vogueuk.co.uk

Manufactured from hot brass stamped fittings and high quality brass tube complying to BS2871.

Some models manufactured from high grade CR steel tubing and/or containing steel components suitable for closed/indirect circuits only. All rails are pressure tested to 100p.s.i (6.9 bar) air immersed in water. All models are fitted with 2 x 1/2" BSP F.I. connections. Alternative M.I. or compression fitting is available on request. 3/4" BSP connections available at extra cost on some models.

A manual bleed air vent is fitted to all hot water/dual fuel models. Auto air vents available on request at additional cost.

Pipe centres are provided as centre to centre tappings using the Vogue (UK) range of valves.

In compliance with our policy of constant improvement we reserve the right to alter specifications, materials and dimensions or discontinue any of our products without prior notice.

The colours in the brochure are as accurate as the colour printing processes allow. Photographs for illustrative purposes only. We reserve the right to change specifications without prior notification.

Vogue (UK) Ltd recommends that existing or new pipework is not adjusted until the towel warmer or radiator is installed in its final position.

Products ordered incorrectly or where the specification has changed may incur a re-stock charge. Bespoke/custom made products are non-refundable. Upon the return of a product Vogue (UK) Ltd reserve the right to refuse credit if the product is not made available upon an agreed collection/return in line with the Company's terms and conditions.

A copy of the Company's full Terms and Conditions of Trading is available on request.

Continual Improvement

Our company policy is one of continual improvement and Vogue (UK) Ltd reserves the right to amend designs, specification or discontinue any of our products without prior notice. E & OE

Valves are NOT supplied with each product. Please see Valves & Accessories section for further details.

Tiles provided by British Ceramic Tile Ltd www.britishceramictile.com

Guarantee

Vogue (UK) Ltd is a company that celebrates the wealth of traditional, quality handcrafted heated towel rails and radiators and is one of the last true manufacturers in the UK. Vogue branded towel rails installed within the UK are also covered by an extended 2, 15 or 30 Year Guarantee – subject to Terms & Conditions of guarantee against manufactoring defects. Components such as inset radiators, not of our manufacture, which become faulty by reason of defected materials, come with a 2 year guarantee only.



EN442.1 & 2

Where applicable product within this publication has undergone independent testing to verify heat outputs are in accordance with the parameters laid down in the above European standards. Some products at the time of print may be awaiting confirmation

incooving the built in Delivering Measuring compliance independent in processing the built in processi

Construction Product Regulations (CPR)

In compliance with the above, Vogue UK LTD (The company) holds declaration of Performance Certificates (DoPs) for all products covered by the Harmonised Standard EN442.1 / 2. Copies of relevant certificates are available on request.

Product with a declared heat output of 200Watt or less 50 degree C Detla T are not classified by The company as heating appliances and are therefore not covered by the above. All individually manufactured bespoke products are similarly exempted from the above legislation

ISO 9001:2008 certified

Vogue (UK) is proud to be ISO 9001: 2008 certified. Quality is utmost in importance to our organization, in both the products and services we provide our customers. Reflecting this commitment, Vogue (UK) implemented and received certification of our Quality Management System in accordance with ISO 9001:2008.

General

Carriage - Paid UK mainland, excluding requests for next day service, Export carriage can also be arranged. Please contact our Sales Office for details on telephone +44(0) 1902 387000.

All images are for illustration purposes only.

INDEX

Model	Code	Material	Section	n Style	Installaton	Page	Model	Code	Material	Section	Style	Installaton	Page
Α							Flyline Horizontal Radiator	DR004/DR004DP	MS	DR	FR	WM	110
Accessories	AC		Α	AC		137 & 138	Flyline Vertical Radiator	DR003/DR003DP	MS	DR	FR	WM	109
Aquila	DR016	MS	CN	DTW	WM	29	Focus	MD001	MS	LR	MR	WM	57
Arc	MD065	MS	CN	MTW	WM	33			MS	LR	MR	WM	
Arcadia	LG017/OG017	MS/BR	TR	TTW	FM	73	Focus Colour Range	MD001	IVIS	LK	IVIH	VVIVI	59 & 60
Art Moderne	OG011	BR	TR	TTW	FW	87	G						
Art Moderne	OG010	BR	TR	TTW	WM	88	Galaxy	MD059	SS	LR	MR	WM	63
Art Moderne II	OG021	BR	TR	MR	WM	89	0.111	MD040	00	0.1	MD	10/04	04
Axis	MD062	MS	LR	MR	WM	55	Gallant II	MD040	SS	CN	MR	WM	31
В								MD040	MS	CN	MR MTW	WM	32
Ballerina	LG024/LG021	MS	TR	TTW	FW	77	Grace Grandeur	MD067 LG032FW	MS BR	TR	TTW	FW	14 81
Ballerina	LG024/LG021/	BR	TR	TTW	FW	78	Grandeur	LG032WM	BR	TR	TTW	WM	82
	OG003							LG032VIVI	DIT	111	1144	VVIVI	02
Ballerina	LG010	MS	TR	TTW	WM	79	Н						
Ballerina	LG025/LG010/ LG021/OG002	BR	TR	TTW	WM	80	Hamlet	LG037/OG001	BR	TR	TTW	WM	84
Baroque	LG014/OG016	MS/BR	TR	TTW	FM	74	Harmonique	MD060	MS	CN	RTW	WM	48
Basin Stands		BR	TR	TTW	FW/WM	97 & 98	Harmonique Duo	MD090	MS	CN.	RTW/S	WM	46
Bathroom Zones			А			136	Heating Options			А			134
Binary	TR002	BR/MS	CN	S	WM	44	1						
Boxa	CN009	MS/SS	CN	MTW	WM	23	Ideal	MD055	SS	CN	MTW	WM	22
Butler	LG035/OG004	BR	TR	TTW	FW	83	leri	TM014	BR/MS	CN	S	WM	47
С							Inttra	CN013	BR/MS	CN	MTW	WM	11
Carina	MDOE1	MS	CN	S	WM	43	J						
Chic	MD051 MD046	MS	CN	DTW	WM	17	Joints & Tubing			А			141
Chorus	MD002	MS	LR	MR	WM	58	K						
Chube	MD035	SS	LR	MR	WM	61	Kate Radiator	DR019	MS	DR	DR/VT	WM	103
Colonnade 4	LG023	BR	TR	TTW	WM	91	Kerve	MD036	SS	LR	MR	WM	62
Colour options and	20020	5.,	А			141 & 142	Keys II	CN030	MS	CN	DTW	WM	18
Metallic Finishes							L						
Combes	MD063	MS	LR	MR	WM	56		PPOO	140	DD	DDAG	10/04	444
Comby	MD052	MS	CN	MR/S	WM	45	Lure Radiator	DR020	MS	DR	DR/VT	WM	111
Comby Dryer	MD082	MS	E	MR/S	WM	121	Lure Double Radiator	DR020DP	MS	DR	DR/VT	WM	112
Comfort Electric Towel Rail	EL028	MS	Е	ETW	WM	122	М						
Concertina	DR010	MS	CN	DR/DTW	/ WM	7	Marine	DR009	MS	CN	DR/DTV	V WM	8
Curvee	MD050	MS	CN	MR	WM	34	Melody	MD004	MS	LR	MR	WM	66
Cygnus	DR012	MS	CN	DR/DTW	/ WM	9	Memo	CN007	MS	CN	MTW	WM	28
D							Moda	CN001	MS	CN	RTW	WM	26
	DR015	MS	CN	MTW	WM	10	Mode Accessories	AC					117
Draco	MD084	MS	CN	MTW	WM	36	Mode Column Radiator		MS	DR -	CR		115 & 116
	IVIDU04	IVIO	CIN	IVIIVV	VVIVI	30	Mode Electric Radiator		MS	E	CR	WM	126
E							Mode II Radiator	CN027	MS	DR	CR		113 & 114
ECO Electric Radiator	ER001	MS	E	ER	WM	123	Mode Section Radiators	2C/3C/4C/ 5C/6C	MS	DR	CR	WM	117 & 118
Electric Element & Dual Fuel Fitted Pricing			А			135	N						
Electric Elements -	EE001/EE002/		А	EL		133	Nexus Grand III	TM003	BR	TR	RTW	WM	93
Standard	EE003/EE005/ EE006						Nexus Grand IV	TM004	BR	TR	RTW	WM	94
Electric Under Floor	EUFH		Е	UFH		129 & 130	Nexus III	TM001	BR	CN	RTW	WM	49
Heating							Nexus IV	TM002	BR	CN	RTW	WM	50
Elizabeth	LG003/OG019	MS/BR	TR	TTW	FW	85	0						
Elizabeth	LG003/OG019	BR	TR	TTW	WM	86	Ordinate Radiator	MD005	MS	DR	VT	WM	106
Envirovent Electric Fans	SILD/ECO DMEV/ SILM/SIL	N/A	Е			127 & 128		IVIDOOO	CIVI	טח	V I	VVIVI	100
F	3.L., 01L						Р						
_	011045		~ .				Pearl	MD058	SS	LR	MR	WM	64
Flexx	CN015	BR	CN	MTW	WM	12	Penthouse	LG018/OG020	BR	TR	MR	WM	90
							Phoenix	DR017	MS	CN	DTW	WM	30
							Pure	MD037	BR	CN	MTW	WM	13

Model	Code	Material	Section	Style	Installaton	Page
Q						
Quadrate	MD074	MS	CN	MTW	WM	24
R						
Regency	LG004/OG006	MS/BR	TR	TTW	FW	71
Regency	LG005/OG015	MS/BR	TR	TTW	WM	75
	LG036/OG009	MS/BR	TR	TTW	WM	72
Regency II						
Regency Tall	LG013/OG007	MS/BR	TR	TTW	FW/WM	76
Rubik	MD038	SS	CN	MTW	WM	19
S						
Sequel III	TM005	BR	TR	RTW	WM	96
Sequel V	TM006	BR	TR	RTW	WM	95
Serenade Radiator	DR008	MS	DR	FR	WM	108
Serene	MD049	MS	CN	MR	WM	21
Sesto Rondo III	MD021	BR	CN	MR	WM	51
Shower Curtain Rails	SCR1 - 6	BR	TR		WM	99 & 100
Simplicity II	EL040/EL045	SS	E	VT	WM	125
Simplicity IV	IVCN026	BR	CN	TTW	WM	42
Smooth	CN035	MS	CN	MTW	WM	15
Smooth II	CN036	MS	CN	MTW	WM	16
Solo	TR001	BR/MS	CN	S	WM	44
Sonata Radiator	DR007	MS	DR	VT	WM	111
Squire	MD047	MS	CN	MR	WM	20
Squire Vertical Radiator		MS	DR	DR	WM	107
Stella	MD034	SS	LR	MR	WM	67
Stromboli Electric Radiator	ER002	MS	E	ER	WM	124
Studio	MD006	BR	LR	MR	WM	68
Suave Radiator	MD056	MS	DR	FR	WM	104
Т						
Tempo	MD072	MS	CN	MR	WM	52
Tune	MD003	MS	LR	MR	WM	65
U						
Unique	CN028	MS	CN	MTW	WM	37
V						
Valves	VL		Α	VL		139 & 140
Vela	MD048	MS	CN	MR	WM	35
Venture	CN022	BR	CN	TTW	WM	38
Vintage	LG010B	BR	TR	$\top\!\!\!\top\!$	WM	92
Vision Mirrored Radiator	DR022	MS	DR	DR/VT	WM	105
Vista	IN002	SS	CN	MTW	WM	27
Vivid	CN021	BR	CN	TTW	WM	39
Vivid IV	IVCN021	BR	CN	TTW	WM	40
Vivid IV Horizontal	IVCN021	BR	CN	TTW	WM	41
Z						
Zenith	IN007	SS	CN	MTW	WM	25

Innovation

Vogue UK is a vibrant organisation with research being conducted in many technology disciplines. This research results in exciting products as evidenced throughout the design collections we offer. Vogue UK has set itself a clear objective: both through consistent preservation and long tradition of British craftsmanship and meeting its high standards, as well as creating, with its very own innovative heating developments, contemporary design and a heightened passion for detail and perfection.

Those who appreciate lasting value derived from the synergy of traditional craftsmanship, creative development and the latest technology, as well as dedication in seeking the extraordinary know not to entrust any towel rail design but rather to a design crafted from Vogue (UK).

Vogue UK emphasises its creative drive to differentiate its towel rail designs down to the finest detail and its desire to monitor, to the greatest possible extent, the development and manufacture of a hand crafted product. We use the latest technology to produce low-volume individual parts with high added value continuously offering home interiors and connoisseurs of design new, impressive towel rail models.

Environment

Vogue UK has a legacy of core values, rooted strongly in safety, health and environmental stewardship. For 28 years, we have been reducing the environmental footprint of our own operations. Today, footprint reduction is expected of all companies. The challenge - and the opportunity - are products and manufacturing processes that are safer, less toxic, more energy efficient, use less water, less energy, and produce fewer greenhouse gases. Running our company in an environmentally friendly way is good for the environment and good for our business. We're working to conserve energy and reduce waste and are exploring the use of sustainable materials and products. Whether we're saving costs by reducing energy consumption or creating covetable products through innovative, sustainable design, we believe that reducing our impact on the environment can also result in positive business benefits.

_
>
ш
h 4
×
Z

Material Section		Style	Installation		
BR Brass	CN Contemporary	C Column radiator	MTW Modern towel warmer	FM Floor Mounted	
MS Mild Steel	LR Ladder Rails	DR Designer radiator	RTW Radiator towel warmer	WM Wall Mounted	
SS Stainless Steel	TR Traditional	DTW Designer towel warmer	S Shelf	FW Floor and Wall Mounted	
CI Cast Iron	DR Design Radiators	ER Electric radiator	TTW Traditional towel warmer		
	E Electric	FR Flat Radiator	UFH Under floor heating		
	A Additions	MR Multirail	VT Vertical tube		



Vogue (UK) Ltd Strawberry Lane Willenhall, West Midlands WV13 3RS United Kingdom

T: +44(0) 1902 387000 F: +44(0) 1902 387001 E: info@vogueuk.co.uk W: www.vogueuk.co.uk

Sales Office

T: +44(0) 1902 387020 F: +44(0) 1902 387021

E: sales@vogueuk.co.uk



Issue 5 - May 2018