



WATER DRAINAGE PRODUCTS


2ND GENERATION RECTANGULAR SHOWER CHANNELS

2nd GEN 300 - 1000 ZU or OU

RECTANGULAR SHOWER CHANNEL

ZU = SIDE OUTLET OU = BOTTOM OUTLET

- available in 8 sizes: 300 to 1000mm
- all 304 stainless steel incl. trap
- only 92mm in overall height
- removable easy clean trap
- flow rate - 35 litres per minute
- supplied with rubber adaptor to suit 1.5" pushfit pipe
- supplied with solvent weld adaptor to suit 43mm or 55mm pipe



WAVE GRATE OPTION



only available in 600mm to 1000mm sizes

GT 1100 - 2000 ZU or OU

RECTANGULAR SHOWER CHANNEL

ZU = SIDE OUTLET OU = BOTTOM OUTLET

- available in 10 sizes: 1100 to 2000 mm
- all 304 stainless steel incl. trap
- only 100mm in overall height
- removable easy clean trap
- flow rate - 35 litres per minute
- supplied with rubber adaptor to suit 1.5" pushfit pipe
- supplied with solvent weld adaptor to suit 43mm or 55mm pipe



WAVE GRATE OPTION



available in all sizes



CONTEMPORARY IN-WALL DRAINS


WALL / FLOOR DRAIN STRAIGHT WALL CHANNEL DRAIN

- tile-in drain cover
- unique drainage at wall
- all 304 stainless steel incl. trap
- available in 3 sizes: 800, 900 & 1000mm
- removable easy clean trap
- flow rate - 35 litres per minute



WALL / FLOOR CORNER DRAIN CORNER MODEL

- tile-in drain cover
- unique drainage at wall
- all 304 stainless steel incl. trap
- available in 5 sizes: 600, 700, 800, 900 & 1000mm
- removable easy clean trap
- flow rate - 35 litres per minute




CORNER & QUADRANT SHOWER DRAINS

L 600 - 1000 ZU or OU


CORNER DRAIN

ZU = SIDE OUTLET OU = BOTTOM OUTLET

- available in 5 sizes: 600 to 1000mm
- all 304 stainless steel incl. trap
- removable easy clean trap
- only 100mm in overall height
- flow rate - 35 litres per minute
- supplied with rubber adaptor to suit 1.5" pushfit pipe
- supplied with solvent weld adaptor to suit 43mm or 55mm pipe.



Pipe Adaptor




KW 800 - 1000 ZU


QUADRANT SHOWER DRAIN

ZU = SIDE OUTLET

- available in 3 sizes: 800, 900 & 1000mm
- all 304 stainless steel incl. trap
- removable easy clean trap
- only 135mm in overall height
- flow rate - 35 litres per minute
- supplied with rubber adaptor to suit 1.5" pushfit pipe
- supplied with solvent weld adaptor to suit 43mm or 55mm pipe.



Pipe Adaptor




TILE-IN FLOOR GULLY WITH INBUILT DRAINAGE




TG ZU

SQUARE TILE-IN FLOOR GULLY

- contemporary hidden drainage
- 304 stainless steel
- available in 3 sizes: 150 x 150mm, 200 x 200mm, 300 x 300mm
- removable easy clean trap
- flow rate - 35 litres per minute




Pipe Adaptor




SG ZU

RECTANGLE TILE-IN FLOOR GULLY

- contemporary hidden drainage
- 304 stainless steel
- available in 3 sizes: 815 x 200mm, 910 x 300mm, 1020 x 200mm
- removable easy clean trap
- flow rate - 35 litres per minute





Pipe Adaptor



GULLY AND BUCKET DRAINS


NR 413

- 304 stainless steel
- 105 x 105mm
- removable easy clean trap
- flow rate - 35 litres per minute
- only 82mm in overall height




NR 413 LP (Low Profile)

- 304 stainless steel
- 105 x 105mm
- removable easy clean trap
- only 60mm in overall height
- flow rate - 35 litres per minute
- complete with 1.5" pushfit outlet



NR 413 OU (Bottom Outlet)



- 304 stainless steel
- 105 x 105mm
- removable easy clean trap
- flow rate - 35 litres per minute



GULLY AND BUCKET DRAINS


NR 419

- 304 stainless steel
- 150 x 150mm
- removable easy clean trap
- flow rate - 35 litres per minute
- only 80mm in overall height
- supplied with rubber adaptor to suit 1.5" pushfit pipe




NR 419 LP (Low Profile)

- 304 stainless steel
- 150 x 150mm
- removable easy clean trap
- only 60mm in overall height
- flow rate - 35 litres per minute
- complete with 1.5" pushfit outlet



NR 419 OU (Bottom Outlet)

- 304 stainless steel
- 150 x 150mm
- removable easy clean trap
- flow rate - 35 litres per minute





WaterWorld
SOLUTIONS
LTD

Est. 1979
kelso
AGENCIES LTD

14L Kilroot Business Park, Larne Road, Carrickfergus, Co. Antrim, BT38 7PR
t: 028 9336 6560 f: 028 9335 1371 w: www.kelsoagencies.com